

# ICD-10-CM INDEX to DISEASES and INJURIES

## 2021 Addenda

No Change

### A

No Change

**Abnormal, abnormality, abnormalities** - see also Anomaly

No Change

- diagnostic imaging

Revise from

-- skull R93.09

Revise to

-- skull R93.0

No Change

**Abortion (complete) (spontaneous)** O03.9

Add

- inevitable O03.4

No Change

**Abscess (connective tissue) (embolic) (fistulous) (infective) (metastatic) (multiple) (pernicious) (pyogenic) (septic)** L02.91

Revise from

- esophagus K20.8

Revise to

- esophagus K20.80

No Change

- intra-abdominal (see also Abscess, peritoneum) K65.1

Revise from

-- postprocedural T81.49

Revise to

-- postprocedural T81.43

No Change

**Abuse**

No Change

- alcohol (non-dependent) F10.10

No Change

-- with

Add

--- withdrawal F10.139

Add

---- with

Add

----- perceptual disturbance F10.132

Add

---- delirium F10.131

Add

---- uncomplicated F10.130

No Change

- amphetamine (or related substance) - see also Abuse, drug, stimulant NEC

No Change

-- stimulant NEC F15.10

No Change

--- with

Add

---- withdrawal F15.13

No Change

- drug NEC (non-dependent) F19.10

No Change

-- cannabis F12.10

No Change

--- with

Add

---- withdrawal F12.13

No Change

-- cocaine F14.10

No Change

--- with

Add

---- withdrawal F14.13

No Change

-- opioid F11.10

No Change

--- with

Add

---- withdrawal F11.13

No Change

-- psychoactive NEC F19.10

No Change

--- with

Add

---- withdrawal F19.139

Add

----- with

Add

----- perceptual disturbance F19.132

Add

----- delirium F19.131

Add

----- uncomplicated F19.130

No Change

-- sedative, hypnotic or anxiolytic F13.10

No Change

--- with

Add

---- withdrawal F13.139

Add

----- with

Add

----- perceptual disturbance F13.132

Add

----- delirium F13.131

Add

----- uncomplicated F13.130

No Change

-- stimulant NEC F15.10

No Change

--- with

Add

---- withdrawal F15.13

No Change	<b>Achalasia (cardia) (esophagus) K22.0</b>
Revise from	- sphincteral NEC K59.8
Revise to	- sphincteral NEC K59.89
Revise from	<b>Acidocytosis D72.1</b>
Revise to	<b>Acidocytosis D72.10</b>
Add	<b>ACPO (acute colonic pseudo-obstruction) K59.81</b>
No Change	<b>Allergy, allergic (reaction) (to) T78.40</b>
No Change	- milk protein (see also Allergy, food) Z91.011
No Change	- - gastroesophageal reflux (see also Reaction, adverse, food) K21.9
Revise from	- - - with esophagitis K21.0
Revise to	- - - with esophagitis (without bleeding) K21.00
Add	- - - - with bleeding K21.01
Revise from	- pneumonia J82
Revise to	- pneumonia J82.89
No Change	<b>Anemia (essential) (general) (hemoglobin deficiency) (infantile) (primary) (profound) D64.9</b>
Revise from	- Dyke-Young type (secondary) (symptomatic) D59.1
Revise to	- Dyke-Young type (secondary) (symptomatic) D59.19
No Change	- hemolytic D58.9
No Change	- - acquired D59.9
Revise from	- - - autoimmune NEC D59.1
Revise to	- - - autoimmune NEC D59.19
No Change	- - acute D59.9
Revise from	- - - Lederer's D59.1
Revise to	- - - Lederer's D59.19
Revise from	- - autoimmune D59.1
Revise to	- - autoimmune D59.10
Add	- - - cold D59.12
Add	- - - mixed D59.13
Add	- - - warm D59.11
Revise from	- - cold type (secondary) (symptomatic) D59.1
Revise to	- - cold type (primary) (secondary) (symptomatic) D59.12
Add	- - mixed type (primary) (secondary) (symptomatic) D59.13
Add	- - primary
Add	- - - autoimmune
Add	- - - - cold type D59.12
Add	- - - - mixed type D59.13
Add	- - - - warm type D59.11
No Change	- - secondary D59.4
Revise from	- - - autoimmune D59.1
Revise to	- - - autoimmune
Add	- - - - cold type D59.12
Add	- - - - mixed type D59.13
Add	- - - - warm type D59.11
No Change	- - symptomatic D59.4
Revise from	- - - autoimmune D59.1
Revise to	- - - autoimmune
Add	- - - - cold type D59.12
Add	- - - - mixed type D59.13
Add	- - - - warm type D59.11
Revise from	- - warm type (secondary) (symptomatic) D59.1
Revise to	- - warm type (primary) (secondary) (symptomatic) D59.11
Revise from	- Lederer's (hemolytic) D59.1
Revise to	- Lederer's (hemolytic) D59.19
No Change	<b>Aneurysm (anastomotic) (artery) (cirroid) (diffuse) (false) (fusiform) (multiple) (saccular) I72.9</b>
No Change	- brain I67.1
No Change	- - arteriovenous (congenital) (nonruptured) Q28.2
No Change	- - - acquired I67.1
Revise from	- - - - ruptured - see Aneurysm, arteriovenous, brain, ruptured I60.8
Revise to	- - - - ruptured - see Aneurysm, arteriovenous, brain, ruptured I60.8-
Revise from	- - - ruptured - see Aneurysm, arteriovenous, brain, ruptured I60.8

Revise to --- ruptured - see Aneurysm, arteriovenous, brain, ruptured I60.8-  
 No Change **Angioedema (allergic) (any site) (with urticaria) T78.3**  
 Add - episodic, with eosinophilia D72.118  
 No Change **Ankylosis (fibrous) (osseous) (joint) M24.60**  
 Add - specified site NEC M24.69  
 No Change **Aromatic amino-acid metabolism disorder E70.9**  
 Revise from - specified NEC E70.8  
 Revise to - specified NEC E70.89  
 Revise from **Arrhythmia (auricle)(cardiac)(juvenile)(nodal) (reflex)(sinus)(supraventricular)(transitory)(ventricle) I49.9**  
 Revise to **Arrhythmia (auricle)(cardiac)(juvenile)(nodal)(reflex)(supraventricular)(transitory)(ventricle) I49.9**  
 Add - sinus I49.8  
 No Change **Arteriosclerosis, arteriosclerotic (diffuse) (obliterans) (of) (senile) (with calcification) I70.90**  
 Add - with  
 Add -- chronic limb-threatening ischemia - see Arteriosclerosis, with critical limb ischemia  
 Add -- critical limb ischemia  
 Add --- bypass graft I70.329  
 Add ---- autologous vein graft I70.429  
 Add ----- leg I70.429  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.469  
 Add ----- rest pain (and intermittent claudication) I70.429  
 Add ----- bilateral I70.423  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.463  
 Add ----- rest pain (and intermittent claudication) I70.423  
 Add ----- left I70.422  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.462  
 Add ----- rest pain (and intermittent claudication) I70.422  
 Add ----- ulceration (and intermittent claudication and rest pain) I70.449  
 Add ----- ankle I70.443  
 Add ----- calf I70.442  
 Add ----- foot site NEC I70.445  
 Add ----- heel I70.444  
 Add ----- lower leg NEC I70.448  
 Add ----- mid foot I70.444  
 Add ----- thigh I70.441  
 Add ----- right I70.421  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.461  
 Add ----- rest pain (and intermittent claudication) I70.421  
 Add ----- ulceration (and intermittent claudication and rest pain) I70.439  
 Add ----- ankle I70.433  
 Add ----- calf I70.432  
 Add ----- foot site NEC I70.435  
 Add ----- heel I70.434  
 Add ----- lower leg NEC I70.438  
 Add ----- midfoot I70.434  
 Add ----- thigh I70.431  
 Add ---- leg I70.329  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.369  
 Add ----- rest pain (and intermittent claudication) I70.329  
 Add ----- bilateral I70.323  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.363  
 Add ----- rest pain (and intermittent claudication) I70.323  
 Add ----- left I70.322  
 Add ----- with

Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.362  
 Add ----- rest pain (and intermittent claudication) I70.322  
 Add ----- ulceration (and intermittent claudication and rest pain) I70.349  
 Add ----- ankle I70.343  
 Add ----- calf I70.342  
 Add ----- foot site NEC I70.345  
 Add ----- heel I70.344  
 Add ----- lower leg NEC I70.348  
 Add ----- midfoot I70.344  
 Add ----- thigh I70.341  
 Add ----- right I70.321  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.361  
 Add ----- rest pain (and intermittent claudication) I70.321  
 Add ----- ulceration (and intermittent claudication and rest pain) I70.339  
 Add ----- ankle I70.333  
 Add ----- calf I70.332  
 Add ----- foot site NEC I70.335  
 Add ----- heel I70.334  
 Add ----- lower leg NEC I70.338  
 Add ----- midfoot I70.334  
 Add ----- thigh I70.331  
 Add ----- nonautologous biological graft I70.529  
 Add ----- leg I70.529  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.569  
 Add ----- rest pain (and intermittent claudication) I70.529  
 Add ----- bilateral I70.523  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.563  
 Add ----- rest pain (and intermittent claudication) I70.523  
 Add ----- left I70.522  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.562  
 Add ----- rest pain (and intermittent claudication) I70.522  
 Add ----- ulceration (and intermittent claudication and rest pain) I70.549  
 Add ----- ankle I70.543  
 Add ----- calf I70.542  
 Add ----- foot site NEC I70.545  
 Add ----- heel I70.544  
 Add ----- lower leg NEC I70.548  
 Add ----- midfoot I70.544  
 Add ----- thigh I70.541  
 Add ----- right I70.521  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.561  
 Add ----- rest pain (and intermittent claudication) I70.521  
 Add ----- ulceration (and intermittent claudication and rest pain) I70.539  
 Add ----- ankle I70.533  
 Add ----- calf I70.532  
 Add ----- foot site NEC I70.535  
 Add ----- heel I70.534  
 Add ----- lower leg NEC I70.538  
 Add ----- midfoot I70.534  
 Add ----- thigh I70.531  
 Add ----- nonbiological graft I70.629  
 Add ----- leg I70.629  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.669  
 Add ----- rest pain (and intermittent claudication) I70.629

Add ----- bilateral I70.623  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.663  
 Add ----- rest pain (and intermittent claudication) I70.623  
 Add ----- left I70.622  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.662  
 Add ----- rest pain (and intermittent claudication) I70.622  
 Add ----- ulceration (and intermittent claudication and rest pain) I70.649  
 Add ----- ankle I70.643  
 Add ----- calf I70.642  
 Add ----- foot site NEC I70.645  
 Add ----- heel I70.644  
 Add ----- lower leg NEC I70.648  
 Add ----- midfoot I70.644  
 Add ----- thigh I70.641  
 Add ----- right I70.621  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.661  
 Add ----- rest pain (and intermittent claudication) I70.621  
 Add ----- ulceration (and intermittent claudication and rest pain) I70.639  
 Add ----- ankle I70.633  
 Add ----- calf I70.632  
 Add ----- foot site NEC I70.635  
 Add ----- heel I70.634  
 Add ----- lower leg NEC I70.638  
 Add ----- midfoot I70.634  
 Add ----- thigh I70.631  
 Add ----- specified graft NEC I70.729  
 Add ----- leg I70.729  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.769  
 Add ----- rest pain (and intermittent claudication) I70.729  
 Add ----- bilateral I70.723  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.763  
 Add ----- rest pain (and intermittent claudication) I70.723  
 Add ----- left I70.722  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.762  
 Add ----- rest pain (and intermittent claudication) I70.722  
 Add ----- ulceration (and intermittent claudication and rest pain) I70.749  
 Add ----- ankle I70.743  
 Add ----- calf I70.742  
 Add ----- foot site NEC I70.745  
 Add ----- heel I70.744  
 Add ----- lower leg NEC I70.748  
 Add ----- midfoot I70.744  
 Add ----- thigh I70.741  
 Add ----- right I70.721  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.761  
 Add ----- rest pain (and intermittent claudication) I70.721  
 Add ----- ulceration (and intermittent claudication and rest pain) I70.739  
 Add ----- ankle I70.733  
 Add ----- calf I70.732  
 Add ----- foot site NEC I70.735  
 Add ----- heel I70.734  
 Add ----- lower leg NEC I70.738  
 Add ----- midfoot I70.734

Add ----- thigh I70.731  
 Add --- leg I70.229  
 Add ---- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.269  
 Add ----- rest pain (and intermittent claudication) I70.229  
 Add ---- bilateral I70.223  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.263  
 Add ----- rest pain (and intermittent claudication) I70.223  
 Add ---- left I70.222  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.262  
 Add ----- rest pain (and intermittent claudication) I70.222  
 Add ----- ulceration (and intermittent claudication and rest pain) I70.249  
 Add ----- ankle I70.243  
 Add ----- calf I70.242  
 Add ----- foot site NEC I70.245  
 Add ----- heel I70.244  
 Add ----- lower leg NEC I70.248  
 Add ----- midfoot I70.244  
 Add ----- thigh I70.241  
 Add ---- right I70.221  
 Add ----- with  
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.261  
 Add ----- rest pain (and intermittent claudication) I70.221  
 Add ----- ulceration (and intermittent claudication and rest pain) I70.239  
 Add ----- ankle I70.233  
 Add ----- calf I70.232  
 Add ----- foot site NEC I70.235  
 Add ----- heel I70.234  
 Add ----- lower leg NEC I70.238  
 Add ----- midfoot I70.234  
 Add ----- thigh I70.231  
 No Change - arteries of extremities - see Arteriosclerosis, extremities  
 Add -- with  
 Add --- chronic limb-threatening ischemia - see Arteriosclerosis, with critical limb ischemia  
 Add --- critical limb ischemia - see Arteriosclerosis, with critical limb ischemia  
 No Change - bypass graft  
 Add -- with  
 Add --- chronic limb-threatening ischemia - see Arteriosclerosis, with critical limb ischemia  
 Add --- critical limb ischemia - see Arteriosclerosis, with critical limb ischemia  
 No Change - extremities (native arteries) I70.209  
 Add -- with  
 Add --- chronic limb-threatening ischemia - see Arteriosclerosis, with critical limb ischemia  
 Add --- critical limb ischemia - see Arteriosclerosis, with critical limb ischemia  
 No Change -- bypass graft I70.309  
 Add --- with  
 Add ---- chronic limb-threatening ischemia - see Arteriosclerosis, with critical limb ischemia  
 Add ---- critical limb ischemia - see Arteriosclerosis, with critical limb ischemia  
 No Change **Arthritis, arthritic (acute) (chronic) (nonpyogenic) (subacute) M19.90**  
 No Change - juvenile M08.90  
 No Change -- pauciarticular M08.40  
 Add --- specified site NEC M08.4A  
 Add -- specified site NEC M08.9A  
 No Change - rheumatoid M06.9  
 No Change -- juvenile (with or without rheumatoid factor) M08.00  
 Add --- with systemic onset - see Still's disease  
 Add --- specified site NEC M08.0A  
 No Change -- seronegative M06.00  
 Add --- specified site NEC M06.0A

*No Change* -- seropositive M05.9  
*No Change* --- specified NEC M05.80  
*Add* ---- specified site NEC M05.8A  
*No Change* --- without organ involvement M05.70  
*Add* ---- specified site NEC M05.7A  
*No Change* -- specified type NEC M06.80  
*Add* --- specified site NEC M06.8A  
*Revise from* - spine - see also Spondylopathy, inflammatory  
*Revise to* - spine - see also Spondylosis  
*Delete* - temporomandibular M26.69  
*Add* - temporomandibular joint M26.64-  
*No Change* **Arthropathy (see also Arthritis) M12.9**  
*Add* - temporomandibular joint M26.65-  
*No Change* **Asthma, asthmatic (bronchial) (catarrh) (spasmodic) J45.909**  
*Revise from* - eosinophilic J82  
*Revise to* - eosinophilic J82.83  
*Revise from* - pulmonary eosinophilic J82  
*Revise to* - pulmonary eosinophilic J82.83  
*No Change* **Ataxia, ataxy, ataxic R27.0**  
*Add* - autosomal recessive Friedreich G11.11  
*No Change* - cerebellar (hereditary) G11.9  
*Revise from* -- early-onset G11.1  
*Revise to* -- early-onset G11.10  
*Add* -- with  
*Add* --- essential tremor G11.19  
*Add* --- myoclonus [Hunt's ataxia] G11.19  
*Add* --- retained tendon reflexes G11.19  
*Revise from* - Friedreich's (heredofamilial) (cerebellar) (spinal) G11.1  
*Revise to* - Friedreich's (heredofamilial) (cerebellar) (spinal) (with retained reflexes) G11.11  
*No Change* - hereditary G11.9  
*Revise from* -- spinal (Friedreich's) G11.1  
*Revise to* -- spinal (Friedreich's) G11.11  
*Revise from* - Hunt's G11.1  
*Revise to* - Hunt's G11.19  
*No Change* - spinal  
*Revise from* -- hereditary (Friedreich's) G11.1  
*Revise to* -- hereditary (Friedreich's) G11.11  
*Revise from* - spinocerebellar, X-linked recessive G11.1  
*Revise to* - spinocerebellar, X-linked recessive G11.19  
*No Change* **Atonia, atony, atonic**  
*Revise from* - cecum K59.8  
*Revise to* - cecum K59.89  
*Revise from* - intestine K59.8  
*Revise to* - intestine K59.89

*No Change*

## B

*Revise from* **Babesiosis B60.0**  
*Revise to* **Babesiosis B60.00**  
*Add* - due to  
*Add* -- Babesia  
*Add* --- divergens B60.03  
*Add* --- duncani B60.02  
*Add* --- KO-1 B60.09  
*Add* --- microti B60.01  
*Add* --- MO-1 B60.03  
*Add* --- species  
*Add* ---- unspecified B60.00  
*Add* --- venatorum B60.09  
*Add* -- specified NEC B60.09

Delete	<b>Blount's disease or osteochondrosis</b> - see Osteochondrosis, juvenile, tibia
Add	<b>Blount disease or osteochondrosis</b> M92.51-
No Change	<b>Bronchitis (diffuse) (fibrinous) (hypostatic) (infective) (membranous)</b> J40
Revise from	- aspiration (due to fumes or vapors) J68.0
Revise to	- aspiration (due to food and vomit) J69.0
No Change	<b>Buschke's</b>
Revise from	- disease B45.3
Revise to	- disease - see Cryptococcosis by site
Revise from	<b>Busse-Buschke disease</b> B45.3
Revise to	<b>Busse-Buschke disease</b> - see Cryptococcosis by site

No Change

## C

No Change	<b>Calcification</b>
Revise from	- falx cerebri G96.19
Revise to	- falx cerebri G96.198
Revise from	- meninges (cerebral) (spinal) G96.19
Revise to	- meninges (cerebral) (spinal) G96.198
No Change	<b>Calculus, calculi, calculous</b>
Add	- ureteropelvic junction N20.1
No Change	<b>Cardiomyopathy (familial) (idiopathic)</b> I42.9
No Change	- due to
Revise from	-- Friedreich's ataxia G11.1
Revise to	-- Friedreich's ataxia G11.11
Add	<b>CDKL5 (Cyclin-Dependent Kinase-Like 5 Deficiency Disorder)</b> G40.42
No Change	<b>Cesarean delivery, previous, affecting management of pregnancy</b> O34.219
Add	- isthmocele O34.22
Add	- mid-transverse T incision O34.218
Add	- scar
Add	-- defect (isthmocele) O34.22
Add	-- specified type NEC O34.218
No Change	<b>Cold</b> J00
Revise from	- agglutinin disease or hemoglobinuria (chronic) D59.1
Revise to	- agglutinin disease or hemoglobinuria (chronic) D59.12
Revise from	- sensitivity, auto-immune D59.1
Revise to	- sensitivity, auto-immune D59.12
No Change	<b>Collagenosis, collagen disease (nonvascular) (vascular)</b> M35.9
Revise from	- specified NEC M35.8
Revise to	- specified NEC M35.89
No Change	<b>Complication(s) (from) (of)</b>
No Change	- graft (bypass) (patch) - see also Complications, prosthetic device or implant
Revise from	-- cornea T86.849
Revise to	-- cornea T86.849-
Revise from	--- failure T86.841
Revise to	--- failure T86.841-
Revise from	--- infection T86.842
Revise to	--- infection T86.842-
Revise from	--- rejection T86.840
Revise to	--- rejection T86.840-
Revise from	--- specified type NEC T86.848
Revise to	--- specified type NEC T86.848-
No Change	- transplant T86.90
Revise from	-- cornea T86.849
Revise to	-- cornea T86.849-
Revise from	--- failure T86.841
Revise to	--- failure T86.841-
Revise from	--- infection T86.842
Revise to	--- infection T86.842-
Revise from	--- rejection T86.840
Revise to	--- rejection T86.840-



Revise from --- specified type NEC T86.848  
 Revise to --- specified type NEC T86.848-  
 No Change **Contact (with)** - see also Exposure (to)  
 Add - coronavirus (disease) (novel) 2019 Z20.822  
 Add - COVID-19 Z20.822  
 Add - SARS-CoV-2 Z20.822  
 No Change **Contraction(s), contracture, contracted**  
 Revise from - anus K59.8  
 Revise to - anus K59.89  
 No Change - joint (abduction) (acquired) (adduction) (flexion) (rotation) M24.50  
 Add - - specified site NEC M24.59  
 Revise from - rectum, rectal (sphincter) K59.8  
 Revise to - rectum, rectal (sphincter) K59.89  
 Delete **Coronavirus, as cause of disease classified elsewhere** B97.29  
 Delete - SARS-associated B97.21  
 Add **Coronavirus (infection)**  
 Add - 2019 (see also COVID-19) U07.1  
 Add - as cause of disease classified elsewhere B97.29  
 Add - coronavirus-19 (see also COVID-19) U07.1  
 Add - COVID-19 (see also COVID-19) U07.1  
 Add - SARS-associated B97.21  
 Add **COVID-19** U07.1  
 Add - contact (with) Z20.822  
 Add - exposure (to) Z20.822  
 Add - history of (personal) Z86.16  
 Add - pneumonia J12.82  
 Add - screening Z11.52  
 No Change **Crisis**  
 No Change - sickle-cell D57.00  
 No Change - - with  
 Add - - - cerebral vascular involvement D57.03  
 Add - - - crisis (painful) D57.00  
 Add - - - - with complication specified NEC D57.09  
 Add - - - vasoocclusive pain D57.00  
 No Change **Cyst (colloid) (mucous) (simple) (retention)**  
 No Change - dura (cerebral) G93.0  
 Revise from - - spinal G96.19  
 Revise to - - spinal G96.198  
 No Change - meninges (cerebral) G93.0  
 Revise from - - spinal G96.19  
 Revise to - - spinal G96.198  
 Add - nerve root  
 Add - - cervical G96.191  
 Add - - lumbar G96.191  
 Add - - sacral G96.191  
 Add - - thoracic G96.191  
 Revise from - nervous system NEC G96.8  
 Revise to - nervous system NEC G96.89  
 Add - perineural G96.191  
 Revise from - spinal meninges G96.19  
 Revise to - spinal meninges G96.198  
 No Change - subdural (cerebral) G93.0  
 Revise from - - spinal cord G96.19  
 Revise to - - spinal cord G96.198  
 Add - Tarlov G96.191

No Change **D**

No Change **Damage**  
 Add - lung

Add	-- dabbling (related) U07.0
Add	-- electronic cigarette (related) U07.0
Add	-- vaping (associated) (device) (product) (use) U07.0
Add	- organ
Add	-- dabbling (related) U07.0
Add	-- electronic cigarette (related) U07.0
Add	-- vaping (associated) (device) (product) (use) U07.0
No Change	<b>Defect, defective</b> Q89.9
Add	- glucose transport, blood-brain barrier E74.810
Revise from	- speech R47.9
Revise to	- speech - see Disorder, speech
No Change	<b>Deficiency, deficient</b>
Add	- AADC (aromatic L-amino acid decarboxylase) E70.81
Add	- aromatic L-amino acid decarboxylase (AADC) E70.81
Revise from	- central nervous system G96.8
Revise to	- central nervous system G96.89
Add	- eye movements
Add	-- saccadic H55.81
Add	-- smooth pursuit H55.82
Add	- glucose transporter protein type 1 E74.810
Add	- Glut1 E74.810
No Change	- immunity D84.9
Revise from	-- cell-mediated D84.8
Revise to	-- cell-mediated D84.89
Revise from	- phosphomannomutase E74.8
Revise to	- phosphomannomutase E74.818
Revise from	- phosphomannose isomerase E74.8
Revise to	- phosphomannose isomerase E74.818
Revise from	- phosphomannosyl mutase E74.8
Revise to	- phosphomannosyl mutase E74.818
No Change	<b>Deformity</b> Q89.9
No Change	- choroid (congenital) Q14.3
No Change	-- plexus Q07.8
Revise from	--- acquired G96.19
Revise to	--- acquired G96.198
No Change	- meninges or membrane (congenital) Q07.9
No Change	-- cerebral Q04.8
Revise from	--- acquired G96.19
Revise to	--- acquired G96.198
Revise from	-- spinal cord (congenital) G96.19
Revise to	-- spinal cord (congenital) G96.198
Revise from	--- acquired G96.19
Revise to	--- acquired G96.198
No Change	<b>Delivery (childbirth) (labor)</b>
No Change	- cesarean (for)
Add	-- isthmocele O34.22
No Change	-- previous
No Change	--- cesarean delivery O34.219
Add	---- isthmocele O34.22
Add	---- mid-transverse T incision O34.218
Add	---- scar
Add	----- defect (isthmocele) O34.22
Add	----- specified type NEC O34.218
No Change	-- scar(s)
No Change	--- cesarean delivery O34.219
Add	---- isthmocele O34.22
Add	---- mid-transverse T incision O34.218
Add	---- scar
Add	----- defect (isthmocele) O34.22
Add	----- specified type NEC O34.218

Add	- - - defect (isthmocoele) O34.22
No Change	- complicated O75.9
No Change	- - by
Revise from	- - - condition NEC O99.89
Revise to	- - - condition NEC O99.892
Revise from	- - - disease NEC O99.89
Revise to	- - - disease NEC O99.892
No Change	- vaginal, following previous cesarean delivery O34.219
Add	- - mid-transverse T incision O34.218
Add	- - scar
Add	- - - defect (isthmocoele) O34.22
Add	- - - specified type NEC O34.218
No Change	<b>Derangement</b>
No Change	- joint (internal) M24.9
No Change	- - articular cartilage M24.10
Add	- - - specified site NEC M24.19
No Change	- - specified type NEC M24.80
Add	- - - specified site NEC M24.89
No Change	<b>Dermatitis (eczematous) L30.9</b>
Add	- desquamative L30.8
No Change	<b>Dilatation</b>
Revise from	- anus K59.8
Revise to	- anus K59.89
Revise from	- duodenum K59.8
Revise to	- duodenum K59.89
Revise from	- ileum K59.8
Revise to	- ileum K59.89
Revise from	- jejunum K59.8
Revise to	- jejunum K59.89
No Change	<b>Disease, diseased</b> - see also Syndrome
No Change	- autoimmune (systemic) NOS M35.9
Revise from	- - hemolytic (cold type) (warm type) D59.1
Revise to	- - hemolytic D59.10
Add	- - - cold type (primary) (secondary) (symptomatic) D59.12
Add	- - - mixed type (primary) (secondary) (symptomatic) D59.13
Add	- - - warm type (primary) (secondary) (symptomatic) D59.11
Add	- Blount M92.51-
Revise from	- central core G71.2
Revise to	- central core G71.29
No Change	- cold
Revise from	- - agglutinin or hemoglobinuria D59.1
Revise to	- - agglutinin or hemoglobinuria D59.12
Revise from	- - hemagglutinin (chronic) D59.1
Revise to	- - hemagglutinin (chronic) D59.12
No Change	- collagen NOS (nonvascular) (vascular) M35.9
Revise from	- - specified NEC M35.8
Revise to	- - specified NEC M35.89
No Change	- connective tissue, systemic (diffuse) M35.9
Revise from	- - specified NEC M35.8
Revise to	- - specified NEC M35.89
Add	- COVID-19 U07.1
No Change	- Friedreich's
Revise from	- - combined systemic or ataxia G11.1
Revise to	- - combined systemic or ataxia G11.11
No Change	- gastroesophageal reflux (GERD) K21.9
Revise from	- - with esophagitis K21.0
Revise to	- - with esophagitis (without bleeding) K21.00
Add	- - - with bleeding K21.01
No Change	- hemoglobin or Hb
No Change	- - S or SS D57.1

Add	--- with
Add	---- acute chest syndrome D57.01
Add	---- cerebral vascular involvement D57.03
Add	---- crisis (painful) D57.00
Add	----- with complication specified NEC D57.09
Add	---- splenic sequestration D57.02
Add	---- vasoocclusive pain D57.00
Add	--- beta plus D57.44
Add	---- with
Add	----- acute chest syndrome D57.451
Add	----- cerebral vascular involvement D57.453
Add	----- crisis D57.459
Add	----- with specified complication NEC D57.458
Add	----- splenic sequestration D57.452
Add	----- vasoocclusive pain D57.459
Add	---- without crisis D57.44
Add	--- beta zero D57.42
Add	---- with
Add	----- acute chest syndrome D57.431
Add	----- cerebral vascular involvement D57.433
Add	----- crisis D57.439
Add	----- with specified complication NEC D57.438
Add	----- splenic sequestration D57.432
Add	----- vasoocclusive pain D57.439
Add	---- without crisis D57.42
No Change	- hemolytic (newborn) P55.9
Revise from	-- autoimmune (cold type) (warm type) D59.1
Revise to	-- autoimmune D59.10
Add	--- cold type (primary) (secondary) (symptomatic) D59.12
Add	--- mixed type (primary) (secondary) (symptomatic) D59.13
Add	--- warm type (primary) (secondary) (symptomatic) D59.11
No Change	- intestine K63.9
No Change	-- functional K59.9
Revise from	--- specified NEC K59.8
Revise to	--- specified NEC K59.89
No Change	- kidney (functional) (pelvis) N28.9
No Change	-- chronic N18.9
Revise from	--- stage 3 (moderate) N18.3
Revise to	--- stage 3 (moderate) N18.30
Add	--- stage 3a N18.31
Add	--- stage 3b N18.32
No Change	- lung J98.4
Add	-- dabbing (related) U07.0
Add	-- electronic cigarette (related) U07.0
No Change	-- interstitial J84.9
Add	--- with progressive fibrotic phenotype, in diseases classified elsewhere J84.170
Revise from	-- obstructive (chronic) J43.9
Revise to	-- obstructive (chronic) J44.9
Add	-- vaping (associated) (device) (product) (use) U07.0
Revise from	- minicore G71.2
Revise to	- minicore G71.29
Revise from	- multicore G71.2
Revise to	- multicore G71.29
Add	- multiminicore G71.29
Revise from	- nemaline body G71.2
Revise to	- nemaline body G71.21
No Change	- nervous system G98.8
No Change	-- central G96.9
Revise from	--- specified NEC G96.8
Revise to	--- specified NEC G96.89

Add	- organ
Add	-- dabbing (related) U07.0
Add	-- electronic cigarette (related) U07.0
Add	-- vaping (associated) (device) (product) (use) U07.0
No Change	- protozoal B64
Revise from	-- babesiosis B60.0
Revise to	-- babesiosis (see also Babesiosis) B60.00
Add	- rod body G71.21
No Change	- sickle-cell D57.1
Delete	-- with crisis (vasoocclusive pain) D57.00
Delete	--- with
Delete	---- acute chest syndrome D57.01
Delete	---- splenic sequestration D57.02
Add	-- with
Add	--- acute chest syndrome D57.01
Add	--- cerebral vascular involvement D57.03
Add	--- crisis (painful) D57.00
Add	---- with complication specified NEC D57.09
Add	--- splenic sequestration D57.02
Add	--- vasoocclusive pain D57.00
No Change	-- Hb-C D57.20
Delete	--- with crisis (vasoocclusive pain) D57.219
Delete	---- with
Delete	----- acute chest syndrome D57.211
Delete	----- splenic sequestration D57.212
Add	--- with
Add	---- acute chest syndrome D57.211
Add	---- cerebral vascular involvement D57.213
Add	---- crisis D57.219
Add	----- with specified complication NEC D57.218
Add	---- splenic sequestration D57.212
Add	---- vasoocclusive pain D57.219
No Change	-- Hb-SD D57.80
Delete	--- with crisis D57.819
Delete	---- with
Delete	----- acute chest syndrome D57.811
Delete	----- splenic sequestration D57.812
Add	--- with
Add	---- acute chest syndrome D57.811
Add	---- cerebral vascular involvement D57.813
Add	---- crisis D57.819
Add	----- with complication specified NEC D57.818
Add	---- splenic sequestration D57.812
Add	---- vasoocclusive pain D57.819
Add	--- without crisis D57.80
No Change	-- Hb-SE D57.80
Delete	--- with crisis D57.819
Delete	---- with
Delete	----- acute chest syndrome D57.811
Delete	----- splenic sequestration D57.812
Add	--- with
Add	---- acute chest syndrome D57.811
Add	---- cerebral vascular involvement D57.813
Add	---- crisis D57.819
Add	----- with complication specified NEC D57.818
Add	---- splenic sequestration D57.812
Add	---- vasoocclusive pain D57.819
Add	--- without crisis D57.80
No Change	-- specified NEC D57.80
Delete	--- with crisis D57.819

Delete	---- with
Delete	----- acute chest syndrome D57.811
Delete	----- splenic sequestration D57.812
Add	--- with
Add	---- acute chest syndrome D57.811
Add	---- cerebral vascular involvement D57.813
Add	---- crisis D57.819
Add	----- with complication specified NEC D57.818
Add	---- splenic sequestration D57.812
Add	---- vasoocclusive pain D57.819
Add	--- without crisis D57.80
No Change	-- spherocytosis D57.80
Delete	--- with crisis D57.819
Delete	---- with
Delete	----- acute chest syndrome D57.811
Delete	----- splenic sequestration D57.812
Add	--- with
Add	---- acute chest syndrome D57.811
Add	---- cerebral vascular involvement D57.813
Add	---- crisis D57.819
Add	----- with complication specified NEC D57.818
Add	---- splenic sequestration D57.812
Add	---- vasoocclusive pain D57.819
Add	--- without crisis D57.80
No Change	-- thalassemia D57.40
Delete	--- with crisis (vasoocclusive pain) D57.419
Delete	---- with
Delete	----- acute chest syndrome D57.411
Delete	----- splenic sequestration D57.412
Add	--- with
Add	---- acute chest syndrome D57.411
Add	---- cerebral vascular involvement D57.413
Add	---- crisis (painful) D57.419
Add	----- with specified complication NEC D57.418
Add	---- splenic sequestration D57.412
Add	---- vasoocclusive pain D57.419
Add	--- beta plus D57.44
Add	---- with
Add	----- acute chest syndrome D57.451
Add	----- cerebral vascular involvement D57.453
Add	----- crisis D57.459
Add	----- with specified complication NEC D57.458
Add	----- splenic sequestration D57.452
Add	----- vasoocclusive pain D57.459
Add	---- without crisis D57.44
Add	--- beta zero D57.42
Add	---- with
Add	----- acute chest syndrome D57.431
Add	----- cerebral vascular involvement D57.433
Add	----- crisis D57.439
Add	----- with specified complication NEC D57.438
Add	----- splenic sequestration D57.432
Add	----- vasoocclusive pain D57.439
Add	---- without crisis D57.42
No Change	- viral, virus (see also Disease, by type of virus) B34.9
Revise from	-- Powassan A84.8
Revise to	-- Powassan A84.81
No Change	<b>Dislocation (articular)</b>
No Change	- pathological NEC M24.30
Add	-- specified site NEC M24.39

No Change	- recurrent M24.40
Add	-- specified site NEC M24.49
No Change	<b>Disorder (of)</b> - see also Disease
No Change	- aromatic amino-acid metabolism E70.9
Revise from	-- specified NEC E70.8
Revise to	-- specified NEC E70.89
No Change	- carbohydrate
No Change	-- metabolism (congenital) E74.9
Revise from	--- specified NEC E74.8
Revise to	--- specified NEC E74.89
Revise from	- congenital glycosylation (CDG) E74.8
Revise to	- congenital glycosylation (CDG) E74.89
Add	- Cyclin-Dependent Kinase-Like 5 Deficiency (CDKL5) G40.42
Add	- glucose transport E74.819
Add	-- specified NEC E74.818
No Change	- ligament M24.20
Add	-- specified site NEC M24.29
No Change	- lung, interstitial, drug-induced J70.4
Add	-- dabbing (related) U07.0
Add	-- e-cigarette (related) U07.0
Add	-- electronic cigarette (related) U07.0
Add	-- vaping (associated) (device) (product) (related) (use) U07.0
Add	- meninges, specified type NEC G96.198
No Change	- metabolism NOS E88.9
No Change	-- amino-acid E72.9
No Change	--- aromatic E70.9
Revise from	---- other specified E70.8
Revise to	---- other specified E70.89
No Change	-- carbohydrate E74.9
Revise from	--- specified NEC E74.8
Revise to	--- specified NEC E74.89
No Change	- nervous system G98.8
No Change	-- central G96.9
Revise from	--- specified NEC G96.8
Revise to	--- specified NEC G96.89
No Change	<b>Disproportion</b>
Revise from	- fiber-type G71.2
Revise to	- fiber-type G71.20
Add	-- congenital G71.29
No Change	<b>Diverticulitis (acute)</b> K57.92
No Change	- intestine K57.92
No Change	-- with
Revise from	--- abscess, perforation or peritonitis K57.80
Revise to	--- abscess, perforation K57.80
No Change	-- large K57.32
No Change	--- with
Revise from	---- abscess, perforation or peritonitis K57.20
Revise to	---- abscess, perforation K57.20
No Change	---- small intestine K57.52
No Change	----- with
Revise from	----- abscess, perforation or peritonitis K57.40
Revise to	----- abscess, perforation K57.40
No Change	-- small K57.12
No Change	--- with
Revise from	---- abscess, perforation or peritonitis K57.00
Revise to	---- abscess, perforation K57.00
No Change	---- large intestine K57.52
No Change	----- with
Revise from	----- abscess, perforation or peritonitis K57.40
Revise to	----- abscess, perforation K57.40

No Change **Double**

Revise from - uterus Q51.20

Revise to - uterus Q51.28

Revise from **Dyke-Young anemia (secondary) (symptomatic) D59.1**

Revise to **Dyke-Young anemia (secondary) (symptomatic) D59.19**

No Change **Dyskinesia G24.9**

Revise from - intestinal K59.8

Revise to - intestinal K59.89

No Change **Dyspepsia R10.13**

Revise from - intestinal K59.8

Revise to - intestinal K59.89

No Change **Dyssynergia**

Revise from - cerebellaris myoclonica (Hunt's ataxia) G11.1

Revise to - cerebellaris myoclonica (Hunt's ataxia) G11.19

No Change **Dystrophy, dystrophia**

Revise from - cornea (hereditary) H18.50

Revise to - cornea (hereditary) H18.50-

Revise from - - endothelial H18.51

Revise to - - endothelial H18.51-

Revise from - - epithelial H18.52

Revise to - - epithelial H18.52-

Revise from - - granular H18.53

Revise to - - granular H18.53-

Revise from - - lattice H18.54

Revise to - - lattice H18.54-

Revise from - - macular H18.55

Revise to - - macular H18.55-

Revise from - - specified type NEC H18.59

Revise to - - specified type NEC H18.59-

Revise from - Fuchs' H18.51

Revise to - Fuchs' H18.51-

No Change

## E

Add **EGPA (eosinophilic granulomatosis with polyangiitis) M30.1**

No Change **Ehrlichiosis A77.40**

No Change - due to

Add - - E. ewingii A77.49

Add - - E. muris euclairensis A77.49

No Change **Elevated, elevation**

Add - alanine transaminase (ALT) R74.01

Add - ALT (alanine transaminase) R74.01

Add - aspartate transaminase (AST) R74.01

Add - AST (aspartate transaminase) R74.01

Revise from - lactic acid dehydrogenase (LDH) level R74.0

Revise to - lactic acid dehydrogenase (LDH) level R74.02

No Change - liver function

No Change - - test R79.89

Revise from - - - aminotransferase R74.0

Revise to - - - aminotransferase R74.01

Revise from - - - lactate dehydrogenase R74.0

Revise to - - - lactate dehydrogenase R74.02

Revise from - SGOT R74.0

Revise to - SGOT R74.01

Revise from - SGPT R74.0

Revise to - SGPT R74.01

Revise from - transaminase level R74.0

Revise to - transaminase level R74.01

Add - troponin R77.8

Revise from **Emaciation (due to malnutrition) E41**



Revise to	<b>Emaciation (due to malnutrition) E43</b>
No Change	<b>Embolism (multiple) (paradoxical) I74.9</b>
Revise from	- postoperative, postprocedural
Revise to	- postoperative, postprocedural
No Change	<b>Encephalitis (chronic) (hemorrhagic) (idiopathic) (nonepidemic) (spurious) (subacute) G04.90</b>
Revise from	- louping ill A84.8
Revise to	- louping ill A84.89
Revise from	- Powassan A84.8
Revise to	- Powassan A84.81
No Change	- viral, virus A86
No Change	-- arthropod-borne NEC A85.2
No Change	--- tick-borne A84.9
Revise from	---- specified NEC A84.8
Revise to	---- specified NEC A84.89
Add	-- tick-borne, specified NEC A84.89
No Change	<b>Enthesopathy (peripheral) M77.9</b>
Revise from	- foot NEC M77.9
Revise to	- foot NEC M77.8
Revise from	- forearm M77.9
Revise to	- forearm M77.8
Revise from	- hand M77.9
Revise to	- hand M77.8
Revise from	- multiple sites M77.9
Revise to	- multiple sites M77.8
Revise from	- pelvis M77.9
Revise to	- pelvis M77.8
Revise from	- shoulder M77.9
Revise to	- shoulder M77.8
Delete	- specified site NEC M77.9
Revise from	- upper arm M77.9
Revise to	- upper arm M77.8
Revise from	<b>Eosinophilia (allergic) (hereditary) (idiopathic) (secondary) D72.1</b>
Revise to	<b>Eosinophilia (allergic) (idiopathic) (secondary) D72.10</b>
Add	- familial D72.19
Add	- hereditary D72.19
Add	- in disease classified elsewhere D72.18
Revise from	- infiltrative J82
Revise to	- infiltrative - see Eosinophilia, pulmonary
Revise from	- Löffler's J82
Revise to	- Löffler's J82.89
Revise from	- pulmonary NEC J82
Revise to	- pulmonary NEC J82.89
Add	-- acute J82.82
Add	-- asthmatic J82.83
Add	-- chronic J82.81
Add	- specified NEC D72.19
Revise from	- tropical (pulmonary) J82
Revise to	- tropical (pulmonary) J82.89
Revise from	<b>Eosinophilia-myalgia syndrome M35.8</b>
Revise to	<b>Eosinophilia-myalgia syndrome M35.89</b>
No Change	<b>Epilepsy, epileptic, epilepsia (attack) (cerebral) (convulsion) (fit) (seizure) G40.909</b>
Revise from	- myoclonus, myoclonic - see Epilepsy, generalized, specified NEC
Revise to	- myoclonus, myoclonic - see also Epilepsy, generalized, specified NEC
Add	-- severe, in infancy (SMEI) G40.83-
Add	- polymorphic, in infancy (PMEI) G40.83-
No Change	<b>Escherichia coli (E. coli), as cause of disease classified elsewhere B96.20</b>
Delete	- O157:H7 with or without confirmation of Shiga toxin-production B96.21
No Change	- O157:H7 with or without confirmation of Shiga toxin-production B96.21
Delete	-- specified NEC B96.22
Revise from	<b>Esophagitis (acute) (alkaline) (chemical) (chronic) (infectional) (necrotic) (peptic) (postoperative)</b>

K20.9  
*Revise to* **Esophagitis (acute) (alkaline) (chemical) (chronic) (infectional) (necrotic) (peptic) (postoperative) (without bleeding)** K20.90  
*Add* - with bleeding K20.91  
*Revise from* - due to gastrointestinal reflux disease K21.0  
*Revise to* - due to gastrointestinal reflux disease (without bleeding) K21.00  
*Add* - - with bleeding K21.01  
*Revise from* - reflux K21.0  
*Revise to* - reflux K21.00  
*Revise from* - specified NEC K20.8  
*Revise to* - specified NEC (without bleeding) K20.80  
*Add* - - with bleeding K20.81  
*No Change* **Exposure (to) (see also Contact, with)** T75.89  
*Add* - coronavirus (disease) (novel) 2019 Z20.822  
*Add* - COVID-19 Z20.822  
*Add* - SARS-CoV-2 Z20.822

*No Change*

## F

*Add* **Facet syndrome** M47.89-  
*No Change* **Failure, failed**  
*No Change* - transplant T86.92  
*Revise from* - - cornea T86.841  
*Revise to* - - cornea T86.841-  
*No Change* **Fever (inanimation) (of unknown origin) (persistent) (with chills) (with rigor)** R50.9  
*Add* - African tick bite A77.8  
*Add* - pacific coast tick A77.8  
*No Change* - rheumatic (active) (acute) (chronic) (subacute) I00  
*No Change* - - inactive or quiescent with  
*Revise from* - - - left ventricular failure (conditions in I50.1- I50.4-) I09.81  
*Revise to* - - - left ventricular failure (conditions in I50.1-I50.4-) I09.81  
*No Change* - spotted A77.9  
*No Change* - - due to Rickettsia  
*Add* - - - africae (African tick bite fever) A77.8  
*Add* - - - parkeri A77.8  
*No Change* **Fibrosis, fibrotic**  
*Revise from* - liver K74.0  
*Revise to* - liver K74.00  
*Add* - - advanced K74.02  
*Add* - - early K74.01  
*Add* - - stage  
*Add* - - - F1 or F2 K74.01  
*Add* - - - F3 K74.02  
*Revise from* - meninges G96.19  
*Revise to* - meninges G96.198  
*No Change* **Findings, abnormal, inconclusive, without diagnosis** - see also Abnormal  
*Revise from* - lactic acid dehydrogenase (LDH) R74.0  
*Revise to* - lactic acid dehydrogenase (LDH) R74.02  
*Revise from* - SGOT R74.0  
*Revise to* - SGOT R74.01  
*Revise from* - SGPT R74.0  
*Revise to* - SGPT R74.01  
*Revise from* - transaminase (level) R74.0  
*Revise to* - transaminase (level) R74.01  
*No Change* **Fistula (cutaneous)** L98.8  
*No Change* - bile duct (common) (hepatic) K83.3  
*Revise from* - - with calculus, stones - see Calculus, bile duct  
*Revise to* - - with calculus, stones (see also Calculus, bile duct) K83.3  
*Revise from* - cerebrospinal (fluid) G96.0  
*Revise to* - cerebrospinal (fluid) G96.08

No Change **Fracture, traumatic (abduction) (adduction) (separation) (see also Fracture, pathological) T14.8**  
 Add - buckle - see Fracture, by site, torus  
 Add - metaphyseal - see Fracture, traumatic, by site, shaft  
 No Change **Friedreich's**  
 Revise from - ataxia G11.1  
 Revise to - ataxia G11.11  
 Revise from - combined systemic disease G11.1  
 Revise to - combined systemic disease G11.11  
 Revise from - sclerosis (cerebellum) (spinal cord) G11.1  
 Revise to - sclerosis (cerebellum) (spinal cord) G11.11  
 No Change **Fuchs'**  
 Revise from - dystrophy (corneal endothelium) H18.51  
 Revise to - dystrophy (corneal endothelium) H18.51-

No Change

## G

No Change **Glomerulonephritis (see also Nephritis) N05.9**  
 No Change - with  
 Add - - C3  
 Add - - - glomerulonephritis N05.A  
 Add - - - glomerulopathy N05.A  
 Add - - - with dense deposit disease N05.6  
 Add **GLUT1 deficiency syndrome 1, infantile onset E74.810**  
 Add **GLUT1 deficiency syndrome 2, childhood onset E74.810**  
 No Change **Glycosuria R81**  
 Revise from - renal E74.8  
 Revise to - renal (familial) E74.818  
 No Change **Granulomatosis L92.9**  
 Add - with polyangiitis M31.3  
 Add - eosinophilic, with polyangiitis [EGPA] M30.1  
 Revise from **Gunshot wound** - see also Wound, open  
 Revise to **Gunshot wound** - see also Puncture, open

No Change

## H

Revise from **Headache R51**  
 Revise to **Headache R51.9**  
 Add - with  
 Add - - orthostatic component NEC R51.0  
 Add - - positional component NEC R51.0  
 Revise from - chronic daily R51  
 Revise to - chronic daily R51.9  
 Revise from - daily chronic R51  
 Revise to - daily chronic R51.9  
 Revise from - nasal septum R51  
 Revise to - nasal septum R51.9  
 No Change **Hematuria R31.9**  
 No Change - idiopathic N02.9  
 No Change - - with glomerular lesion  
 Add - - - C3  
 Add - - - - glomerulonephritis N02.A  
 Add - - - - glomerulopathy N02.A  
 Add - - - - with dense deposit disease N02.6  
 No Change **Hemoglobinopathy (mixed) D58.2**  
 No Change - sickle-cell D57.1  
 No Change - - with thalassemia D57.40  
 Delete - - - with crisis (vasoocclusive pain) D57.419  
 Delete - - - - with  
 Delete - - - - - acute chest syndrome D57.411  
 Delete - - - - - splenic sequestration D57.412

*Add* - - - with  
*Add* - - - - acute chest syndrome D57.411  
*Add* - - - - cerebral vascular involvement D57.413  
*Add* - - - - crisis (painful) D57.419  
*Add* - - - - - with specified complication NEC D57.418  
*Add* - - - - splenic sequestration D57.412  
*Add* - - - - vasoocclusive pain D57.419  
*No Change* **Hemoglobinuria** R82.3  
*Revise from* - cold (agglutinin) (paroxysmal) (with Raynaud's syndrome) D59.6  
*Revise to* - cold (paroxysmal) (with Raynaud's syndrome) D59.6  
*Add* - - agglutinin D59.12  
*No Change* **History**  
*No Change* - personal (of) - see also History, family (of)  
*Add* - - coronavirus (disease) (novel) 2019 Z86.16  
*Add* - - COVID-19 Z86.16  
*No Change* - - disease or disorder (of) Z87.898  
*No Change* - - - infectious Z86.19  
*Add* - - - - coronavirus (disease) (novel) 2019 Z86.16  
*Add* - - - - COVID-19 Z86.16  
*Add* - - - - SARS-CoV-2 Z86.16  
*No Change* - - infection NEC Z86.19  
*Add* - - - coronavirus (disease) (novel) 2019 Z86.16  
*Add* - - - COVID-19 Z86.16  
*Add* - - - SARS-CoV-2 Z86.16  
*Add* - - SARS-CoV-2 infection Z86.16  
*No Change* **Hunt's**  
*No Change* - disease or syndrome (herpetic geniculate ganglionitis) B02.21  
*Revise from* - - dyssynergia cerebellaris myoclonica G11.1  
*Revise to* - - dyssynergia cerebellaris myoclonica G11.19  
*Revise from* **Hydroxykynureninuria** E70.8  
*Revise to* **Hydroxykynureninuria** E70.89  
*No Change* **Hyperemia (acute) (passive)** R68.89  
*Revise from* - enteric K59.8  
*Revise to* - enteric K59.89  
*Revise from* - intestine K59.8  
*Revise to* - intestine K59.89  
*No Change* **Hypertension, hypertensive (accelerated) (benign) (essential) (idiopathic) (malignant) (systemic)** I10  
*No Change* - with  
*Revise from* - - heart involvement (conditions in I50.-, I51.4- I51.9 due to hypertension) - see Hypertension, heart  
*Revise to* - - heart involvement (conditions in I50.- or I51.4-I51.7, I51.89, I51.9, due to hypertension) - see Hypertension, heart  
*Delete* - intracranial (benign) G93.2  
*Add* - intracranial, benign G93.2  
*No Change* **Hypofunction**  
*Revise from* - intestinal K59.8  
*Revise to* - intestinal K59.89  
*No Change* **Hypomotility**  
*Revise from* - intestine K59.8  
*Revise to* - intestine K59.89  
*No Change* **Hypotension (arterial) (constitutional)** I95.9  
*Delete* - intracranial, following ventricular shunting (ventriculostomy) G97.2  
*Add* - intracranial G96.810  
*Add* - - following  
*Add* - - - lumbar cerebrospinal fluid shunting G97.83  
*Add* - - - specified procedure NEC G97.84  
*Add* - - - ventricular shunting (ventriculostomy) G97.2  
*Add* - - specified NEC G96.819  
*Add* - - spontaneous G96.811

No Change



No Change **Ileus (bowel) (colon) (inhibitory) (intestine) K56.7**

Revise from - myxedema K59.8

Revise to - myxedema K59.89

No Change **Immobile, immobility**

Revise from - intestine K59.8

Revise to - intestine K59.89

Add **Immunocompromised NOS D84.9**

No Change **Immunodeficiency D84.9**

Add - due to

Add - - conditions classified elsewhere D84.81

Add - - drugs D84.821

Add - - external causes D84.822

Add - - medication (current or past) D84.821

Revise from - specified type NEC D84.8

Revise to - specified type NEC D84.89

Add **Immunodeficient NOS D84.9**

Add **Immunosuppressed NOS D84.9**

Revise from **Impediment, speech R47.9**

Revise to **Impediment, speech (see also Disorder, speech) R47.9**

No Change **Infarct, infarction**

No Change - cerebral (acute) (chronic) (see also Occlusion, artery cerebral or precerebral, with infarction) I63.9-

Add - - neonatal P91.82-

Add - - perinatal (arterial ischemic) P91.82-

No Change - myocardium, myocardial (acute) (with stated duration of 4 weeks or less) I21.9

No Change - - subsequent (recurrent) (reinfarction) I22.9

Revise from - - - transmural I22.9

Revise to - - - transmural I21.3

No Change **Infection, infected, infective (opportunistic) B99.9**

Add - coronavirus-2019 U07.1

Add - COVID-19 (see also COVID-19) U07.1

No Change - due to or resulting from

Add - - Babesia

Add - - - divergens (-like) strain B60.03

Add - - - duncani (-type) species B60.02

Add - - - microti B60.01

Add - - - species

Add - - - - specified NEC B60.09

No Change - - device, implant or graft (see also Complications, by site and type, infection or inflammation) T85.79

No Change - - - catheter NEC T85.79

No Change - - - - dialysis (renal) T82.7

Add - - - - - central line T80.211

Add - - protozoa of the order Piroplasmida NEC B60.09

Add - intrauterine inflammation O41.12-

Add - SARS-CoV-2 - see Infection, COVID-19

No Change - virus, viral NOS B34.9

Add - - COVID-19 U07.1

No Change **Infiltrate, infiltration**

No Change - lung R91.8

Revise from - - eosinophilic J82

Revise to - - eosinophilic - see Eosinophilia, pulmonary

No Change - pulmonary R91.8

Revise from - - with eosinophilia J82

Revise to - - with eosinophilia - see Eosinophilia, pulmonary

No Change **Inflammation, inflamed, inflammatory (with exudation)**

Revise from - esophagus K20.9

Revise to - esophagus - see Esophagitis

No Change **Influenza (bronchial) (epidemic) (respiratory (upper)) (unidentified influenza virus) J11.1**

Add - A (non-novel) J10-  
 Add - B J10-  
 Add - C J10-  
 No Change **Inhalation**  
 Delete - gases, fumes, or vapors NEC T59.9-  
 Delete - - specified agent - see Table of Drugs and Chemicals, by substance  
 Add - gases, fumes, or vapors T59.9-  
 Add - - specified agent NEC - see Table of Drugs and Chemicals, by substance T59.89-  
 Revise from - smoke J70.5  
 Revise to - smoke T59.81-  
 Delete - - due to chemicals, gases, fumes and vapors J68.9  
 Add - - with respiratory conditions J70.5  
 Add - - - due to chemicals, gases, fumes and vapors J68.9  
 Revise from - steam - see Toxicity, vapors  
 Revise to - steam T59.9-  
 No Change **Injury (see also specified injury type) T14.90**  
 No Change - deep tissue - see Contusion, by site  
 Revise from - - meaning pressure ulcer - see Ulcer, pressure, unstageable, by site  
 Revise to - - meaning pressure ulcer - see Ulcer, pressure L89 with final character .6  
 No Change - lung - see also Injury, intrathoracic, lung  
 Add - - dabbing (related) U07.0  
 Add - - electronic cigarette (related) U07.0  
 Add - - EVALI - [e-cigarette, or vaping, product use associated] U07.0  
 Add - - vaping (associated) (device) (product) (use) U07.0  
 No Change **Instability**  
 No Change - joint (post-traumatic) M25.30  
 Add - - specified site NEC M25.39  
 No Change **Irregular, irregularity**  
 No Change - eye movements H55.89  
 Delete - - saccadic H55.81  
 Add - - deficient  
 Add - - - saccadic H55.81  
 Add - - - smooth H55.82  
 No Change **Irritable, irritability R45.4**  
 Revise from - duodenum K59.8  
 Revise to - duodenum K59.89  
 Revise from - ileum K59.8  
 Revise to - ileum K59.89  
 Revise from - jejunum K59.8  
 Revise to - jejunum K59.89  
 Revise from - rectum K59.8  
 Revise to - rectum K59.89  
 No Change **Ischemia, ischemic I99.8**  
 Add - limb, critical - see Arteriosclerosis, with critical limb ischemia  
 Add - limb-threatening, chronic - see Arteriosclerosis, with critical limb ischemia

No Change **L**

No Change **Leak, leakage**  
 Revise from - cerebrospinal fluid G96.0  
 Revise to - cerebrospinal fluid G96.00  
 Add - - cranial  
 Add - - - postoperative G96.08  
 Add - - - specified NEC G96.08  
 Add - - - spontaneous G96.01  
 Add - - - traumatic G96.08  
 Add - - spinal  
 Add - - - postoperative G96.09  
 Add - - - post-traumatic G96.09  
 Add - - - specified NEC G96.09

Add - - - spontaneous G96.02  
 Add - - spontaneous  
 Add - - - from  
 Add - - - - skull base G96.01  
 Add - - - - spine G96.02  
 Add - CSF - see Leak, cerebrospinal fluid  
 Revise from **Lederer's anemia** D59.1  
 Revise to **Lederer's anemia** D59.19  
 Revise from **Leptomeningopathy** G96.19  
 Revise to **Leptomeningopathy** G96.198  
 No Change **Leukemia, leukemic** C95.9-  
 Add - chronic eosinophilic (see also Syndrome, hypereosinophilic, myeloid) C94.8-  
 No Change **Leukocytosis** D72.829  
 Revise from - eosinophilic D72.1  
 Revise to - eosinophilic D72.19  
 No Change **Löffler's**  
 Revise from - eosinophilia J82  
 Revise to - eosinophilia J82.89  
 Revise from - pneumonia J82  
 Revise to - pneumonia J82.89  
 Revise from - syndrome (eosinophilic pneumonitis) J82  
 Revise to - syndrome (eosinophilic pneumonitis) J82.89  
 Revise from **Louping ill (encephalitis)** A84.8  
 Revise to **Louping ill (encephalitis)** A84.89

## No Change **M**

No Change **Mastitis (acute) (diffuse) (nonpuerperal) (subacute)** N61.0  
 Add - granulomatous N61.2-  
 No Change **Meningioma** - see also Neoplasm, meninges, benign  
 Add - atypical - see Neoplasm, meninges, uncertain behavior  
 No Change **Meningitis (basal) (basic) (brain) (cerebral) (cervical) (congestive) (diffuse) (hemorrhagic) (infantile) (membranous) (metastatic) (nonspecific) (pontine) (progressive) (simple) (spinal) (subacute) (sympathetic) (toxic)** G03.9  
 Revise from - ossificans G96.19  
 Revise to - ossificans G96.198  
 No Change **Meningocele (spinal)** - see also Spina bifida  
 Revise from - acquired (traumatic) G96.19  
 Revise to - acquired (traumatic) G96.198  
 No Change **Microdrepanocytosis** D57.40  
 Delete - with crisis (vasoocclusive pain) D57.419  
 Delete - - with  
 Delete - - - acute chest syndrome D57.411  
 Delete - - - splenic sequestration D57.412  
 Add - with  
 Add - - acute chest syndrome D57.411  
 Add - - cerebral vascular involvement D57.413  
 Add - - crisis (painful) D57.419  
 Add - - - with specified complication NEC D57.418  
 Add - - splenic sequestration D57.412  
 Add - - vasoocclusive pain D57.419  
 Add **MIS-A** M35.81  
 Add **MIS-C** M35.81  
 Add **Multisystem inflammatory syndrome (in adult) (in children)** M35.81  
 No Change **Myelitis (acute) (ascending) (childhood) (chronic) (descending) (diffuse) (disseminated) (idiopathic) (pressure) (progressive) (spinal cord) (subacute) (see also Encephalitis)** G04.91  
 Add - flaccid G04.89  
 Revise from **Myelodysplastic syndrome** D46.9  
 Revise to **Myelodysplastic syndrome (see also Syndrome, myelodysplastic)** D46.9  
 No Change **Myocardopathy (congestive) (constrictive) (familial) (hypertrophic nonobstructive) (idiopathic)**

**(infiltrative) (obstructive) (primary) (restrictive) (sporadic) (see also Cardiomyopathy) I42.9**

*No Change* - in (due to)  
*Revise from* - - Friedreich's ataxia G11.1 [I43]  
*Revise to* - - Friedreich's ataxia G11.11 [I43]  
*No Change* **Myopathy** G72.9  
*Revise from* - benign congenital G71.2  
*Revise to* - benign congenital G71.20  
*Revise from* - central core G71.2  
*Revise to* - central core G71.29  
*Revise from* - centronuclear G71.2  
*Revise to* - centronuclear G71.228  
*Add* - - autosomal (dominant) (recessive) G71.228  
*Add* - - other specified NEC G71.228  
*Revise from* - congenital (benign) G71.2  
*Revise to* - congenital (benign) G71.20  
*Add* - hyaline body G71.29  
*Add* - myosin storage G71.29  
*Revise from* - myotubular G71.2  
*Revise to* - myotubular (centronuclear) G71.220  
*Add* - - X-linked G71.220  
*Revise from* - nemaline G71.2  
*Revise to* - nemaline G71.21  
*Revise from* - rod G71.2  
*Revise to* - rod (body) G71.21

*No Change* **N**

*No Change* **Nephritis, nephritic (albuminuric) (azotemic) (congenital) (disseminated) (epithelial) (familial) (focal) (granulomatous) (hemorrhagic) (infantile) (nonsuppurative, excretory) (uremic) N05.9**

*No Change* - with  
*Add* - - C3  
*Add* - - - glomerulonephritis N05.A  
*Add* - - - glomerulopathy N05.A  
*Add* - - - - with dense deposit disease N05.6  
*No Change* - acute N00.9  
*No Change* - - with  
*Add* - - - C3  
*Add* - - - - glomerulonephritis N00.A  
*Add* - - - - glomerulopathy N00.A  
*Add* - - - - - with dense deposit disease N00.6  
*No Change* - chronic N03.9  
*No Change* - - with  
*Add* - - - C3  
*Add* - - - - glomerulonephritis N03.A  
*Add* - - - - glomerulopathy N03.A  
*Add* - - - - - with dense deposit disease N03.6  
*No Change* - rapidly progressive N01.9  
*No Change* - - with  
*Add* - - - C3  
*Add* - - - - glomerulonephritis N01.A  
*Add* - - - - glomerulopathy N01.A  
*Add* - - - - - with dense deposit disease N01.6  
*No Change* **Nephropathy (see also Nephritis) N28.9**  
*No Change* - hereditary NEC N07.9  
*No Change* - - with  
*Add* - - - C3  
*Add* - - - - glomerulonephritis N07.A  
*Add* - - - - glomerulopathy N07.A  
*Add* - - - - - with dense deposit disease N07.6



No Change

## O

No Change

**Observation (following) (for) (without need for further medical care) Z04.9**

No Change

- suspected, ruled out - see also Suspected condition, ruled out

Add

- - foreign body

Add

- - - aspirated (inhaled) Z03.822

Add

- - - ingested Z03.821

Add

- - - inserted (injected), in (eye) (orifice) (skin) Z03.823

Revise from

**Osgood-Schlatter disease or osteochondrosis** - see Osteochondrosis, juvenile, tibia

Revise to

**Osgood-Schlatter disease or osteochondrosis** M92.52-

No Change

**Ossification**

Revise from

- falx cerebri G96.19

Revise to

- falx cerebri G96.198

Revise from

- meninges (cerebral) (spinal) G96.19

Revise to

- meninges (cerebral) (spinal) G96.198

No Change

**Osteoarthritis** M19.90

Add

- specified site NEC M19.09

No Change

- post-traumatic NEC M19.92

Add

- - specified site NEC M19.19

No Change

- secondary M19.93

Add

- - specified site NEC M19.29

No Change

**Osteochondrosis** - see also Osteochondropathy, by site

Delete

- Blount's - see Osteochondrosis, juvenile, tibia

Add

- Blount M92.51-

No Change

- juvenile, juvenilis M92.9

Revise from

- - fibula M92.5-

Revise to

- - fibula M92.50-

Delete

- - specified site NEC M92.8

Add

- - specified

Add

- - - site NEC M92.8

Add

- - - type NEC M92.8

Add

- - - - tibia and fibula M92.59-

Revise from

- - tibia M92.5-

Revise to

- - tibia M92.50-

Add

- - - proximal M92.51-

Add

- - - tubercle M92.52-

No Change

- limb

No Change

- - lower NEC (juvenile) M92.8

Add

- - - tibia and fibula M92.59-

Revise from

- Osgood-Schlatter - see Osteochondrosis, juvenile, tibia

Revise to

- Osgood-Schlatter M92.52-

No Change

**Osteoporosis (female) (male) M81.0**

No Change

- age-related M81.0

No Change

- - with current pathologic fracture M80.00

Add

- - - site specified NEC M80.0A

No Change

- disuse M81.8

No Change

- - with current pathological fracture M80.80

Add

- - - site specified NEC M80.8A

No Change

- postmenopausal M81.0

No Change

- - with pathological fracture M80.00

Add

- - - site specified NEC M80.0A

No Change

- specified type NEC M81.8

No Change

- - with pathological fracture M80.80

Add

- - - site specified NEC M80.8A

No Change

**Otorrhea** H92.1-

Revise from

- cerebrospinal G96.0

Revise to

- cerebrospinal (fluid) G96.01

Add

- - postoperative G96.08

Add

- - specified NEC G96.08

Add -- spontaneous G96.01  
Add -- traumatic G96.08

No Change

## P

No Change **Pain(s) (see also Painful) R52**

Revise from - face, facial R51

Revise to - face, facial R51.9

No Change - joint M25.50

Add -- specified site NEC M25.59

Revise from **Pancreatitis (annular) (apoplectic) (calcareous) (edematous) (hemorrhagic) (malignant) (recurrent) (subacute) (suppurative) K85.90**

Revise to **Pancreatitis (annular) (apoplectic) (calcareous) (edematous) (hemorrhagic) (malignant) (subacute) (suppurative) K85.90**

Revise from - recurrent (chronic) K86.1

Revise to - recurrent

Add -- acute K85.50

Add -- chronic K86.1

No Change **Paralysis, paralytic (complete) (incomplete) G83.9**

Revise from - digestive organs NEC K59.8

Revise to - digestive organs NEC K59.89

Add **Pediatric inflammatory multisystem syndrome M35.81**

Revise from **Pentosuria (essential) E74.8**

Revise to **Pentosuria (essential) E74.89**

Add **PIMS M35.81**

Revise from **Piroplasmosis B60.0**

Revise to **Piroplasmosis (see also Babesiosis) B60.00**

Add - specified NEC B60.09

Add **PMEI (polymorphic epilepsy in infancy) G40.83-**

No Change **Pneumonia (acute) (double) (migratory) (purulent) (septic) (unresolved) J18.9**

Add - 2019 (novel) coronavirus J12.82

Revise from - allergic (eosinophilic) J82

Revise to - allergic (see also Pneumonitis, hypersensitivity) J82.89

No Change - broncho-, bronchial (confluent) (croupous) (diffuse) (disseminated) (hemorrhagic) (involving lobes) (lobar) (terminal) J18.0

Revise from -- allergic (eosinophilic) J82

Revise to -- allergic (see also Pneumonitis, hypersensitivity) J82.89

Add - coronavirus (novel) (disease) 2019 J12.82

Add - COVID-19 J12.82

Revise from - eosinophilic J82

Revise to - eosinophilic J82.81

Add -- acute J82.82

Add -- chronic J82.81

No Change - interstitial J84.9

No Change -- due to

Revise from --- collagen vascular disease J84.17

Revise to --- collagen vascular disease J84.178

Revise from --- known underlying cause J84.17

Revise to --- known underlying cause J84.178

Revise from -- in disease classified elsewhere J84.17

Revise to -- in disease classified elsewhere J84.178

Revise from -- lymphocytic (due to collagen vascular disease) (in diseases classified elsewhere) J84.17

Revise to -- lymphocytic (due to collagen vascular disease) (in diseases classified elsewhere) J84.178

No Change -- non-specific J84.89

No Change --- due to

Revise from ---- collagen vascular disease J84.17

Revise to ---- collagen vascular disease J84.178

Revise from ---- known underlying cause J84.17

Revise to ---- known underlying cause J84.178

Revise from --- in diseases classified elsewhere J84.17

*Revise to* --- in diseases classified elsewhere J84.178  
*No Change* -- usual J84.112  
*Revise from* --- due to collagen vascular disease J84.17  
*Revise to* --- due to collagen vascular disease J84.178  
*Revise from* --- in diseases classified elsewhere J84.17  
*Revise to* --- in diseases classified elsewhere J84.178  
*Revise from* - Löffler's J82  
*Revise to* - Löffler's J82.89  
*No Change* - organizing J84.89  
*No Change* -- due to  
*Revise from* --- collagen vascular disease J84.17  
*Revise to* --- collagen vascular disease J84.178  
*Revise from* --- known underlying cause J84.17  
*Revise to* --- known underlying cause J84.178  
*Revise from* -- in diseases classified elsewhere J84.17  
*Revise to* -- in diseases classified elsewhere J84.178  
*Add* - SARS-CoV-2 J12.82  
*No Change* **Pneumonitis (acute) (primary)** - see also Pneumonia  
*Revise from* - eosinophilic J82  
*Revise to* - eosinophilic J82.81  
*Add* -- acute J82.82  
*Add* -- chronic J82.81  
*No Change* **Prediabetes, prediabetic** R73.03  
*No Change* - complicating  
*Revise from* -- puerperium O99.89  
*Revise to* -- puerperium O99.893  
*Revise from* **Pregnancy (single) (uterine) -see also Delivery and Puerperal**  
*Revise to* **Pregnancy (single) (uterine) -see also Delivery and Puerperal** Z33.1  
*No Change* - complicated by (care of) (management affected by)  
*Add* -- cesarean scar defect (isthmocele) O34.22  
*Revise from* -- connective system disorders (conditions in M00-M99) O99.89  
*Revise to* -- connective system disorders (conditions in M00-M99) O99.891  
*No Change* -- diseases of - see Pregnancy, complicated by, specified body system disease  
*Revise from* --- specified NEC O99.89  
*Revise to* --- specified NEC O99.891  
*No Change* -- disorders of - see Pregnancy, complicated by, specified body system disorder  
*Revise from* --- ear and mastoid process (conditions in H60-H95) O99.89  
*Revise to* --- ear and mastoid process (conditions in H60-H95) O99.891  
*Revise from* --- eye and adnexa (conditions in H00-H59) O99.89  
*Revise to* --- eye and adnexa (conditions in H00-H59) O99.891  
*Revise from* --- specified NEC O99.89  
*Revise to* --- specified NEC O99.891  
*Revise from* -- mental disorders (conditions in F01-F09, F20-F99) O99.34-  
*Revise to* -- mental disorders (conditions in F01-F09, F20-F52 and F54-F99) O99.34-  
*Revise from* -- musculoskeletal condition (conditions in M00-M99) O99.89  
*Revise to* -- musculoskeletal condition (conditions in M00-M99) O99.891  
*Revise from* -- pelvic inflammatory disease O99.89  
*Revise to* -- pelvic inflammatory disease O99.891  
*Revise from* -- peritoneal (pelvic) adhesions O99.89  
*Revise to* -- peritoneal (pelvic) adhesions O99.891  
*No Change* **Pressure**  
*No Change* - increased  
*Revise from* -- intracranial (benign) G93.2  
*Revise to* -- intracranial benign, G93.2  
*No Change* **Prominence, prominent**  
*Delete* - ischial spine or sacral promontory  
*Delete* - with disproportion (fetopelvic) O33.0  
*Delete* -- causing obstructed labor O65.0  
*Add* - ischial spine or sacral promontory with disproportion (fetopelvic) O33.0  
*Add* -- causing obstructed labor O65.0

No Change **Proteinuria R80.9**  
 No Change - isolated R80.0  
 No Change - - with glomerular lesion N06.9  
 Add - - - C3  
 Add - - - - glomerulonephritis N06.A  
 Add - - - - glomerulopathy N06.A  
 Add - - - - - with dense deposit disease N06.6  
 Revise from **Pseudomeningocele (cerebral) (infective) (post-traumatic) G96.19**  
 Revise to **Pseudomeningocele (cerebral) (infective) (post-traumatic) G96.198**  
 Revise from **Pseudo-obstruction intestine (acute) (chronic) (idiopathic) (intermittent secondary) (primary) K59.8**  
 Revise to **Pseudo-obstruction intestine (acute) (chronic) (idiopathic) (intermittent secondary) (primary) K59.89**  
 Add - colonic K59.81  
 Revise from **Pseudotumor**  
 Revise to **Pseudotumor G93.2**  
 No Change **Puerperal, puerperium (complicated by, complications)**  
 No Change - disease O90.9  
 Revise from - - nonobstetric NEC O99.89  
 Revise to - - nonobstetric NEC O99.893  
 No Change - disorder O90.9  
 Revise from - - nonobstetric NEC O99.89  
 Revise to - - nonobstetric NEC O99.893  
 Revise from - specified condition NEC O99.89  
 Revise to - specified condition NEC O99.893

No Change

## R

No Change **Ramsay-Hunt disease or syndrome (see also Hunt's disease) B02.21**  
 Revise from - meaning dyssynergia cerebellaris myoclonica G11.1  
 Revise to - meaning dyssynergia cerebellaris myoclonica G11.19  
 No Change **Reaction** - see also Disorder  
 No Change - spinal puncture G97.1  
 Add - - dural G97.1  
 No Change **Reflux K21.9**  
 No Change - esophageal K21.9  
 Revise from - - with esophagitis K21.0  
 Revise to - - with esophagitis (without bleeding) K21.00  
 Add - - - with bleeding K21.01  
 No Change - gastroesophageal K21.9  
 Revise from - - with esophagitis K21.0  
 Revise to - - with esophagitis (without bleeding) K21.00  
 Add - - - with bleeding K21.01  
 No Change **Rejection**  
 No Change - transplant T86.91  
 Revise from - - cornea T86.840  
 Revise to - - cornea T86.840-  
 No Change **Rhinorrhea J34.89**  
 Revise from - cerebrospinal (fluid) G96.0  
 Revise to - cerebrospinal (fluid) G96.01  
 Add - - postoperative G96.08  
 Add - - specified NEC G96.08  
 Add - - spontaneous G96.01  
 Add - - traumatic G96.08  
 Add **Rickettsia 364D/R. philipii (Pacific Coast tick fever) A77.8**  
 No Change **Rickettsiosis A79.9**  
 No Change - due to  
 Add - - Neorickettsia sennetsu A79.81

No Change

## S

Add **SARS-CoV-2** - see COVID-19

No Change	<b>Scar, scarring (see also Cicatrix) L90.5</b>
Add	- defect (isthmocoele) O34.22
No Change	<b>Schizophrenia, schizophrenic F20.9</b>
Revise from	- chronic undifferentiated F20.5
Revise to	- chronic undifferentiated F20.9
Revise from	<b>Schlatter-Osgood disease or osteochondrosis - see Osteochondrosis, juvenile, tibia</b>
Revise to	<b>Schlatter-Osgood disease or osteochondrosis M92.52-</b>
No Change	<b>Sclerosis, sclerotic</b>
Revise from	- Friedreich's (spinal cord) G11.1
Revise to	- Friedreich's (spinal cord) G11.11
No Change	- hereditary
Revise from	-- spinal (Friedreich's ataxia) G11.1
Revise to	-- spinal (Friedreich's ataxia) G11.11
No Change	- spinal (cord) (progressive) G95.89
Revise from	-- hereditary (Friedreich's) (mixed form) G11.1
Revise to	-- hereditary (Friedreich's) (mixed form) G11.11
No Change	<b>Scoliosis (acquired) (postural) M41.9</b>
Add	- degenerative M41.8-
No Change	<b>Screening (for) Z13.9</b>
Add	- coronavirus (disease) (novel) 2019 Z11.52
Add	- COVID-19 Z11.52
No Change	- disease or disorder Z13.9
Add	-- coronavirus (novel) 2019 Z11.52
Add	-- COVID-19 Z11.52
No Change	-- viral NEC Z11.59
Add	--- coronavirus (novel) 2019 Z11.52
Add	--- COVID-19 Z11.52
Add	--- SARS-CoV-2 Z11.52
Add	- SARS-CoV-2 Z11.52
No Change	<b>Sensitive, sensitivity - see also Allergy</b>
Revise from	- cold, autoimmune D59.1
Revise to	- cold, autoimmune D59.12
No Change	<b>Septum, septate (congenital) - see also Anomaly, by site</b>
Revise from	- uterus Q51.20
Revise to	- uterus Q51.28
No Change	<b>Sequestration - see also Sequestrum</b>
Delete	- disk - see Displacement, intervertebral disk
Add	- disc - see Displacement, intervertebral disc
No Change	<b>Sickle-cell</b>
Add	- beta plus - see Disease, sickle-cell, thalassemia, beta plus
Add	- beta zero - see Disease, sickle-cell, thalassemia, beta zero
No Change	<b>Siderosis (lung) J63.4</b>
Add	- brain G93.89
Add	<b>SMEI (severe myoclonic epilepsy in infancy) G40.83-</b>
No Change	<b>Spasm(s), spastic, spasticity (see also condition) R25.2</b>
Revise from	- duodenum K59.8
Revise to	- duodenum K59.89
No Change	<b>Speech</b>
Revise from	- defect, disorder, disturbance, impediment R47.9
Revise to	- defect, disorder, disturbance, impediment - see Disorder, speech R47.9
No Change	<b>Spider</b>
No Change	- bite - see Toxicity, venom, spider
Add	-- nonvenomous - see Bite, by site, superficial, insect
Add	<b>Spondyloarthritis</b>
Add	- axial - see also Spondylitis, ankylosing
Add	-- non-radiographic M46.80
Add	--- cervical M46.82
Add	--- cervicothoracic M46.83
Add	--- lumbar M46.84
Add	--- lumbosacral M46.87

*Add* - - - multiple sites M46.89  
*Add* - - - occipito-atlanto-axial region M46.81  
*Add* - - - sacral and sacrococcygeal M46.88  
*Add* - - - thoracic M46.84  
*Add* - - - thoracolumbar M46.85  
*Revise from* **Spotted fever** - see Fever, spotted N92.3  
*Revise to* **Spotted fever** - see Fever, spotted A77.9  
*No Change* **Stasis**  
*Revise from* - cecum K59.8  
*Revise to* - cecum K59.89  
*Revise from* - colon K59.8  
*Revise to* - colon K59.89  
*Revise from* - ileocecal coil K59.8  
*Revise to* - ileocecal coil K59.89  
*Revise from* - ileum K59.8  
*Revise to* - ileum K59.89  
*Revise from* - intestinal K59.8  
*Revise to* - intestinal K59.89  
*Revise from* - jejunum K59.8  
*Revise to* - jejunum K59.89  
*Revise from* - rectal K59.8  
*Revise to* - rectal K59.89  
*No Change* **Stiffness, joint NEC** M25.60-  
*Add* - specified site NEC M25.69  
*No Change* **Still's disease or syndrome (juvenile)** M08.20  
*Add* - specified site NEC M08.2A  
*No Change* **Stroke (apoplectic) (brain) (embolic) (ischemic) (paralytic) (thrombotic)** I63.9  
*Add* - cerebral, perinatal P91.82-  
*Add* - ischemic, perinatal arterial P91.82-  
*Add* - neonatal P91.82-  
*No Change* **Syndrome** - see also Disease  
*Add* - cytokine release D89.839  
*Add* - - grade 1 D89.831  
*Add* - - grade 2 D89.832  
*Add* - - grade 3 D89.833  
*Add* - - grade 4 D89.834  
*Add* - - grade 5 D89.835  
*Add* - de Vivo syndrome E74.810  
*Add* - Dravet (intractable) G40.834  
*Add* - - with status epilepticus G40.833  
*Add* - - without status epilepticus G40.834  
*Add* - DRESS (drug rash with eosinophilia and systemic symptoms) D72.12  
*Add* - drug rash with eosinophilia and systemic symptoms (DRESS) D72.12  
*Revise from* - eosinophilia-myalgia M35.8  
*Revise to* - eosinophilia-myalgia M35.89  
*Add* - facet M47.89-  
*Add* - Gleich's D72.118  
*Revise from* - hepatic flexure K59.8  
*Revise to* - hepatic flexure K59.89  
*Revise from* - hypereosinophilic (idiopathic) D72.1  
*Revise to* - hypereosinophilic (HES) D72.119  
*Add* - - idiopathic (IHES) D72.110  
*Add* - - lymphocytic variant (LHES) D72.111  
*Add* - - specified NEC D72.118  
*Revise from* - König's K59.8  
*Revise to* - König's K59.89  
*Delete* - Löffler's J82  
*Add* - Löffler's J82.89  
*Add* - multisystem inflammatory (in adults) (in children) M35.81  
*No Change* - myelodysplastic D46.9

*No Change* - - with  
*Add* - - - multilineage dysplasia D46.A  
*Add* - - - - with ringed sideroblasts D46.B  
*Add* - myeloid hypereosinophilic D72.118  
*No Change* - nephrotic (congenital) (see also Nephrosis) N04.9  
*No Change* - - with  
*Add* - - - C3  
*Add* - - - - glomerulonephritis N04.A  
*Add* - - - - glomerulopathy N04.A  
*Add* - - - - with dense deposit disease N04.6  
*Add* - Ogilvie K59.81  
*Add* - pediatric inflammatory multisystem M35.81  
*Revise from* - PIE (pulmonary infiltration with eosinophilia) J82  
*Revise to* - PIE (pulmonary infiltration with eosinophilia) (see also Eosinophilia, pulmonary) J82.89  
*No Change* - popliteal  
*Delete* - - post endometrial ablation N99.85  
*Add* - post endometrial ablation N99.85  
*No Change* - severe acute respiratory (SARS) J12.81  
*Add* - - coronavirus 2 (see also COVID-19) U07.1  
*Add* - - - pneumonia J12.82  
*No Change* - splenic  
*Revise from* - - flexure K59.8  
*Revise to* - - flexure K59.89  
*Revise from* - Weingarten's (tropical eosinophilia) J82  
*Revise to* - Weingarten's (tropical eosinophilia) J82.89

*No Change*

## T

*Add* **Talaromycosis** B48.4  
*No Change* **Thrombosis, thrombotic (bland) (multiple) (progressive) (silent) (vessel)** I82.90  
*No Change* - mesenteric (artery) (with gangrene) (see also Infarct, intestine) K55.069  
*Revise from* - - vein (inferior) (superior) K55.0  
*Revise to* - - vein (inferior) (superior) K55.0-  
*Revise from* **Thymoma (benign)** D15.0  
*Revise to* **Thymoma** - see also Neoplasm, thymus, by type  
*Add* - metaplastic C37  
*Add* - microscopic D15.0  
*Add* - sclerosing C37  
*Add* - type A C37  
*Add* - type AB C37  
*Add* - type B1 C37  
*Add* - type B2 C37  
*Add* - type B3 C37  
*Revise from* **Tibia vara** - see Osteochondrosis, juvenile, tibia  
*Revise to* **Tibia vara** M92.51-  
*Revise from* **Transaminasemia** R74.0  
*Revise to* **Transaminasemia** R74.01  
*Add* **Triple I** O41.12-  
*Revise from* **Trophoneurosis NEC** G96.8  
*Revise to* **Trophoneurosis NEC** G96.89  
*No Change* **Typhus (fever)** A75.9  
*Add* - Orientia Tsutsugamushi (scrub typhus) A75.3

*No Change*

## U

*No Change* **Ulcer, ulcerated, ulcerating, ulceration, ulcerative**  
*No Change* - esophagus (peptic) K22.10  
*No Change* - - due to  
*Revise from* - - - gastrointestinal reflux disease K21.0  
*Revise to* - - - gastrointestinal reflux disease (without bleeding) K21.00

Add - - - - with bleeding K21.01  
No Change **Use (of)**  
No Change - alcohol Z72.89  
No Change - - with  
Add - - - withdrawal F10.939  
Add - - - - with  
Add - - - - perceptual disturbance F10.932  
Add - - - - delirium F10.931  
Add - - - - uncomplicated F10.930  
No Change - cocaine F14.90  
No Change - - with  
Add - - - withdrawal F14.93

No Change **V**

No Change **Version**  
Delete - with extraction

No Change **W**

Revise from **Weingarten's syndrome J82**  
Revise to **Weingarten's syndrome J82.89**