

SNF Virtual Training Program – Part 2

Section D: Resident Mood Interview and Total Severity Score Workshop

Charlotte Steniger, R.N., M.S.N., COS-C
June 21, 2023



Overview of Changes to the Resident Mood Interview

D0150. Resident Mood Interview (PHQ-2 to 9[©]).

- Logic added to determine if the entire Resident Mood Interview should be completed.
- Guidance added regarding nonsensical responses.
- Symptom Frequency coding instructions enhanced to promote clarity.

D0160. Total Severity Score.

- Defined how the score can be determined based on PHQ-2[©] coding.
- Added guidance regarding the interpretation of the Total Severity Score.

**D0150. Resident Mood
Interview (PHQ-2 to 9[©]) and
D0160. Total Severity Score**

Resident Mood Interview (PHQ-2 to 9[©])

D0150. Resident Mood Interview (PHQ-2 to 9[©])

Say to resident: "Over the last 2 weeks, have you been bothered by any of the following problems?"

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: "About **how often** have you been bothered by this?"

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
Enter Scores in Boxes		
A. Little interest or pleasure in doing things	<input type="checkbox"/>	<input type="checkbox"/>
B. Feeling down, depressed, or hopeless	<input type="checkbox"/>	<input type="checkbox"/>
If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.		
C. Trouble falling or staying asleep, or sleeping too much	<input type="checkbox"/>	<input type="checkbox"/>
D. Feeling tired or having little energy	<input type="checkbox"/>	<input type="checkbox"/>
E. Poor appetite or overeating	<input type="checkbox"/>	<input type="checkbox"/>
F. Feeling bad about yourself - or that you are a failure or have let yourself or your family down	<input type="checkbox"/>	<input type="checkbox"/>
G. Trouble concentrating on things, such as reading the newspaper or watching television	<input type="checkbox"/>	<input type="checkbox"/>
H. Moving or speaking so slowly that other people could have noticed. Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual	<input type="checkbox"/>	<input type="checkbox"/>
I. Thoughts that you would be better off dead, or of hurting yourself in some way	<input type="checkbox"/>	<input type="checkbox"/>

D0150: Coding Instructions – Column 1. Symptom Presence



If the resident indicates symptoms listed are...

Not Present



Code 0, No and

Enter a 0 in Column 2.
Symptom Frequency

Present



Code 1, Yes and


Enter a 0, 1, 2, or 3 in Column
2. Symptom Frequency

If the resident was unable or chose not to complete the assessment or responded nonsensically.



Code 9, No response and

Leave Column 2. Symptom Frequency
blank



Enter a Dash in Column 1 if the symptom presence was not assessed and leave Column 2. Symptom Frequency blank.

D0150: Coding Instructions – Column 2. Symptom Frequency



If the resident indicates that during the past 2 weeks, they have been bothered by the symptom



Never or only on 1 day



2-6 days



7-11 days



12-14 days

Code 0

Never or 1 day

Code 1

2-6 days
(several days)

Code 2

7-11 days
(half or more of the days)

Code 3

12-14 days
(nearly every day)

D0160. Total Severity Score

D0160. Total Severity Score

Enter Code

--	--

Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 27.
Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items).



Note:

The score does not diagnose a mood disorder or depression but provides a standard score which can be communicated to the resident's physician, other clinicians and mental health specialists for appropriate follow up.

PHQ-2 to 9 and the Total Severity Score




Whether or not further evaluation of a resident's mood is needed depends on the resident's responses to the first two questions (D0150A and D0150B) of the Resident Mood Interview.

- If **both** D0150A1 and D0150B1 are coded **9**, OR **both** D0150A2 and D0150B2 are coded **0** or **1**, end the PHQ interview; otherwise continue.
- For all other scenarios, proceed to ask the remaining seven questions (D0150C to D0150I of the PHQ-9[©]) and complete D0160, Total Severity Score.

Resident Mood Interview: Mr. Mason Vignette

D0150 Vignette: Practice Coding Overview

We will view a vignette depicting the Resident Mood Interview for a resident, Mr. Mason. After the vignette, you will practice coding D0150A and D0150B and then determine if you would continue the Resident Mood Interview.



D0150A and D0150B: Mr. Mason Vignette



How would you code D0150A1. Symptom Presence for Mr. Mason?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	<input checked="" type="checkbox"/>	<input type="checkbox"/>
B. Feeling down, depressed, or hopeless	<input type="checkbox"/>	<input type="checkbox"/>

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

How would you code D0150A1. Symptom Presence for Mr. Mason?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	1	
B. Feeling down, depressed, or hopeless		

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

How would you code D0150A2. Symptom Frequency for Mr. Mason?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	1	
B. Feeling down, depressed, or hopeless		

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

How would you code D0150A2. Symptom Frequency for Mr. Mason?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	↓ Enter Scores in Boxes ↓
A. Little interest or pleasure in doing things	1	1
B. Feeling down, depressed, or hopeless		

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

D0150A: Mr. Mason Coding Vignette – Rationale

D0150A. Little interest or pleasure in doing things.

1. Symptom Presence.

- Mr. Mason explained that he no longer enjoys eating like he used to; therefore, the correct coding is **1, Yes**.

2. Symptom Frequency.

- Mr. Mason identified that he has only been bothered by his symptoms since his recent surgery, which was 3 days ago, so the correct coding is **1, 2–6 days (several days)**.

How would you code D0150B1. Symptom Presence for Mr. Mason?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: ***“Over the last 2 weeks, have you been bothered by any of the following problems?”***

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: ***“About **how often** have you been bothered by this?”***

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	<div>1</div>	<div>1</div>
B. Feeling down, depressed, or hopeless	<div></div>	<div></div>

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

Section D | MDS 3.0 RAI v1.18.11

17

How would you code D0150B1. Symptom Presence for Mr. Mason?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	1	1
B. Feeling down, depressed, or hopeless	1	

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

How would you code D0150B2. Symptom Frequency for Mr. Mason?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: *“Over the last 2 weeks, have you been bothered by any of the following problems?”*

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: *“About **how often** have you been bothered by this?”*

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	1	1
B. Feeling down, depressed, or hopeless	1	

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

Section D | MDS 3.0 RAI v1.18.11

19

How would you code D0150B2. Symptom Frequency for Mr. Mason?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: **“Over the last 2 weeks, have you been bothered by any of the following problems?”**

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: **“About *how often* have you been bothered by this?”**

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	1	1
B. Feeling down, depressed, or hopeless	1	1

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

D0150B: Mr. Mason Coding Vignette – Rationale

D0150B. Feeling down, depressed, or hopeless.

1. Symptom Presence.

- Mr. Mason explained that he was bothered by feelings of hopelessness; therefore, the correct coding is **1, Yes**.

2. Symptom Frequency.

- Since Mr. Mason identified that he has only been bothered by his symptoms since his recent surgery, which was 3 days ago, Symptom Frequency would be coded **1, 2–6 days (several days)**.

Based on Mr. Mason’s responses, would you continue the Resident Mood Interview?

- A. Yes, as Mr. Mason really seemed depressed.
- B. No, because Mr. Mason said “not really” in response to D0150B.
- C. No, because Mr. Mason scored a 1 on both D0150A2 and D0150B2.
- D. Yes, because Mr. Mason scored a 1 on both D0150A2 and D0150B2.

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About how often have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)


2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	1	1
B. Feeling down, depressed, or hopeless	1	1

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

Based on Mr. Mason’s responses, would you continue the Resident Mood Interview?

- A. Yes, as Mr. Mason really seemed depressed.
- B. No, because Mr. Mason said “not really” in response to D0150B.
-  C. No, because Mr. Mason scored a 1 on both D0150A2 and D0150B2.
- D. Yes, because Mr. Mason scored a 1 on both D0150A2 and D0150B2.

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About how often have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	1	1
B. Feeling down, depressed, or hopeless	1	1

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

D0150A2 and D0150B2: Mr. Mason – Determination to Proceed

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1. Symptom Presence.
If yes, enter 1, 2, or 3 in column 2. Symptom Frequency.

Read and explain each item to the resident.

	1. Symptom Presence	2. Symptom Frequency
1. Sad most of the day, most of the time	1	1
2. Little interest or pleasure in doing things	1	1

↓ Enter Scores in Boxes ↓

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

Since D0150A2 is 1

And D0150B2 is 1

We will end the PHQ interview.

How would you code D0160. Total Severity Score for Mr. Mason?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: **“Over the last 2 weeks, have you been bothered by any of the following problems?”**

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: **“About *how often* have you been bothered by this?”**

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	1	1
B. Feeling down, depressed, or hopeless	1	1

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

D0160. Total Severity Score

Enter Code

Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items).

Section D | MDS 3.0 RAI v1.18.11

25



How would you code D0160. Total Severity Score for Mr. Mason?



- A. Enter 01, as that is the coding for both D0150A2 and D0150B2.
- B. Enter 02, as that is the total of D0150A2 and D0150B2.**
- C. Enter 04, as that is the total of the Symptom Presence and Symptom Frequency scores.
- D. Enter a dash (-), as the entire PHQ-2 to 9 was not completed.

D0160. Total Severity Score

Enter Code


0

2

Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 27.
Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items).

D0160: Mr. Mason Coding Vignette – Rationale

Because the correct codes for D0150A2 and D0150B2 were both **1** for Mr. Mason, you would end the PHQ-2[©] and enter the total score of **02** in D0160.



Resident Mood Interview: Mr. K

D0150A: Mr. K Coding Scenario

The nurse is assessing a resident, Mr. K, and asks him,


“Over the last 2 weeks, have you been bothered by any of the following problems: little interest or pleasure in doing things?”

Mr. K responds,

“Maggie brings me lots of ice cream, but my favorite is vanilla.”

The nurse checks to be sure that Mr. K can hear them and then proceeds to ask the question again. Mr. K shakes his head and says again,

“My favorite is vanilla.”



How would you code D0150A1. Symptom Presence for Mr. K?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: **“Over the last 2 weeks, have you been bothered by any of the following problems?”**

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: **“About *how often* have you been bothered by this?”**

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	<div></div>	<div></div>
B. Feeling down, depressed, or hopeless	<div></div>	<div></div>

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

How would you code D0150A1. Symptom Presence for Mr. K?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: *“Over the last 2 weeks, have you been bothered by any of the following problems?”*

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: *“About **how often** have you been bothered by this?”*

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. **Symptom Presence**

0. **No** (enter 0 in column 2)

1. **Yes** (enter 0-3 in column 2)

9. **No response** (leave column 2 blank)

2. **Symptom Frequency**

0. **Never or 1 day**

1. **2-6 days** (several days)

2. **7-11 days** (half or more of the days)

3. **12-14 days** (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. <i>Little interest or pleasure in doing things</i>	9	
B. <i>Feeling down, depressed, or hopeless</i>		

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

How would you code D0150A2. Symptom Frequency for Mr. K?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

- 0. **No** (enter 0 in column 2)
- 1. **Yes** (enter 0-3 in column 2)
- 9. **No response** (leave column 2 blank)

2. Symptom Frequency

- 0. **Never or 1 day**
- 1. **2-6 days** (several days)
- 2. **7-11 days** (half or more of the days)
- 3. **12-14 days** (nearly every day)

1. Symptom Presence	2. Symptom Frequency
---------------------------	----------------------------

↓ Enter Scores in Boxes ↓

9

A. Little interest or pleasure in doing things

B. Feeling down, depressed, or hopeless

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

How would you code D0150A2. Symptom Frequency for Mr. K?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	9	
B. Feeling down, depressed, or hopeless		

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

Leave
Blank

D0150A: Mr. K Coding Scenario – Rationale

D0150A. Little interest or pleasure in doing things.

1. Symptom Presence.

- Mr. K responded by talking about ice cream even after the nurse confirmed that he could hear them. This would be considered a nonsensical response and would be coded a **9, No Response**.

2. Symptom Frequency.

- Because the Symptom Presence was coded as a **9, No Response**, the coding instructions state that Symptom Frequency would be left blank.

D0150B: Mr. K Coding Scenario

The nurse continues the Resident Mood Interview of Mr. K, asking him:

“Over the last 2 weeks, have you been bothered by any of the following problems: feeling down, depressed, or hopeless?”

Mr. K looks away and does not respond.

The nurse checks again to be sure that Mr. K can hear them and proceeds to ask the question again.

Mr. K remains silent and does not respond.



How would you code D0150B1. Symptom Presence for Mr. K?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: *“Over the last 2 weeks, have you been bothered by any of the following problems?”*

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: *“About **how often** have you been bothered by this?”*

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	<div>9</div>	<div></div>
B. Feeling down, depressed, or hopeless	<div></div>	<div></div>

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

Section D | MDS 3.0 RAI v1.18.11

36

How would you code D0150B1. Symptom Presence for Mr. K?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	9	
B. Feeling down, depressed, or hopeless	9	

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

How would you code D0150B2. Symptom Frequency for Mr. K?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	9	
B. Feeling down, depressed, or hopeless	9	

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

How would you code D0150B2. Symptom Frequency for Mr. K?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

- 1. **Symptom Presence**
 - 0. **No** (enter 0 in column 2)
 - 1. **Yes** (enter 0-3 in column 2)
 - 9. **No response** (leave column 2 blank)
- 2. **Symptom Frequency**
 - 0. **Never or 1 day**
 - 1. **2-6 days** (several days)
 - 2. **7-11 days** (half or more of the days)
 - 3. **12-14 days** (nearly every day)

A. *Little interest or pleasure in doing things*

B. *Feeling down, depressed, or hopeless*

1. Symptom Presence	2. Symptom Frequency
---------------------------	----------------------------

↓ Enter Scores in Boxes ↓

<div>9</div>	<div></div>
<div>9</div>	<div></div>

Leave
Blank

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

D0150B: Mr. K Coding Scenario – Rationale

D0150B. Feeling down, depressed, or hopeless.

1. Symptom Presence.

- Mr. K did not respond to the question; therefore, this would be coded as **9, No Response**.

2. Symptom Frequency.

- Since Symptom Presence was coded as a **9, No Response**, the coding instructions state that Symptom Frequency would be left blank.

Based on Mr. K’s responses, would you continue the Resident Mood Interview?

- A. Yes, as Mr. K did not answer the first two questions.
- B. No, because both D0150A1 and D0150B1 were coded with a 9.
- C. Yes, because both D0150A1 and D0150B1 were coded with a 9.
- D. No, because Mr. K’s responses were both nonsensical.

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

- 0. No (enter 0 in column 2)
- 1. Yes (enter 0-3 in column 2)
- 9. No response (leave column 2 blank)

2. Symptom Frequency

- 0. Never or 1 day
- 1. 2-6 days (several days)
- 2. 7-11 days (half or more of the days)
- 3. 12-14 days (nearly every day)


	1. Symptom Presence	2. Symptom Frequency
↓ Enter Scores in Boxes ↓		
A. Little interest or pleasure in doing things	9	
B. Feeling down, depressed, or hopeless	9	

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.



Based on Mr. K’s responses, would you continue the Resident Mood Interview?

A. Yes, as Mr. K did not answer the first two questions.



B. No, because both D0150A1 and D0150B1 were coded with a 9.

C. Yes, because both D0150A1 and D0150B1 were coded with a 9.

D. No, because Mr. K’s responses were both nonsensical.

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”
 If symptom is present, enter 1 (yes) in column 1, Symptom Presence.
 If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”
 Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

1. Symptom Presence

2. Symptom Frequency

↓ Enter Scores in Boxes ↓

9

9

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

D0150A1 and D0150B1: Mr. K – Determination to Proceed

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: "Over the last 2 weeks, have you been bothered by any of the following problems?"

If symptom is present, enter 1 (yes) in column 1. Symptom Presence.

If yes in column 1, enter 1, 2, or 3 in column 2. Symptom Frequency.

Read and explain each item to the resident.

1. Since D0150A1 is

9

And D0150B1 is

9

We will end the PHQ interview.

A. Little interest or pleasure in doing things.

B. Feeling down, depressed, or hopeless.

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

Symptom Frequency.

1.
Symptom
Presence

2.
Symptom
Frequency

↓ Enter Scores in Boxes ↓

9

9

How would you code D0160. Total Severity Score for Mr. K?

- A. Enter 00, as that is the total of D0150A2 and D0150B2.
- B. Enter 99, as the codes for both D0150A1 and D0150B1 were 9.
- C. Leave blank, as D0150A1 and D0150B1 were both coded 9.
- D. Enter a dash (-), as the PHQ-2 to 9[©] was not completed.

D0150. Resident Mood Interview (PHQ-2 to 9[©])

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”
If symptom is present, enter 1 (yes) in column 1, Symptom Presence.
If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”
Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	9	
B. Feeling down, depressed, or hopeless	9	


If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

D0160. Total Severity Score

Enter Code

Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 27.
Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items).

How would you code D0160. Total Severity Score for Mr. K?

- A. Enter 00, as that is the total of D0150A2 and D0150B2.
- B. Enter 99, as the codes for both D0150A1 and D0150B1 were 9.
-  C. Leave blank, as D0150A1 and D0150B1 were both coded 9.
- D. Enter a dash (-), as the PHQ-2 to 9[©] was not completed.

D0150. Resident Mood Interview (PHQ-2 to 9[©])

Say to resident: "Over the last 2 weeks, have you been bothered by any of the following problems?"

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: "About **how often** have you been bothered by this?"

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	9	
B. Feeling down, depressed, or hopeless	9	

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

Leave Blank

D0160. Total Severity Score

Enter Code

Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items).

D0160: Mr. K Coding Scenario – Rationale

Since the coding for D0150A1 and D0150B1 were both **9** for Mr. K, you would end the PHQ-2[©] and leave D0160. Total Severity Score blank.



Resident Mood Interview: Mrs. M

D0150A: Mrs. M Coding Scenario

Mrs. M has been newly admitted to your facility. She is asked,

“Over the last 2 weeks, have you been bothered by the following problems: little interest or pleasure in doing things?”

She states,

“I have been in the hospital for over a week, and I feel that I am not getting any better. I am bothered that I have had no interest in reading or doing the things I enjoy.”



D0150A: Mrs. M Coding Scenario (cont.)

The nurse shows the cue card and then asks,

“Over the last 2 weeks, how often would you say you have been bothered by this: never or 1 day, 2–6 days, 7–11 days, or 12–14 days?”

Mrs. M responds,

“7–11 days.”



How would you code D0150A1. Symptom Presence for Mrs. M?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

- 1. **Symptom Presence**
 - 0. **No** (enter 0 in column 2)
 - 1. **Yes** (enter 0-3 in column 2)
 - 9. **No response** (leave column 2 blank)
- 2. **Symptom Frequency**
 - 0. **Never or 1 day**
 - 1. **2-6 days** (several days)
 - 2. **7-11 days** (half or more of the days)
 - 3. **12-14 days** (nearly every day)

1. Symptom Presence	2. Symptom Frequency
---------------------------	----------------------------

↓ Enter Scores in Boxes ↓

<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

A. Little interest or pleasure in doing things

B. Feeling down, depressed, or hopeless

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

How would you code D0150A1. Symptom Presence for Mrs. M?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

- 1. **Symptom Presence**
 - 0. **No** (enter 0 in column 2)
 - 1. **Yes** (enter 0-3 in column 2)
 - 9. **No response** (leave column 2 blank)
- 2. **Symptom Frequency**
 - 0. **Never or 1 day**
 - 1. **2-6 days** (several days)
 - 2. **7-11 days** (half or more of the days)
 - 3. **12-14 days** (nearly every day)

1. Symptom Presence	2. Symptom Frequency
---------------------------	----------------------------

↓ Enter Scores in Boxes ↓

<div>1</div>	<div></div>
<div></div>	<div></div>

A. *Little interest or pleasure in doing things*

B. *Feeling down, depressed, or hopeless*

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

How would you code D0150A2. Symptom Frequency for Mrs. M?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

- 1. **Symptom Presence**
 - 0. **No** (enter 0 in column 2)
 - 1. **Yes** (enter 0-3 in column 2)
 - 9. **No response** (leave column 2 blank)
- 2. **Symptom Frequency**
 - 0. **Never or 1 day**
 - 1. **2-6 days** (several days)
 - 2. **7-11 days** (half or more of the days)
 - 3. **12-14 days** (nearly every day)

1. Symptom Presence	2. Symptom Frequency
↓ Enter Scores in Boxes ↓	

A. *Little interest or pleasure in doing things*

<div>1</div>	<div></div>
--------------	-------------

B. *Feeling down, depressed, or hopeless*

<div></div>	<div></div>
-------------	-------------

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

How would you code D0150A2. Symptom Frequency for Mrs. M?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

- 1. **Symptom Presence**
 - 0. **No** (enter 0 in column 2)
 - 1. **Yes** (enter 0-3 in column 2)
 - 9. **No response** (leave column 2 blank)
- 2. **Symptom Frequency**
 - 0. **Never or 1 day**
 - 1. **2-6 days** (several days)
 - 2. **7-11 days** (half or more of the days)
 - 3. **12-14 days** (nearly every day)

1. Symptom Presence	2. Symptom Frequency
---------------------------	----------------------------

↓ Enter Scores in Boxes ↓

1	2

A. *Little interest or pleasure in doing things*

B. *Feeling down, depressed, or hopeless*

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

D0150A: Mrs. M Coding Scenario – Rationale

D0150A. Little interest or pleasure in doing things.

1. Symptom Presence.

- Mrs. M explained that she was bothered by not wanting to read or do the things that she enjoys; therefore, the correct coding for Symptom Presence is **1, Yes**.

2. Symptom Frequency.

- Mrs. M responded that she has been bothered by having these feelings for 7–11 days over the last 2 weeks; therefore, the correct coding for Symptom Frequency is **2**.


D0150B: Mrs. M Coding Scenario

The nurse further questions Mrs. M,

“Over the last 2 weeks, how often have you been bothered by any of the following problems: feeling down, depressed, or hopeless?”

Mrs. M responds,

“Well, yes, I have been bothered by feeling a little down and hopeless, but I’m not depressed.”



D0150B: Mrs. M Coding Scenario (cont.)

Then the nurse asks,

“Over the last 2 weeks, how often would you say you have been bothered by this?”

Mrs. M responds,

“12–14 days; almost every day.”



How would you code D0150B1. Symptom Presence for Mrs. M?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

- 1. **Symptom Presence**
 - 0. No (enter 0 in column 2)
 - 1. Yes (enter 0-3 in column 2)
 - 9. No response (leave column 2 blank)
- 2. **Symptom Frequency**
 - 0. Never or 1 day
 - 1. 2-6 days (several days)
 - 2. 7-11 days (half or more of the days)
 - 3. 12-14 days (nearly every day)

1. Symptom Presence	2. Symptom Frequency
↓ Enter Scores in Boxes ↓	
<div>1</div>	<div>2</div>
<div></div>	<div></div>

- A. Little interest or pleasure in doing things
- B. Feeling down, depressed, or hopeless

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

How would you code D0150B1. Symptom Presence for Mrs. M?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

- 1. **Symptom Presence**
 - 0. No (enter 0 in column 2)
 - 1. Yes (enter 0-3 in column 2)
 - 9. No response (leave column 2 blank)
- 2. **Symptom Frequency**
 - 0. Never or 1 day
 - 1. 2-6 days (several days)
 - 2. 7-11 days (half or more of the days)
 - 3. 12-14 days (nearly every day)

1. Symptom Presence	2. Symptom Frequency
↓ Enter Scores in Boxes ↓	
1	2
1	

- A. Little interest or pleasure in doing things
- B. Feeling down, depressed, or hopeless

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

How would you code D0150B2. Symptom Frequency for Mrs. M?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: *“Over the last 2 weeks, have you been bothered by any of the following problems?”*

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: *“About **how often** have you been bothered by this?”*

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
	↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things	1	2
B. Feeling down, depressed, or hopeless	1	

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

Section D | MDS 3.0 RAI v1.18.11

59

How would you code D0150B2. Symptom Frequency for Mrs. M?

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

- 0. **No** (enter 0 in column 2)
- 1. **Yes** (enter 0-3 in column 2)
- 9. **No response** (leave column 2 blank)

2. Symptom Frequency

- 0. **Never or 1 day**
- 1. **2-6 days** (several days)
- 2. **7-11 days** (half or more of the days)
- 3. **12-14 days** (nearly every day)

1. Symptom Presence	2. Symptom Frequency
---------------------------	----------------------------

↓ Enter Scores in Boxes ↓

1	2
1	3

A. Little interest or pleasure in doing things

B. Feeling down, depressed, or hopeless

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

D0150B: Mrs. M Coding Scenario – Rationale

D0150B. Feeling down, depressed, or hopeless.

1. Symptom Presence.

- Since Mrs. M responded that she has been bothered by feeling a little down and hopeless, the correct code for Symptom Presence is **1, Yes**.

2. Symptom Frequency.

- Mrs. M responded that she has been bothered by having these feelings for about 12–14 days over the last 2 weeks; therefore, the correct code for Symptom Frequency is **3**.

Based on Mrs. M’s responses, would you continue the Resident Mood Interview?

- A. Yes, as the resident said she was bothered by feeling down and hopeless.
- B. No, because the resident said she was not depressed.
- C. No, because D0150A1 and D0150B1 were both coded as 1.
- D. Yes, because both D0150A1 and D0150B1 were not coded 9 and both D0150A2 and D0150B2 were not coded with a 0 or 1.

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: **“Over the last 2 weeks, have you been bothered by any of the following problems?”**

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: **“About *how often* have you been bothered by this?”**

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

- 0. No (enter 0 in column 2)
- 1. Yes (enter 0-3 in column 2)
- 9. No response (leave column 2 blank)

2. Symptom Frequency


- 0. Never or 1 day
- 1. 2-6 days (several days)
- 2. 7-11 days (half or more of the days)
- 3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
↓ Enter Scores in Boxes ↓		
A. Little interest or pleasure in doing things	1	2
B. Feeling down, depressed, or hopeless	1	3

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.



Based on Mrs. M’s responses, would you continue the Resident Mood Interview?

- A. Yes, as the resident said she was bothered by feeling down and hopeless.
- B. No, because the resident said she was not depressed.
- C. No, because D0150A1 and D0150B1 were both coded as 1.
-  D. Yes, because both D0150A1 and D0150B1 were not coded 9 and both D0150A2 and D0150B2 were not coded with a 0 or 1.

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”
 If symptom is present, enter 1 (yes) in column 1, Symptom Presence.
 If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”
 Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence

0. No (enter 0 in column 2)

1. Yes (enter 0-3 in column 2)

9. No response (leave column 2 blank)

2. Symptom Frequency

0. Never or 1 day

1. 2-6 days (several days)

2. 7-11 days (half or more of the days)

3. 12-14 days (nearly every day)

	1. Symptom Presence	2. Symptom Frequency
↓ Enter Scores in Boxes ↓		
A. Little interest or pleasure in doing things	1	2
B. Feeling down, depressed, or hopeless	1	3

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.



D0150A2 and D0150B2: Mrs. M – Determination to Proceed

D0150. Resident Mood Interview (PHQ-2 to 9©)

Say to resident: "Over the last 2 weeks, have you been bothered by any of the following problems?"

If symptom is present, enter 1 (yes) in column 1. Symptom Presence
If yes, enter 1, 2, or 3 in column 2. Symptom Frequency.
Read and enter scores in boxes.

	1. Symptom Presence	2. Symptom Frequency
1. Sad most of the day, most of the time	<input type="checkbox"/>	<input type="checkbox"/>
2. Little interest or pleasure in doing things	<input type="checkbox"/>	<input type="checkbox"/>
3. Feeling down, depressed, or hopeless	<input type="checkbox"/>	<input type="checkbox"/>
4. Trouble falling asleep, staying asleep, or sleeping too much	<input type="checkbox"/>	<input type="checkbox"/>
5. Tired or fatigued most of the day	<input type="checkbox"/>	<input type="checkbox"/>
6. Trouble with concentration	<input type="checkbox"/>	<input type="checkbox"/>
7. Thoughts of hurting yourself or suicide	<input type="checkbox"/>	<input type="checkbox"/>
8. Appetite or weight changes	<input type="checkbox"/>	<input type="checkbox"/>
9. Feeling slowed down or that things are going too fast	<input type="checkbox"/>	<input type="checkbox"/>

If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.

Since D0150A2 is 2

And D0150B2 is 3

We will ask the remaining seven questions.

Key Insights

D0150. Resident Mood Interview (PHQ-2 to 9[©]) is a standardized assessment for depression and mood disorders.

- Understanding residents' responses that inform the coding of the first two items is key to determining how the Resident Mood Interview is coded. This is a new step in the assessment for SNF providers.

D0160. Total Severity Score can be calculated based on the Symptom Frequency responses of the PHQ-2 to 9.

- In certain cases, the coding of just the first two items is used to calculate the Total Severity Score.

