

CHAPTER IX

RADIOLOGY SERVICES CPT CODES 70000 - 79999

NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL FOR MEDICAID SERVICES

Revised: January 1, 2019

Current Procedural Terminology (CPT) codes, descriptions and other data only are copyright 2018 American Medical Association. All rights reserved.

CPT® is a registered trademark of the American Medical Association.

Applicable FARS\DFARS Restrictions Apply to Government Use.

Fee schedules, relative value units, conversion factors, prospective payment systems and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained or not contained herein.

Table of Contents

Chapter IX	IX-3
Radiology Services	IX-3
CPT Codes 70000 - 79999	IX-3
A. Introduction	IX-3
B. Evaluation and Management (E&M) Services	IX-3
C. Non-interventional Diagnostic Imaging	IX-6
D. Interventional/Invasive Diagnostic Imaging	IX-10
E. Nuclear Medicine	IX-14
F. Radiation Oncology	IX-17
G. Medically Unlikely Edits (MUEs)	IX-21
H. General Policy Statements	IX-22

Chapter IX
Radiology Services
CPT Codes 70000 - 79999

A. Introduction

The principles of correct coding discussed in Chapter I apply to the CPT codes in the range 70000-79999. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this chapter are nonetheless applicable.

Physicians shall report the HCPCS/CPT code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code shall be reported only if all services described by the code are performed. A physician shall not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services performed. This type of unbundling is incorrect coding.

The HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician shall not separately report these services simply because HCPCS/CPT codes exist for them.

Specific issues unique to this section of CPT are clarified in this chapter.

B. Evaluation and Management (E&M) Services

Physician services can be categorized as either major surgical procedures, minor surgical procedures, non-surgical procedures, or evaluation and management (E&M) services. This section summarizes some of the rules for reporting E&M services in relation to major surgical, minor surgical, and non-surgical procedures. Even in the absence of NCCI PTP edits, providers shall bill for their services following these rules.

The Medicaid NCCI program uses the same definition of major and minor surgery procedures as the Medicare program.

Major surgery - those codes with 090 Global Days in the "Medicare Physician Fee Schedule Database / Relative Value File"
Minor surgery - those codes with 000 or 010 Global Days

The Medicare designation of global days can be found on the Medicare/ National Physician Fee Schedule/ PFS Relative Value

Files page of the CMS Medicare website at:

<http://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/PhysicianFeeSched/PFS-Relative-Value-Files.html>

Select the calendar year and the file name with highest alphabetical suffix - e.g., RVUxxD - for the most recent version of the fee schedule. In the zip file, select document "PPRRVU...xlsx" and refer to "Column O, Global Days".

An E&M service is separately reportable on the same date of service as a major or minor surgical procedure under limited circumstances.

If an E&M service is performed on the same date of service as a major surgical procedure for the purpose of deciding whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57. Other preoperative E&M services on the same date of service as a major surgical procedure are included in the global package for the procedure and are not separately reportable. There are currently no NCCI PTP edits based on this rule.

In general, E&M services performed on the same date of service as a minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and shall not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform the minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting E&M services apply. The fact that the patient is "new" to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. NCCI contains many, but not all, possible edits based on these principles.

Example: If a physician determines that a new patient with head trauma requires sutures, confirms the allergy and immunization status, obtains informed consent, and performs the repair, an E&M service is not separately reportable. However, if the physician also performs a medically reasonable and necessary full neurological examination, an E&M service may be separately reportable.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global surgical package as are E&M services related to complications of the surgery. Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed unless related to a complication of surgery may be reported separately on the same day as a surgical procedure with modifier 24 ("Unrelated Evaluation and Management Service by the same Physician or Other Qualified Health Care Professional During a Postoperative Period").

Many non-surgical procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work shall not be reported as a separate E&M code. Other non-surgical procedures are not usually performed by a physician and have no physician work associated with them. A physician shall not report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure. With most non-surgical procedures, the physician may, however, perform a significant and separately identifiable E&M service on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the non-surgical procedure but cannot include any work inherent in the non-surgical procedure, supervision of others performing the non-surgical procedure, or time for interpreting the result of the non-surgical procedure. Appending modifier 25 to a significant, separately identifiable E&M service when performed on the same date of service as a non-surgical procedure is correct coding.

When physician interaction with a patient is necessary to accomplish a radiographic procedure, typically occurring in invasive or interventional radiology, the interaction generally involves limited pertinent historical inquiry about reasons for the examination, the presence of allergies, acquisition of informed consent, discussion of follow-up, and the review of the medical record. In this setting, a separate evaluation and management service is not reported. As a rule, if the medical decision making that evolves from the procurement of the information from the patient is limited to whether or not the procedure should be performed, whether comorbidity may impact the procedure, or involves discussion and education with the patient, an evaluation/management code is not reported separately. If a significant, separately identifiable service

is rendered, involving taking a history, performing an exam, and making medical decisions distinct from the procedure, the appropriate evaluation and management service may be reported.

In radiation oncology, evaluation and management *CPT* codes are separately reportable for an initial visit at which time a decision is made whether to proceed with the treatment.

C. Non-interventional Diagnostic Imaging

Non-invasive/interventional diagnostic imaging includes but is not limited to standard radiographs, single or multiple views, contrast studies, computerized tomography and magnetic resonance imaging. The *CPT Manual* allows for various combinations of codes to address the number and type of radiographic views. For a given radiographic series, the procedure code that most accurately describes what was performed shall be reported. Because the number of views necessary to obtain medically useful information may vary, a complete review of *CPT* coding options for a given radiographic session is important to assure accurate coding with the most comprehensive code describing the services performed rather than billing multiple codes to describe the service.

1. If imaging studies (e.g., radiographs, computerized tomography, magnetic resonance imaging) are repeated during the course of a radiological encounter due to substandard quality or need for additional views, only one unit of service for the appropriate code may be reported. If the radiologist elects to obtain additional views after reviewing initial films in order to render an interpretation, the state Medicaid policy on the ordering of diagnostic tests must be followed. The *CPT* code describing the total service shall be reported, even if the patient was released from the radiology suite and had to return for additional services. The *CPT* descriptors for many of these services refer to a "minimum" number of views. If more than the minimum number specified is necessary and no other more specific *CPT* code is available, only that service shall be reported. However, if additional films are necessary due to a change in the patient's condition, separate reporting may be appropriate.

2. The *CPT* code descriptors that specify a minimum number of views include additional views if there is no more comprehensive code specifically including the additional views. For example, if three views of the shoulder are obtained, *CPT* code 73030 (Radiologic examination, shoulder; complete, minimum of two views) with one unit of service shall be reported rather

than *CPT* code 73020 (Radiologic examination, shoulder; one view) plus *CPT* code 73030.

3. When a comparative imaging study is performed to assess potential complications or completeness of a procedure (e.g., post-reduction, post-intubation, post-catheter placement, etc.), the professional component of the *CPT* code for the post-procedure imaging study is not separately payable and shall not be reported. The technical component of the *CPT* code for the post-procedure imaging study may be reported.

4. Some studies may be performed without contrast, with contrast, or both with and without contrast. There are separate codes to describe all of these combinations of contrast usage. When studies require contrast, the number of radiographs obtained varies between patients. All radiographs necessary to complete a study are included in the *CPT* code description.

5. Fluoroscopy is inherent in many radiological supervision and interpretation procedures. Unless specifically noted, fluoroscopy necessary to complete a radiologic procedure and obtain the necessary permanent radiographic record is included in the radiologic procedure and shall not be reported separately.

6. Preliminary "scout" radiographs prior to contrast administration or delayed imaging radiographs are not separately reportable.

7. The *CPT Manual* instructions state that in the presence of a clinical history suggesting urinary tract pathology complete ultrasound evaluation of the kidneys and urinary bladder constitutes a complete retroperitoneal ultrasound study (*CPT* code 76770). A limited retroperitoneal ultrasound (*CPT* code 76775) plus limited pelvic ultrasound (*CPT* code 76857) shall not be reported in lieu of the complete retroperitoneal ultrasound (*CPT* code 76770).

8. The *CPT* code 76380 (computed tomography, limited or localized follow-up study) shall not be reported with other computed tomography (CT), computed tomography angiography (CTA), or computed tomography guidance codes for the same patient encounter.

9. When a central venous catheter is inserted, a chest radiologic examination is usually performed to confirm the position of the catheter and absence of pneumothorax. .

Similarly when an emergency endotracheal intubation procedure (*CPT* code 31500), chest tube insertion procedure (e.g., *CPT* codes, 32550, 32551, 32554, 32555), or insertion of a central flow directed catheter procedure (e.g., Swan-Ganz) (*CPT* code 93503) is performed, a chest radiologic examination is usually performed to confirm the location and proper positioning of the tube or catheter. The chest radiologic examination is integral to the procedures, and a chest radiologic examination (e.g., *CPT* codes 71045, 71046) shall not be reported separately.

10. The *CPT* code 77075 (Radiologic examination, osseous survey; complete (axial and appendicular skeleton)) includes radiologic examination of all bones. The *CPT* codes for radiologic examination of other bones shall not be reported in addition to *CPT* code 77075. However, if a separate and distinct radiologic examination with additional films of a specific area of the skeleton is performed to evaluate a different problem, the appropriate *CPT* code for the additional radiologic examination may be reported with an NCCI PTP-associated modifier.

11. The *CPT* code 77073 (bone length studies . . .) includes radiologic examination of the lower extremities. *CPT* codes for radiologic examination of lower extremity structures shall not be reported in addition to *CPT* code 77073 for examination of the radiologic films for the bone length studies. However, if a separate and distinct radiologic examination with additional films of a specific area of a lower extremity is performed to evaluate a different problem, the appropriate *CPT* code for the additional radiologic examination may be reported with an NCCI PTP-associated modifier.

12. *CPT* code 75635 describes computed tomographic angiography of the abdominal aorta and bilateral iliofemoral lower extremity runoff. This code includes the services described by *CPT* codes 73706 (computed tomographic angiography, lower extremity . . .) and 74175 (computed tomographic angiography, abdomen . . .). *CPT* codes 73706 and 74175 shall not be reported with *CPT* code 75635 for the same patient encounter. *CPT* code 73706 plus *CPT* code 74175 shall not be reported in lieu of *CPT* code 75635.

13. Ultrasound examination of a transplanted kidney and retroperitoneal structures at the same patient encounter may be reported with *CPT* code 76770 (ultrasound, retroperitoneal . . .;

complete). It shall not be reported with *CPT* code 76776 (ultrasound, transplanted kidney . . .) plus *CPT* code 76775 (ultrasound, retroperitoneal . . .; limited).

14. Computed tomography (CT) of the spine with intrathecal contrast shall not be reported with myelography (e.g., *CPT* codes 72240-72270) unless both studies are medically reasonable and necessary. Radiography after injection of intrathecal contrast to perform a CT of the spine in order to confirm the location of the contrast is not separately reportable as myelography.

15. Screening and diagnostic mammography are normally not performed on the same date of service. However when the two procedures are performed on the same date of service, the screening mammography HCPCS/*CPT* code should be reported with modifier 59.

CPT code 77063 is an add-on code describing screening digital tomosynthesis for mammography. This procedure requires performance of a screening mammography producing direct digital images. For calendar year 2017, *CPT* code 77063 could be reported with HCPCS code G0202, not *CPT* code 77067. Beginning calendar year 2018, *CPT* code 77063 may be reported with *CPT* code 77067. (HCPCS code G0202 was deleted for January 1, 2018.)

16. *CPT* codes 72081-72084 describe radiologic examination of the entire spine, the codes differing based on the number of views. The other codes in the *CPT* code range 72020-72120 describe radiologic examination of specific regions of the spine differing based on the region of the spine and the number of views. If a physician performs a procedure described by *CPT* codes 72081-72084 and at the same patient encounter performs a procedure described by one or more other codes in the *CPT* code range 72020-72120, the physician shall sum the total number of views and report the appropriate code in the *CPT* code range 72081-72084. The physician shall not report a code from the *CPT* code range 72081-72084 plus another code in the *CPT* code range 72020-72120 for services performed at the same patient encounter.

17. Since the foot includes the toes and calcaneus bone, *CPT* code 73630 (radiologic examination, foot; complete, minimum of 3 views) includes radiologic examination of the toes and calcaneus. A physician shall not report *CPT* code 73650 (radiologic examination; calcaneus, minimum of 2 views) or 73660 (radiological examination; toe(s), minimum of two views) with *CPT* code 73630 for the same foot on the same date of service.

D. Interventional/Invasive Diagnostic Imaging

1. If a radiologic procedure requires that contrast be administered orally (e.g., upper GI series) or rectally (e.g., barium enema), the administration is integral to the radiologic procedure, and the administration service is not separately reportable. If a radiologic procedure requires that contrast material be administered parenterally (e.g., IVP, CT, MRI), the vascular access (e.g., CPT codes 36000, 36406, 36410) and contrast administration (e.g., CPT codes 96360-96376) are integral to the procedure and are not separately reportable.

2. Many services utilizing contrast are composed of a procedural component (CPT codes outside the 70000 section) and a radiologic supervision and interpretation component (CPT code in the 70000 section). If a single physician performs both components of the service, the physician may report both codes. However, if different physicians perform the different components, each physician reports the CPT code corresponding to that component.

3. Many interventional procedures require contrast injections for localization and/or guidance. Unless there are CPT instructions directing the physician to report specific CPT codes for the localization or guidance, the localization or guidance is integral to the interventional procedure and is not separately reportable.

4. Diagnostic angiography (arteriogram/venogram) performed on the same date of service by the same provider as a percutaneous intravascular interventional procedure should be reported with modifier 59. If a diagnostic angiogram (fluoroscopic or computed tomographic) was performed prior to the date of the percutaneous intravascular interventional procedure, a second diagnostic angiogram cannot be reported on the date of the percutaneous intravascular interventional procedure unless it is medically reasonable and necessary to repeat the study to further define the anatomy and pathology. Report the repeat angiogram with modifier 59. If it is medically reasonable and necessary to repeat only a portion of the diagnostic angiogram, append modifier 52 in addition to modifier 59 to the angiogram CPT code. If the prior diagnostic angiogram (fluoroscopic or computed tomographic) was complete, the provider shall not report a second angiogram for the dye injections necessary to perform the percutaneous intravascular interventional procedure.

5. The individual *CPT* codes in the 70000 section identify which injection or administration code, if any, is appropriate for a given procedure. In the absence of a parenthetical *CPT* note, the injection or administration service is integral to the procedure and is not separately reportable. If an intravenous line is inserted (e.g., *CPT* code 36000) for access in the event of a problem with the procedure or for administration of contrast, it is integral to the procedure and is not separately reportable. The *CPT* code 36005 describes the injection procedure for contrast venography of an extremity and includes the introduction of a needle or an intracatheter (e.g., *CPT* code 36000). *CPT* code 36005 shall not be reported for injections for arteriography or venography of sites other than an extremity.

6. For lymphangiography procedures, injection of dye into subcutaneous tissue is integral to the procedure. The *CPT* code 96372 (Therapeutic, prophylactic, or diagnostic injection . . .; subcutaneous or intramuscular) shall not be reported separately for this injection of dye.

7. When urologic radiologic procedures require insertion of a urethral catheter (e.g., *CPT* code 51701-51703), this insertion is integral to the procedure and is not separately reportable.

8. Fluoroscopy reported as *CPT* code 76000 is integral to many procedures including, but not limited, to most spinal, endoscopic, and injection procedures and shall not be reported separately. For some of these procedures, there are separate fluoroscopic guidance codes which may be reported separately. *(CPT code 76001 was deleted January 1, 2019.)*

9. Computed tomography (CT) and computed tomographic angiography (CTA) procedures for the same anatomic location may be reported together in limited circumstances. If a single technical study is performed which is utilized to generate images for separate CT and CTA reports, only one procedure, either the CT or CTA, for the anatomic region may be reported. Both a CT and CTA may be reported for the same anatomic region if they are performed at separate patient encounters or if two separate and distinct technical studies, one for the CT and one for the CTA, are performed at the same patient encounter. The medical necessity for the latter situation is uncommon.

Similarly magnetic resonance imaging (MRI) and magnetic resonance angiography (MRA) procedures for the same anatomic

location may be reported together in limited circumstances. If a single technical study is performed which is utilized to generate images for separate MRI and MRA reports, only one procedure, either the MRI or MRA, for the anatomic region may be reported. Both an MRI and MRA may be reported for the same anatomic region if they are performed at separate patient encounters or if two separate and distinct technical studies, one for the MRI and one for the MRA, are performed at the same patient encounter. The medical necessity for the latter situation is uncommon.

10. Computed tomography of the heart (CPT codes 75571-75573) and computed tomographic angiography of the heart (CPT code 75574) include electrocardiographic monitoring if performed. CPT codes 93000-93010 (electrocardiogram . . .) and 93040-93042 (rhythm ECG . . .) shall not be reported separately with CPT codes 75571-75574 for the ECG monitoring integral to these procedures.

11. If a breast biopsy, needle localization wire, metallic localization clip, or other breast procedure is performed with mammographic guidance (e.g., 19281, 19282), the physician shall not separately report a post procedure mammography code (e.g., 77065-77067, G0202-G0206) for the same patient encounter. The radiologic guidance codes include all imaging by the defined modality required to perform the procedure. (HCPCS codes G0202-G0206 were deleted January 1, 2018)

12. Many spinal procedures are grouped into a family of codes where there are separate primary procedure codes describing the procedure at a single vertebral level in the cervical, thoracic, or lumbar region of the spine. Within some families of codes there is an add-on code for reporting the same procedure at each additional level without specification of the spinal region for the add-on code. When multiple procedures from one of these families of codes are performed at contiguous vertebral levels, a physician shall report only one primary code within the family of codes for one level and shall report additional contiguous levels utilizing the add-on code(s) in the family of codes. The reported primary code should be the one corresponding to the spinal region of the first procedure. If multiple procedures from one of these families of codes are performed at multiple vertebral levels that are not contiguous and in different regions of the spine, the physician may report one primary code for each non-contiguous region.

For example, the family of *CPT* codes 22532-22534 describes arthrodesis by lateral extracavitary technique. *CPT* code 22532 describes the procedure for a single thoracic vertebral segment. *CPT* code 22533 describes the procedure for a single lumbar vertebral segment. *CPT* code 22534 is an add-on code describing the procedure for each additional thoracic or lumbar vertebral segment. If a physician performs arthrodesis by lateral extracavitary technique on contiguous vertebral segments such as T12 and L1, only one primary procedure code, the one for the first procedure, may be reported. The procedure on the second vertebral body may be reported with *CPT* code 22534. If a physician performs the procedure at T10 and L4, the physician may report *CPT* codes 22532 and 22533.

CPT codes 22510-22512 represent a family of codes describing percutaneous vertebroplasty, and *CPT* codes 22513-22515 represent a family of codes describing percutaneous vertebral augmentation. Within each of these families of codes, the physician may report only one primary procedure code and the add-on procedure code for each additional level(s) whether the additional level(s) are contiguous or not.

13. *CPT* code 50398 describes change of a nephrostomy or pyelostomy tube. If the tube change occurs in a patient without new symptoms related to the tube, *CPT* code 50394 (injection procedure for pyelography through a nephrostomy or pyelostomy tube) should not be reported separately for the tube check. However, if the patient has new symptoms related to the tube, the provider may separately report *CPT* code 50394 with an NCCI PTP-associated modifier for the tube check. (*CPT* codes 50394 and 50398 were deleted January 1, 2016.)

14. Diagnostic studies of the cervicocerebral arteries (*CPT* codes 36221-36227) include angiography of the thoracic aortic arch. Physicians shall not separately report *CPT* codes 75600 or 75605 (thoracic aortography) for this examination unless it is medically reasonable and necessary to additionally examine the descending thoracic aorta. A physician shall not report *CPT* codes 75600 or 75605 for the examination of the descending thoracic aorta with the runoff of the dye used to examine the thoracic aortic arch included in the diagnostic studies of the cervicocerebral arteries. Additionally, if an unexpected abnormality of the descending thoracic aorta is identified while examining the dye runoff in the descending aorta, *CPT* codes 75600 or 75605 shall not be reported separately.

15. 3D rendering of an imaging modality (e.g., *CPT* codes 76376, 76377) shall not be reported for mapping the sites of multiple biopsies or other needle placements under radiologic guidance. For example, a provider performing multiple prostate biopsies under ultrasound guidance (e.g., *CPT* code 76942) shall not report *CPT* codes 76376 or 76377 for developing a map of the locations of the biopsies.

E. Nuclear Medicine

The general policies described above apply to nuclear medicine as well as standard diagnostic imaging.

1. The injection of a radiopharmaceutical is an integral component of a nuclear medicine procedure. *CPT* codes for vascular access (e.g., *CPT* code 36000) and injection of the radiopharmaceutical (e.g., *CPT* codes 96360-96376) are not separately reportable.

2. Single photon emission computed tomography (SPECT) studies represent an enhanced methodology over standard planar nuclear imaging. When a limited anatomic area is studied, there is no additional information procured by obtaining both planar and SPECT studies. While both represent medically acceptable imaging studies, a SPECT study of a limited area is not separately reportable with a planar study of the same area. When vascular flow studies are obtained using planar technology in addition to SPECT studies, the appropriate *CPT* code for the vascular flow study shall be reported, not the flow, planar and SPECT studies. In cases where planar images must be procured because of the size of the scanned area (e.g., bone imaging), both planar and SPECT scans may be necessary and reported separately.

3. Myocardial perfusion imaging (*CPT* codes 78460-78465) is not reportable with cardiac blood pool imaging by gated equilibrium (*CPT* codes 78472-78473) because the two types of tests utilize different radiopharmaceuticals.

4. The *CPT* codes 76376 and 76377 (3D rendering) are not separately reportable for nuclear medicine procedures (*CPT* codes 78012-78999). However, *CPT* code 76376 or 76377 may be separately reported with modifier 59 on the same date of service as a nuclear medicine procedure if the 3D rendering procedure is performed in association with a third procedure (other than nuclear medicine) for which 3D rendering is appropriately reported.

5. The *CPT* codes 78451-78452 (myocardial perfusion imaging; . . . additional quantification. . .) includes calculation of the heart-lung ratio if obtained. The *CPT* code 78580 (pulmonary perfusion imaging, particulate) shall not be reported for calculation of the heart-lung ratio during the processing of a SPECT myocardial perfusion procedure.

6. Positron emission tomography (PET) imaging requires use of a radiopharmaceutical diagnostic imaging agent. HCPCS codes A9555 (Rubidium Rb-82 . . .) and A9526 (Nitrogen N-13 Ammonia . . .) may only be reported with PET scan *CPT* codes 78491 and 78492. The HCPCS code A9552 (Fluorodeoxyglucose F-18, FDG, . . .) may only be reported with PET scan *CPT* codes 78459, 78608, and 78811-78816.

7. Positron emission tomography (PET) procedures include a finger stick blood glucose level. *CPT* codes 82948 (glucose; blood, reagent strip) or 82962 (glucose, blood by glucose monitoring device(s)...) shall not be reported separately for the measurement of the finger stick blood glucose included in a PET procedure.

8. HCPCS code A9512 (Technetium Tc-99m pertechnetate, diagnostic . . .) describes a radiopharmaceutical utilized for nuclear medicine studies. Technetium Tc-99m pertechnetate is also a component of other Technetium Tc-99m radiopharmaceuticals with separate AXXXX codes. Code A9512 shall not be reported with other AXXXX radiopharmaceuticals containing Technetium Tc-99m for a single nuclear medicine study. However, if two separate nuclear medicine studies are performed on the same date of service, one with the radiopharmaceutical described by HCPCS code A9512 and one with another AXXXX radiopharmaceutical labeled with Technetium Tc-99m, both codes may be reported utilizing an NCCI PTP-associated modifier. HCPCS codes A9500, A9540, and A9541 describe radiopharmaceuticals labeled with Technetium Tc-99m that may be utilized for separate nuclear medicine studies on the same date of service as a nuclear medicine study utilizing the radiopharmaceutical described by HCPCS code A9512.

9. Generally diagnostic nuclear medicine procedures are performed on different dates of service than therapeutic nuclear medicine procedures. However, if a diagnostic nuclear medicine procedure is performed on an organ and the decision to proceed with a therapeutic nuclear medicine procedure on the same organ on the same date of service is based on results of the

diagnostic nuclear medicine procedure, both procedures may be reported on the same date of service utilizing an NCCI PTP-associated modifier. A physician shall not report a radiopharmaceutical therapy administration code for the radionuclide administration that is integral to diagnostic nuclear imaging procedures.

10. A three phase bone and/or joint imaging study (*CPT* code 78315) includes initial vascular flow imaging. *CPT* code 78445 (non-cardiac vascular flow imaging...) shall not be reported separately for the vascular flow imaging integral to *CPT* code 78315.

11. Non-cardiac vascular flow imaging, when performed, is integral to a nuclear medicine procedure. *CPT* code 78445 (non-cardiac vascular flow imaging . . .) shall not be reported with any other nuclear medicine procedure code.

12. Supervision and handling of radionuclides is integral to nuclear medicine procedures (e.g., *CPT* codes 78012-79999.) Physicians shall not separately report *CPT* code 77790 (supervision, handling, and loading of radiation source) for this service.

13. NCCI contains procedure-to-procedure (PTP) edits that bundle some radiopharmaceutical codes into nuclear medicine procedure codes. These code pairs represent radiopharmaceuticals that should not be reported with the nuclear medicine procedure since it is inappropriate to utilize that radiopharmaceutical for that procedure. In some situations where a patient has two nuclear medicine procedures performed on the same date of service, the radiopharmaceutical utilized for one procedure may be incompatible with the second nuclear medicine procedure. In this circumstance, it may be appropriate to report the radiopharmaceutical with modifier 59.

14. Tumor imaging by positron emission tomography (PET) may be reported with *CPT* codes 78811-78816. If a concurrent computed tomography (CT) scan is performed for attenuation correction and anatomical localization, *CPT* codes 78814-78816 shall be reported rather than *CPT* codes 78811-78813. A CT scan for localization shall not be reported separately with *CPT* codes 78811-78816.

A medically reasonable and necessary diagnostic CT scan may be separately reportable with an NCCI-associated modifier. If the data set for the diagnostic CT is obtained concurrently on the

same PET/CT integrated system where the CT portion of the study is co-registered with the PET images for the purpose of attenuation correction and anatomic localization, the diagnostic CT *CPT* code may be reported with PET *CPT* codes 78811-78813 utilizing an NCCI-associated modifier. Under these circumstances the diagnostic CT *CPT* code shall not be reported with PET/CT *CPT* codes 78814-78816. However, if a data set for the PET/CT for attenuation correction and anatomic localization and a separate data set for the diagnostic CT are obtained on separate pieces of equipment, the diagnostic CT *CPT* code may be reported with *CPT* codes 78811-78816 utilizing an NCCI-associated modifier.

F. Radiation Oncology

1. Except for an initial visit evaluation and management (E&M) service at which the decision to perform radiation therapy is made, E&M services are not separately reportable with radiation oncology services with one exception as noted below. The initial E&M visit for radiation oncology services may be reported with office/outpatient E&M *CPT* codes 99201-99215, initial hospital care E&M *CPT* codes 99221-99223, subsequent hospital care E&M *CPT* codes 99231-99233, observation/inpatient hospital care with same day admission and discharge E&M *CPT* codes 99234-99236, or consultation E&M codes 99241-99255.

The only radiation oncology services that may be reported with E&M services in addition to an initial visit E&M service are *CPT* codes 77770-77772 (remote afterloading high dose rate radionuclide brachytherapy . . .). (*CPT* codes 77785-77787 were deleted January 1, 2016.) E&M services reported with these brachytherapy codes must be significant, separate and distinct from radiation treatment management services.

2. Continuing medical physics consultation (*CPT* code 77336) is reported "per week of therapy". It may be reported after every five radiation treatments. (It may also be reported if the total number of radiation treatments in a course of radiation therapy is less than five.) Since radiation planning procedures (*CPT* codes 77261-77334) are generally performed before radiation treatment commences, the NCCI contains edits preventing payment of *CPT* code 77336 with *CPT* codes 77261-77295, 77301-77328, and 77332-77334. Because radiation planning procedures may occasionally be repeated during a course of radiation treatment, the edits allow modifier 59 to be appended to *CPT* code 77336 when the radiation planning procedure and continuing medical physics consultation are reported on the same

date of service.

3. The NCCI program includes edits for services that may not be reported separately with radiation oncology procedures. These edits bundle the following *CPT* codes into all radiation therapy services:

11920-11921	(Tattooing)
16000-16030	(Treatment of burns)
36000, 36410, 36425	(Venipuncture or Introduction of catheter)
51701-51703	(Urinary bladder catheterization)
96360-96368	(Intravenous infusion)
90832-90838	(Psychotherapy)
90839-90840	(Psychotherapy)
90846	(Psychotherapy)
90847	(Psychotherapy)
90863, M0064	(Pharmacologic management)
(HCPCS code M0064 was deleted January 1, 2015)	
97802-97804	(Medical nutrition therapy)
99151-99153	(Anesthesia - Moderate conscious sedation)
(CPT codes 99143-99145 were deleted January 1, 2017)	
99185	(Regional hypothermia)
(CPT code 99185 was deleted January 1, 2010)	
99201-99215	(Evaluation & Management)
99217-99239	(Evaluation & Management)
99281-99498	(Evaluation & Management)

4. Brachytherapy (*CPT* codes 77750-77790) includes radiation treatment management (*CPT* codes 77427 and 77431) and continuing medical physics consultation (*CPT* code 77336). *CPT* codes 77427, 77431, and 77336 should not in general be reported separately with brachytherapy services. However, if a patient receives external beam radiation treatment and brachytherapy treatment during the same time period, radiation treatment management and continuing medical physics consultation may be reported for the external beam radiation treatments. Additionally, if a patient has multi-step brachytherapy, it may be appropriate to separately report continuing medical physics consultation with the brachytherapy.

5. The procedure described by *CPT* code 37204 (transcatheter occlusion or embolization (e.g., for tumor destruction)) includes infusion of the occlusion/embolization agent. It is not appropriate to separately report *CPT* code 77750 (infusion or instillation of radioelement solution...) if the embolization agent is a radioelement solution. Similarly it

is not appropriate to separately report *CPT* codes 77778 (interstitial radiation source application, complex, . . .) in addition to *CPT* code 37204 for infusion of the radioelement solution. (*CPT* code 37204 was deleted January 1, 2014.) (*CPT* codes 77776 and 77777 were deleted January 1, 2016.)

6. The procedures described by *CPT* codes 77778 (interstitial radiation source application, complex, ...) requires that a radiation source be applied interstitially. Reporting a *CPT* code requires that all essential components of the procedure are performed. These codes shall not be reported by a radiation oncologist for intraoperative work with another physician who surgically places catheters interstitially unless the radiation oncologist also applies the radiation source at the same patient encounter. The intraoperative work of the radiation oncologist may be reportable with a non-brachytherapy code. If the radiation source application occurs postoperatively in a different room, the radiation oncologist may report *CPT* codes 77770-77772 (remote afterloading high dose rate radionuclide brachytherapy ...) for the radiation source application. (*CPT* codes 77776 and 77777 were deleted January 1, 2016.)

7. Stereotactic radiosurgery (SRS) treatment delivery (*CPT* codes 77371-77373) includes stereotactic guidance for placement of the radiation therapy fields for treatment delivery. *CPT* codes 77014 (computed tomography guidance for placement of radiation therapy fields) and 76950 (ultrasonic guidance for placement of radiation therapy fields) should not be reported additionally for guidance for placement of the radiation therapy field for SRS treatment delivery.

8. Since *CPT* code 0197T (intra-fraction localization and tracking of target or patient motion during delivery of radiation therapy . . .) includes localization of the radiation field, it should not be reported with other *CPT* codes describing localization of the radiation field such as *CPT* codes 76950 (ultrasonic guidance for placement of radiation therapy fields), 77014 (computed tomography guidance for placement of radiation therapy fields), or 77421 (stereoscopic X-ray guidance for localization of target volume for the delivery of radiation therapy). (*CPT* codes 0197T and 77421 were deleted January 1, 2015.)

9. Since *CPT* code 77387 (guidance for localization of target volume for delivery of radiation treatment delivery, includes intrafraction tracking when performed) includes

localization of the radiation field, it should not be reported with other *CPT* codes describing localization of the radiation field such as *CPT* codes 76950 (ultrasonic guidance for placement of radiation therapy fields) or 77014 (computed tomography guidance for placement of radiation therapy fields).

10. Partial breast high dose rate brachytherapy may be performed two times a day. The first therapeutic radiology simulation for the course of therapy may be complex and reported as *CPT* code 77290. However, subsequent simulations during the course of therapy shall be reported as *CPT* code 77280.

11. Intensity modulated treatment (IMRT) delivery (e.g., *CPT* codes 77418, 77385, 77386) is not normally reported with treatment device design and construction *CPT* codes 77332-77334. The latter codes are generally reported for treatment device(s) design and construction for external proton beam radiation therapy. IMRT planning (*CPT* code 77301) includes many treatment device(s) required for IMRT. Multi-leaf collimator (MLC) device(s) (*CPT* code 77338) may be reported separately once per IMRT plan. However, patients receiving IMRT occasionally require an additional treatment device at a later date due to decreased tumor volume or patient weight. This device may be reported with *CPT* codes 77332-77334. (*CPT* code 77418 was deleted January 1, 2015.)

12. *CPT* code 77338 (Multi-leaf collimator (MLC) device(s) for intensity modulated radiation therapy (IMRT), design and construction per IMRT plan) shall not be reported with *CPT* code 77385 (Intensity modulated radiation treatment delivery (IMRT), includes guidance and tracking, when performed; simple) if the IMRT is compensator based. However, if the IMRT is not compensator based, *CPT* code 77338 may be reported separately.

13. Calculations described by *CPT* code 77300, if performed, are integral to some clinical brachytherapy procedures (e.g., *CPT* codes 77767-77772, 77778). *CPT* code 77300 shall not be reported with these clinical brachytherapy procedure codes.

14. Intensity modulated radiotherapy (IMRT) plan (*CPT* code 77301) includes therapeutic radiology simulation-aided field settings. Simulation-aided field settings for IMRT shall not be reported separately using *CPT* codes 77280-77290. Although NCCI

procedure-to-procedure edits based on this principle exist in NCCI for procedures performed on the same date of service, these edits shall not be circumvented by performing the two procedures described by a code pair edit on different dates of service.

15. CPT codes 77280-77290 (simulation-aided field settings) shall not be reported for verification of the treatment field during a course of intensity modulated radiotherapy (IMRT) treatment.

G. Medically Unlikely Edits (MUEs)

1. The MUEs are described in Chapter I, Section V.

2. Providers should be cautious about reporting services on multiple lines of a claim utilizing modifiers to bypass MUEs. The MUEs were set so that such occurrences should be uncommon. If a provider does this frequently for any HCPCS/CPT code, the provider may be coding units of service incorrectly. The provider should consider contacting his/her national health care organization or the national medical/surgical society whose members commonly perform the procedure to clarify the correct reporting of units of service. A national health care organization, provider, or other interested third party may request a reconsideration of the MUE value. *Written requests for reconsideration of an MUE may be sent to the entity and address identified on the CMS Medicaid NCCI website at*

<https://www.medicaid.gov/medicaid/program-integrity/ncci/index.html>

3. The CPT codes 76942, 77002, 77003, 77012, and 77021 describe radiologic guidance for needle placement by different modalities. The NCCI program allows one unit of service for any of these codes at a single patient encounter regardless of the number of needle placements performed. The unit of service for these codes is the patient encounter, not number of lesions, number of aspirations, number of biopsies, number of injections, or number of localizations.

4. The MUE values for HCPCS code J0152 (injection, adenosine for diagnostic use, 30 mg . . .) and HCPCS code J1245 (injection, dipyridamole, per 10 mg) were set for single pharmacologic stress tests. For the unusual patient who requires two different types of pharmacologic stress tests (e.g., myocardial perfusion and echocardiography) on the same date of service, the amount of drug utilized for each stress test should be reported on separate lines of a claim with

modifier 59 appended to the code on one of the claim lines.
(HCPCS code J0152 was deleted January 1, 2014.)

5. The code descriptor for CPT code 77417 states "Therapeutic radiology port image(s)". The MUE value for this code is one (1) since it includes all port films.

6. MUE values for surgical procedures that may be performed bilaterally are based on the NCCI coding principle that a bilateral surgical procedure should be reported on one line of a claim with modifier 50 and one (1) unit of service *unless the code descriptor defines the procedure as "bilateral". If the code descriptor defines the procedure as a "bilateral" procedure, it shall be reported with one unit of service without modifier 50.* This coding principle does not apply to non-surgical diagnostic and therapeutic procedures.

7. A single unit of service (UOS) for an isodose plan (CPT codes 77316-77318) includes dose calculations at multiple points. For example calculations for the craniocaudal position and mediolateral position are included in the same UOS.

H. General Policy Statements

1. MUE and NCCI PTP edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.

2. In this Manual many policies are described utilizing the term "physician". Unless indicated differently the usage of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, or providers, eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of Federal Regulations (CFR), and Medicaid rules. In some sections of this Manual, the term "physician" would not include some of these entities because specific rules do not apply to them.

3. In 2010 the CPT Manual modified the numbering of codes so that the sequence of codes as they appear in the CPT Manual does not necessarily correspond to a sequential numbering of codes. In the National Correct Coding Initiative Policy Manual for Medicaid Services, use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the CPT Manual.

4. With few exceptions the payment for a surgical procedure includes payment for dressings, supplies, and local anesthesia. These items are not separately reportable under their own HCPCS/CPT codes. Wound closures utilizing adhesive strips or tape alone are not separately reportable. In the absence of an operative procedure, these types of wound closures are included in an E&M service. Under limited circumstances wound closure utilizing tissue adhesive may be reported separately. If a practitioner utilizes a tissue adhesive alone for a wound closure, it may be reported separately with HCPCS code G0168 (wound closure utilizing tissue adhesive(s) only). If a practitioner utilizes tissue adhesive in addition to staples or sutures to close a wound, HCPCS code G0168 is not separately reportable but is included in the tissue repair. Facilities may report wound closure utilizing sutures, staples, or tissue adhesives, either singly or in combination with each other, with the appropriate CPT code in the "Repair (Closure)" section of the *CPT Manual*.

5. Any abdominal radiology procedure that has a radiological supervision and interpretation code (e.g., CPT code 75625 for abdominal aortogram) includes abdominal x-rays (e.g., CPT codes 74018-74022) as part of the total service.

6. Guidance for placement of radiation fields by computerized tomography or by ultrasound (CPT codes 77014 or 76950) for the same anatomical area are mutually exclusive of one another.

7. Evaluation of an anatomic region and guidance for a needle placement procedure by the same radiologic modality on the same date of service may be reported separately if the two procedures are performed in different anatomic regions. For example, a physician may report a diagnostic ultrasound CPT code and CPT code 76942 (ultrasonic guidance for needle placement...) when performed in different anatomic regions on the same date of service. Physicians should not avoid edits based on this principle by requiring patients to have the procedures performed on different dates of service if historically the evaluation of the anatomic region and guidance for needle biopsy procedures were performed on the same date of service.

8. The CPT code 76970 (ultrasound study, follow-up) cannot be reported with any other echocardiographic or

ultrasound guidance procedure for the same patient encounter because it represents a follow-up procedure on the same or subsequent day.

9. The *CPT* code 77790 (supervision, handling, loading of radiation source) is not separately reportable with any of the remote afterloading brachytherapy codes (e.g., *CPT* codes 77770-77772) since these procedures include the supervision, handling, and loading of the radioelement.

10. Bone studies such as *CPT* codes 77072-77076 require a series of radiographs. Separate reporting of a bone study and individual radiographs obtained in the course of the bone study is inappropriate.

11. Radiological supervision and interpretation codes include all radiological services necessary to complete the service. The *CPT* codes for fluoroscopy/fluoroscopic guidance (e.g., 76000, 77002, 77003) or ultrasound/ultrasound guidance (e.g., 76942, 76998) shall not be reported separately.

Radiological guidance procedures include all radiological services necessary to complete the procedure. The *CPT* codes for fluoroscopy (e.g., *CPT* code 76000,) shall not be reported separately with a fluoroscopic guidance procedure. The *CPT* codes for ultrasound (e.g., 76998) shall not be reported separately with an ultrasound guidance procedure. A limited or localized follow-up computed tomography study (*CPT* code 76380) shall not be reported separately with a computed tomography guidance procedure. (*CPT code 76001 was deleted January 1, 2019.*)

12. Abdominal ultrasound examinations (*CPT* codes 76700-76775) and abdominal duplex examinations (*CPT* codes 93975, 93976) are generally performed for different clinical scenarios although there are some instances where both types of procedures are medically reasonable and necessary. In the latter case, the abdominal ultrasound procedure *CPT* code should be reported with an NCCI PTP-associated modifier.

13. Tumor imaging by positron emission tomography (PET) may be reported with *CPT* codes 78811-78816. If a concurrent computed tomography (CT) scan is performed for attenuation correction and anatomical localization, *CPT* codes 78814-78816 shall be reported rather than *CPT* codes 78811-78813. A CT scan for localization shall not be reported separately with *CPT* codes 78811-78816.

A medically reasonable and necessary diagnostic CT scan may be separately reportable with an NCCI PTP-associated modifier. If the data set for the diagnostic CT is obtained concurrently on the same PET/CT integrated system where the CT portion of the study is co-registered with the PET images for the purpose of attenuation correction and anatomic localization, the diagnostic CT *CPT* code may be reported with PET *CPT* codes 78811-78813 utilizing an NCCI-associated modifier. Under these circumstances the diagnostic CT *CPT* code shall not be reported with PET/CT *CPT* codes 78814-78816. However, if a data set for the PET/CT for attenuation correction and anatomic localization and a separate data set for the diagnostic CT are obtained on separate pieces of equipment, the diagnostic CT *CPT* code may be reported with *CPT* codes 78811-78816 utilizing an NCCI-associated modifier.

14. Axial bone density studies may be reported with *CPT* codes 77078 or 77080. Peripheral site bone density studies may be reported with *CPT* codes 77081, 76977, or G0130. Although it may be medically reasonable and necessary to report both axial and peripheral bone density studies on the same date of service, NCCI PTP edits prevent the reporting of multiple *CPT* codes for the axial bone density study or multiple *CPT* codes for the peripheral site bone density study on the same date of service.

15. When existing vascular access lines or selectively placed catheters are used to procure arterial or venous samples, reporting sample collection separately is inappropriate. The *CPT* codes 36500 (venous catheterization for selective organ blood sampling) or 75893 (venous sampling through catheter with or without angiography...) may be reported for venous blood sampling through a catheter placed for the sole purpose of venous blood sampling with or without venography. The *CPT* code 75893 includes concomitant venography. If a catheter is placed for a purpose other than venous blood sampling with or without venography (*CPT* code 75893), it is a misuse of *CPT* codes 36500 or 75893 to report them in addition to *CPT* codes for the other venous procedure(s). *CPT* codes 36500 or 75893 shall not be reported for blood sampling during an arterial procedure.

16. The *CPT* codes 70540-70543 are utilized to report magnetic resonance imaging of the orbit, face, and/or neck. Only one code may be reported for an imaging session regardless of whether one, two, or three areas are evaluated in the imaging session.

17. An MRI study of the brain (*CPT* codes 70551-70553) and MRI study of the orbit (*CPT* codes 70540-70543) are separately reportable only if they are both medically reasonable and necessary and are performed as distinct studies. An MRI of the orbit is not separately reportable with an MRI of the brain if an incidental abnormality of the orbit is identified during an MRI of the brain since only one MRI study is performed.

18. If the code descriptor of a HCPCS/*CPT* code includes the phrase, "separate procedure", the procedure is subject to NCCI PTP edits based on this designation. Separate reporting of a procedure designated as a "separate procedure" is not allowed when it is performed at the same patient encounter as another procedure in an anatomically related area through the same skin incision, orifice, or surgical approach.

19. The *CPT* code 36005 (injection procedure for extremity venography (including introduction of needle or intracatheter)) shall not be utilized to report venous catheterization unless it is for the purpose of an injection procedure for extremity venography. Some physicians have misused this code to report any type of venous catheterization.

20. Most NCCI PTP edits for codes describing procedures that may be performed on bilateral organs or structures (e.g., arms, eyes, kidneys, lungs) allow use of NCCI PTP-associated modifiers (modifier indicator of "1") because the two codes of the code pair edit may be reported if the two procedures are performed on contralateral organs or structures. Most of these code pairs should not be reported with NCCI PTP-associated modifiers when the corresponding procedures are performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the NCCI PTP edit indicates that the two codes generally should not be reported together unless the two corresponding procedures are performed at two separate patient encounters or two separate anatomic sites. However, if the corresponding procedures are performed at the same patient encounter and in contiguous structures, NCCI PTP-associated modifiers should generally not be utilized.

21. Physicians shall not report radiologic supervision and interpretation codes, radiologic guidance codes, or other radiology codes where the radiologic procedure is integral to another procedure being performed at the same patient encounter. Procedure-to-procedure edits that bundle these radiologic codes into the relevant procedure codes have modifier indicators of

"1" allowing use of NCCI PTP-associated modifiers to bypass them. An NCCI PTP-associated modifier may be used to bypass such an edit if and only if the radiologic procedure is performed for a purpose unrelated to the procedure to which it is integral. For example, fluoroscopy is integral to a cardiac catheterization procedure and shall not be reported separately with a cardiac catheterization. However, if on the same date of service the physician performs another procedure in addition to the cardiac catheterization, the additional procedure requires fluoroscopy, and fluoroscopy is not integral to the additional procedure, the fluoroscopy procedure may be reported separately with an NCCI PTP-associated modifier.

22. CPT code 36591 describes "collection of blood specimen from a completely implantable venous access device". CPT code 36592 describes "collection of blood specimen using an established central or peripheral venous catheter, not otherwise specified". These codes shall not be reported with any service other than a laboratory service. That is, these codes may be reported if the only non-laboratory service performed is the collection of a blood specimen by one of these methods.

23. CPT code 96523 describes "irrigation of implanted venous access device for drug delivery system". This code may be reported only if no other service is reported for the patient encounter.