

TABLE 6C. - INVALID DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>PMCC / PCC</b>	<b>MDC</b>	<b>MS-DRG</b>
A04.7	Enterocolitis due to Clostridium difficile	C	N	06	371,372,373
C96.2	Malignant mast cell tumor	C	N	PRE 17	011,012,013 820,821,822,823,824,825, 840,841,842
D47.0	Histiocytic and mast cell tumors of uncertain behavior	C	N	17	820,821,822,823,824,825, 840,841,842
E85.8	Other amyloidosis	C	N	08	545,546,547
H54.0	Blindness, both eyes	N	N	02	124,125
H54.11	Blindness, right eye, low vision left eye	N	N	02	124,125
H54.12	Blindness, left eye, low vision right eye	N	N	02	124,125
H54.2	Low vision, both eyes	N	N	02	124,125
H54.41	Blindness, right eye, normal vision left eye	N	N	02	124,125
H54.42	Blindness, left eye, normal vision right eye	N	N	02	124,125
H54.51	Low vision, right eye, normal vision left eye	N	N	02	124,125
H54.52	Low vision, left eye, normal vision right eye	N	N	02	124,125

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
I27.2	Other secondary pulmonary hypertension	N	N	05	314,315,316
K06.0	Gingival recession	N	N	PRE 03	011,012,013 157,158,159
K56.5	Intestinal adhesions [bands] with obstruction (postprocedural) (postinfection)	C	N	06	388,389,390
K56.60	Unspecified intestinal obstruction	C	N	06 15	388,389,390 791(1),793(1)
K56.69	Other intestinal obstruction	C	N	06 15	388,389,390 791(1),793(1)
K91.3	Postprocedural intestinal obstruction	C	N	06 15	393,394,395 791(1),793(1)
M48.06	Spinal stenosis, lumbar region	N	N	08	551,552
N63	Unspecified lump in breast	N	N	09	597,598,599,600,601
O00.10	Tubal pregnancy without intrauterine pregnancy	C	N	14	777
O00.11	Tubal pregnancy with intrauterine pregnancy	C	N	14	777
O00.20	Ovarian pregnancy without intrauterine pregnancy	C	N	14	777
O00.21	Ovarian pregnancy with intrauterine pregnancy	C	N	14	777

TABLE 6C. - INVALID DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>PMCC / PCC</b>	<b>MDC</b>	<b>MS-DRG</b>
P29.3	Persistent fetal circulation	M	N	15	791(2),793(2)
P83.8	Other specified conditions of integument specific to newborn	N	N	15	795(3)
P91.8	Other specified disturbances of cerebral status of newborn	N	N	15	791(2),793(2)
Q53.11	Abdominal testis, unilateral	N	N	12 15	729,730 795(4)
Q53.21	Abdominal testis, bilateral	N	N	12 15	729,730 795(4)
S06.1X7D	Traumatic cerebral edema with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.1X7S	Traumatic cerebral edema with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.1X8D	Traumatic cerebral edema with loss of consciousness of any duration with death due to other cause	N	N	23	949,950

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	prior to regaining consciousness, subsequent encounter				
S06.1X8S	Traumatic cerebral edema with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.2X7D*	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.2X7S*	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.2X8D*	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to other cause	N	N	23	949,950

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	prior to regaining consciousness, subsequent encounter				
S06.2X8S*	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.307D*	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.307S*	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.308D*	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death	N	N	23	949,950

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	due to other cause prior to regaining consciousness, subsequent encounter				
S06.308S*	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.317D*	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.317S*	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.318D*	Contusion and laceration of right	N	N	23	949,950

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter				
S06.318S*	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.327D*	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.327S*	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining	N	N	01	091,092,093

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	consciousness, sequela				
S06.328D*	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.328S*	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.337D*	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.337S*	Contusion and laceration of	N	N	01	091,092,093



TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela				
S06.338D*	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.338S*	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.347D*	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain	N	N	23	949,950

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	injury prior to regaining consciousness, subsequent encounter				
S06.347S*	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.348D*	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.348S*	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	N	N	01	091,092,093

TABLE 6C. - INVALID DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>PMCC / PCC</b>	<b>MDC</b>	<b>MS-DRG</b>
S06.357D*	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.357S*	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.358D*	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.358S*	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other	N	N	01	091,092,093

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	cause prior to regaining consciousness, sequela				
S06.367D*	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.367S*	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.368D*	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness,	N	N	23	949,950

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	subsequent encounter				
S06.368S*	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.377D*	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.377S*	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	N	N	01	091,092,093

TABLE 6C. - INVALID DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>PMCC / PCC</b>	<b>MDC</b>	<b>MS-DRG</b>
S06.378D*	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.378S*	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.387D*	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.387S*	Contusion, laceration, and hemorrhage of	N	N	01	091,092,093

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	brainstem with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela				
S06.388D*	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.388S*	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.4X7D*	Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining	N	N	23	949,950

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	consciousness, subsequent encounter				
S06.4X7S*	Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.4X8D*	Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.4X8S*	Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.5X7D*	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury	N	N	23	949,950



TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	before regaining consciousness, subsequent encounter				
S06.5X7S*	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, sequela	N	N	01	091,092,093
S06.5X8D*	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, subsequent encounter	N	N	23	949,950
S06.5X8S*	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, sequela	N	N	01	091,092,093
S06.6X7D*	Traumatic subarachnoid hemorrhage with loss of consciousness of any	N	N	23	949,950

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	duration with death due to brain injury prior to regaining consciousness, subsequent encounter				
S06.6X7S*	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.6X8D*	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.6X8S*	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	N	N	01	091,092,093

TABLE 6C. - INVALID DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>PMCC / PCC</b>	<b>MDC</b>	<b>MS-DRG</b>
S06.817D*	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.817S*	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.818D*	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	N	N	23	949,950

TABLE 6C. - INVALID DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>PMCC / PCC</b>	<b>MDC</b>	<b>MS-DRG</b>
S06.818S*	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.827D*	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.827S*	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	N	N	01	091,092,093

TABLE 6C. - INVALID DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>PMCC / PCC</b>	<b>MDC</b>	<b>MS-DRG</b>
S06.828D*	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.828S*	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.897D*	Other specified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.897S*	Other specified intracranial injury with loss of	N	N	01	091,092,093

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela				
S06.898D*	Other specified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.898S*	Other specified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.9X7D*	Unspecified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.9X7S*	Unspecified intracranial injury	N	N	01	091,092,093

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela				
S06.9X8D*	Unspecified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.9X8S*	Unspecified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	N	N	01	091,092,093
S63.131A*	Subluxation of proximal interphalangeal joint of right thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.131D*	Subluxation of proximal interphalangeal joint of right thumb, subsequent encounter	N	N	23	949,950

TABLE 6C. - INVALID DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>PMCC / PCC</b>	<b>MDC</b>	<b>MS-DRG</b>
S63.131S*	Subluxation of proximal interphalangeal joint of right thumb, sequela	N	N	08	562,563
S63.132A*	Subluxation of proximal interphalangeal joint of left thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.132D*	Subluxation of proximal interphalangeal joint of left thumb, subsequent encounter	N	N	23	949,950
S63.132S*	Subluxation of proximal interphalangeal joint of left thumb, sequela	N	N	08	562,563
S63.133A*	Subluxation of proximal interphalangeal joint of unspecified thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.133D*	Subluxation of proximal interphalangeal joint of unspecified thumb, subsequent encounter	N	N	23	949,950
S63.133S*	Subluxation of proximal interphalangeal joint	N	N	08	562,563



TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	of unspecified thumb, sequela				
S63.134A*	Dislocation of proximal interphalangeal joint of right thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.134D*	Dislocation of proximal interphalangeal joint of right thumb, subsequent encounter	N	N	23	949,950
S63.134S*	Dislocation of proximal interphalangeal joint of right thumb, sequela	N	N	08	562,563
S63.135A*	Dislocation of proximal interphalangeal joint of left thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.135D*	Dislocation of proximal interphalangeal joint of left thumb, subsequent encounter	N	N	23	949,950
S63.135S*	Dislocation of proximal interphalangeal joint of left thumb, sequela	N	N	08	562,563

TABLE 6C. - INVALID DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>PMCC / PCC</b>	<b>MDC</b>	<b>MS-DRG</b>
S63.136A*	Dislocation of proximal interphalangeal joint of unspecified thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.136D*	Dislocation of proximal interphalangeal joint of unspecified thumb, subsequent encounter	N	N	23	949,950
S63.136S*	Dislocation of proximal interphalangeal joint of unspecified thumb, sequela	N	N	08	562,563
S63.141A*	Subluxation of distal interphalangeal joint of right thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.141D*	Subluxation of distal interphalangeal joint of right thumb, subsequent encounter	N	N	23	949,950
S63.141S*	Subluxation of distal interphalangeal joint of right thumb, sequela	N	N	08	562,563
S63.142A*	Subluxation of distal interphalangeal joint of left thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.142D*	Subluxation of distal interphalangeal joint	N	N	23	949,950

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
	of left thumb, subsequent encounter				
S63.142S*	Subluxation of distal interphalangeal joint of left thumb, sequela	N	N	08	562,563
S63.143A*	Subluxation of distal interphalangeal joint of unspecified thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.143D*	Subluxation of distal interphalangeal joint of unspecified thumb, subsequent encounter	N	N	23	949,950
S63.143S*	Subluxation of distal interphalangeal joint of unspecified thumb, sequela	N	N	08	562,563
S63.144A*	Dislocation of distal interphalangeal joint of right thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.144D*	Dislocation of distal interphalangeal joint of right thumb, subsequent encounter	N	N	23	949,950
S63.144S*	Dislocation of distal interphalangeal joint of right thumb, sequela	N	N	08	562,563

TABLE 6C. - INVALID DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>PMCC / PCC</b>	<b>MDC</b>	<b>MS-DRG</b>
S63.145A*	Dislocation of distal interphalangeal joint of left thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.145D*	Dislocation of distal interphalangeal joint of left thumb, subsequent encounter	N	N	23	949,950
S63.145S*	Dislocation of distal interphalangeal joint of left thumb, sequela	N	N	08	562,563
S63.146A*	Dislocation of distal interphalangeal joint of unspecified thumb, initial encounter	N	N	08 24	562,563 955,956,957,958,959,963, 964,965
S63.146D*	Dislocation of distal interphalangeal joint of unspecified thumb, subsequent encounter	N	N	23	949,950
S63.146S*	Dislocation of distal interphalangeal joint of unspecified thumb, sequela	N	N	08	562,563
T07	Unspecified multiple injuries	N	N	09 24	604,605 955,956,957,958,959,963, 964,965
T14.8	Other injury of unspecified body region	N	N	09 24	604,605 955,956,957,958,959,963, 964,965

TABLE 6C. - INVALID DIAGNOSIS CODES

Diagnosis Code	Description	CC	PMCC / PCC	MDC	MS-DRG
T14.90	Injury, unspecified	N	N	21 24	913,914 955,956,957,958,959,963, 964,965
T14.91	Suicide attempt	N	N	21 24	913,914 955,956,957,958,959,963, 964,965
Z36*	Encounter for antenatal screening of mother	N	N	23	951

**Notes:**

(\*) These diagnosis codes were discussed at the March 7, 2017 - March 8, 2017 ICD-10-CM/PCS Coordination and Maintenance Committee meeting and were not finalized in time to include in the proposed rule. They will be invalid effective October 1, 2017.

- (1) Secondary Diagnosis of major problem
- (2) Principal or secondary diagnosis of major problem
- (3) On "Principal Diagnosis" list
- (4) On "Only Secondary Diagnosis" list