

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

003.21	Salmonella meningitis
006.5	Amebic brain abscess
013.02	Tuberculous meningitis, bacteriological or histological examination unknown (at present)
013.03	Tuberculous meningitis, tubercle bacilli found (in sputum) by microscopy
013.04	Tuberculous meningitis, tubercle bacilli not found (in sputum) by microscopy, but found by bacterial culture
013.05	Tuberculous meningitis, tubercle bacilli not found by bacteriological examination, but tuberculosis confirmed histologically
013.06	Tuberculous meningitis, tubercle bacilli not found by bacteriological or histological examination, but tuberculosis confirmed by other methods [inoculation of animals]
013.12	Tuberculoma of meninges, bacteriological or histological examination unknown (at present)
013.13	Tuberculoma of meninges, tubercle bacilli found (in sputum) by microscopy
013.14	Tuberculoma of meninges, tubercle bacilli not found (in sputum) by microscopy, but found by bacterial culture
013.15	Tuberculoma of meninges, tubercle bacilli not found by bacteriological examination, but tuberculosis confirmed histologically
013.16	Tuberculoma of meninges, tubercle bacilli not found by bacteriological or histological examination, but tuberculosis confirmed by other methods [inoculation of animals]
013.22	Tuberculoma of brain, bacteriological or histological examination unknown (at present)
013.23	Tuberculoma of brain, tubercle bacilli found (in sputum) by microscopy
013.24	Tuberculoma of brain, tubercle bacilli not found (in sputum) by microscopy, but found by bacterial culture
013.25	Tuberculoma of brain, tubercle bacilli not found by bacteriological examination, but tuberculosis confirmed histologically
013.26	Tuberculoma of brain, tubercle bacilli not found by bacteriological or histological examination, but tuberculosis confirmed by other methods [inoculation of animals]
013.32	Tuberculous abscess of brain, bacteriological or histological examination unknown (at present)
013.33	Tuberculous abscess of brain, tubercle bacilli found (in sputum) by microscopy
013.34	Tuberculous abscess of brain, tubercle bacilli not found (in sputum) by microscopy, but found by bacterial culture
013.35	Tuberculous abscess of brain, tubercle bacilli not found by bacteriological examination, but tuberculosis confirmed histologically
013.36	Tuberculous abscess of brain, tubercle bacilli not found by bacteriological or histological examination, but tuberculosis confirmed by other methods [inoculation of animals]
013.42	Tuberculoma of spinal cord, bacteriological or histological examination unknown (at present)
013.43	Tuberculoma of spinal cord, tubercle bacilli found (in sputum) by microscopy
013.44	Tuberculoma of spinal cord, tubercle bacilli not found (in sputum) by microscopy, but found by bacterial culture
013.45	Tuberculoma of spinal cord, tubercle bacilli not found by bacteriological examination, but tuberculosis confirmed histologically
013.46	Tuberculoma of spinal cord, tubercle bacilli not found by bacteriological or histological examination, but tuberculosis confirmed by other methods [inoculation of animals]
013.52	Tuberculous abscess of spinal cord, bacteriological or histological examination unknown (at present)
013.53	Tuberculous abscess of spinal cord, tubercle bacilli found (in sputum) by microscopy
013.54	Tuberculous abscess of spinal cord, tubercle bacilli not found (in sputum) by microscopy, but found by bacterial culture

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

013.55	Tuberculous abscess of spinal cord, tubercle bacilli not found by bacteriological examination, but tuberculosis confirmed histologically
013.56	Tuberculous abscess of spinal cord, tubercle bacilli not found by bacteriological or histological examination, but tuberculosis confirmed by other methods [inoculation of animals]
013.62	Tuberculous encephalitis or myelitis, bacteriological or histological examination unknown (at present)
013.63	Tuberculous encephalitis or myelitis, tubercle bacilli found (in sputum) by microscopy
013.64	Tuberculous encephalitis or myelitis, tubercle bacilli not found (in sputum) by microscopy, but found by bacterial culture
013.65	Tuberculous encephalitis or myelitis, tubercle bacilli not found by bacteriological examination, but tuberculosis confirmed histologically
013.66	Tuberculous encephalitis or myelitis, tubercle bacilli not found by bacteriological or histological examination, but tuberculosis confirmed by other methods [inoculation of animals]
036.0	Meningococcal meningitis
036.1	Meningococcal encephalitis
045.00	Acute paralytic poliomyelitis specified as bulbar, poliovirus, unspecified type
045.01	Acute paralytic poliomyelitis specified as bulbar, poliovirus type I
045.02	Acute paralytic poliomyelitis specified as bulbar, poliovirus type II
045.03	Acute paralytic poliomyelitis specified as bulbar, poliovirus type III
045.10	Acute poliomyelitis with other paralysis, poliovirus, unspecified type
045.11	Acute poliomyelitis with other paralysis, poliovirus type I
045.12	Acute poliomyelitis with other paralysis, poliovirus type II
045.13	Acute poliomyelitis with other paralysis, poliovirus type III
047.0	Meningitis due to coxsackie virus
047.1	Meningitis due to echo virus
047.8	Other specified viral meningitis
048	Other enterovirus diseases of central nervous system
049.0	Lymphocytic choriomeningitis
049.1	Meningitis due to adenovirus
049.8	Other specified non-arthropod-borne viral diseases of central nervous system
052.0	Postvaricella encephalitis
053.0	Herpes zoster with meningitis
054.3	Herpetic meningoencephalitis
055.0	Postmeasles encephalitis
056.01	Encephalomyelitis due to rubella
062.0	Japanese encephalitis
062.1	Western equine encephalitis
062.2	Eastern equine encephalitis
062.3	St. Louis encephalitis
062.4	Australian encephalitis
062.5	California virus encephalitis
062.8	Other specified mosquito-borne viral encephalitis
063.0	Russian spring-summer [taiga] encephalitis
063.2	Central european encephalitis
063.8	Other specified tick-borne viral encephalitis
064	Viral encephalitis transmitted by other and unspecified arthropods

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

066.2	Venezuelan equine fever
066.3	Other mosquito-borne fever
066.41	West Nile Fever with encephalitis
072.1	Mumps meningitis
072.2	Mumps encephalitis
079.51	Human T-cell lymphotropic virus, type I [HTLV-I]
090.40	Juvenile neurosyphilis, unspecified
090.41	Congenital syphilitic encephalitis
090.42	Congenital syphilitic meningitis
094.0	Tabes dorsalis
091.81	Acute syphilitic meningitis (secondary)
094.1	General paresis
094.2	Syphilitic meningitis
094.81	Syphilitic encephalitis
094.82	Syphilitic parkinsonism
099.3	Reiter's disease
100.81	Leptospiral meningitis (aseptic)
112.83	Candidal meningitis
114.2	Coccidioidal meningitis
115.01	Infection by Histoplasma capsulatum, meningitis
115.11	Infection by Histoplasma duboisii, meningitis
115.91	Histoplasmosis, unspecified, meningitis
130.0	Meningoencephalitis due to toxoplasmosis
136.1	Behcet's syndrome
138	Late effects of acute poliomyelitis
139.0	Late effects of viral encephalitis
170.2	Malignant neoplasm of vertebral column, excluding sacrum and coccyx
191.0	Malignant neoplasm of cerebrum, except lobes and ventricles
191.1	Malignant neoplasm of frontal lobe
191.2	Malignant neoplasm of temporal lobe
191.3	Malignant neoplasm of parietal lobe
191.4	Malignant neoplasm of occipital lobe
191.5	Malignant neoplasm of ventricles
191.6	Malignant neoplasm of cerebellum nos
191.7	Malignant neoplasm of brain stem
191.8	Malignant neoplasm of other parts of brain
192.1	Malignant neoplasm of cerebral meninges
192.2	Malignant neoplasm of spinal cord
192.3	Malignant neoplasm of spinal meninges
194.3	Malignant neoplasm of pituitary gland and craniopharyngeal duct
194.4	Malignant neoplasm of pineal gland
198.3	Secondary malignant neoplasm of brain and spinal cord
225.0	Benign neoplasm of brain
225.2	Benign neoplasm of cerebral meninges
225.3	Benign neoplasm of spinal cord
225.4	Benign neoplasm of spinal meninges
228.02	Hemangioma of intracranial structures

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

237.5	Neoplasm of uncertain behavior of brain and spinal cord
237.6	Neoplasm of uncertain behavior of meninges
237.72	Neurofibromatosis, type 2 [acoustic neurofibromatosis]
253.3	Pituitary dwarfism
259.4	Dwarfism, not elsewhere classified
310.2	Postconcussion syndrome
320.0	Hemophilus meningitis
320.1	Pneumococcal meningitis
320.2	Streptococcal meningitis
320.3	Staphylococcal meningitis
320.7	Meningitis in other bacterial diseases classified elsewhere
320.81	Anaerobic meningitis
320.82	Meningitis due to gram-negative bacteria, not elsewhere classified
320.89	Meningitis due to other specified bacteria
321.0	Cryptococcal meningitis
321.1	Meningitis in other fungal diseases
321.2	Meningitis due to viruses not elsewhere classified
321.3	Meningitis due to trypanosomiasis
321.4	Meningitis in sarcoidosis
321.8	Meningitis due to other nonbacterial organisms classified elsewhere
322.0	Nonpyogenic meningitis
322.1	Eosinophilic meningitis
322.2	Chronic meningitis
323.01	Encephalitis and encephalomyelitis in viral diseases classified elsewhere
323.02	Myelitis in viral diseases classified elsewhere
323.1	Encephalitis, myelitis, and encephalomyelitis in rickettsial diseases classified elsewhere
323.2	Encephalitis, myelitis, and encephalomyelitis in protozoal diseases classified elsewhere
323.41	Other encephalitis and encephalomyelitis due to other infections classified elsewhere
323.42	Other myelitis due to other infections classified elsewhere
323.51	Encephalitis and encephalomyelitis following immunization procedures
323.52	Myelitis following immunization procedures
323.61	Infectious acute disseminated encephalomyelitis (ADEM)
323.62	Other postinfectious encephalitis and encephalomyelitis
323.63	Postinfectious myelitis
323.71	Toxic encephalitis and encephalomyelitis
323.72	Toxic myelitis
323.81	Other causes of encephalitis and encephalomyelitis
323.82	Other causes of myelitis
324.0	Intracranial abscess
324.1	Intraspinal abscess
325	Phlebitis and thrombophlebitis of intracranial venous sinuses
326	Late effects of intracranial abscess or pyogenic infection
332.0	Paralysis agitans
332.1	Secondary parkinsonism
333.0	Other degenerative diseases of the basal ganglia
333.71	Athetoid cerebral palsy
333.72	Acute dystonia due to drugs

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

333.79	Other acquired torsion dystonia
334.0	Friedreich's ataxia
334.1	Hereditary spastic paraplegia
335.11	Kugelberg-Welander disease
335.19	Other spinal muscular atrophy
335.20	Amyotrophic lateral sclerosis
335.21	Progressive muscular atrophy
335.22	Progressive bulbar palsy
335.23	Pseudobulbar palsy
335.24	Primary lateral sclerosis
335.29	Other motor neuron disease
335.8	Other anterior horn cell diseases
336.0	Syringomyelia and syringobulbia
336.1	Vascular myelopathies
336.2	Subacute combined degeneration of spinal cord in diseases classified elsewhere
336.3	Myelopathy in other diseases classified elsewhere
336.8	Other myelopathy
340	Multiple sclerosis
341.0	Neuromyelitis optica
341.1	Schilder's disease
341.8	Other demyelinating diseases of central nervous system
342.01	Flaccid hemiplegia and hemiparesis affecting dominant side
342.02	Flaccid hemiplegia and hemiparesis affecting nondominant side
342.11	Spastic hemiplegia and hemiparesis affecting dominant side
342.12	Spastic hemiplegia and hemiparesis affecting nondominant side
342.81	Other specified hemiplegia and hemiparesis affecting dominant side
342.82	Other specified hemiplegia and hemiparesis affecting nondominant side
343.0	Congenital diplegia
343.1	Congenital hemiplegia
343.2	Congenital quadriplegia
343.4	Infantile hemiplegia
343.8	Other specified infantile cerebral palsy
344.01	Quadriplegia, C1-C4, complete
344.02	Quadriplegia, C1-C4, incomplete
344.03	Quadriplegia, C5-C7, complete
344.04	Quadriplegia, C5-C7, incomplete
344.09	Other quadriplegia
344.1	Paraplegia
344.2	Diplegia of upper limbs
344.31	Monoplegia of lower limb affecting dominant side
344.32	Monoplegia of lower limb affecting nondominant side
344.60	Cauda equina syndrome without mention of neurogenic bladder
344.61	Cauda equina syndrome with neurogenic bladder
344.81	Locked-in state
344.89	Other specified paralytic syndrome
348.0	Cerebral cysts
348.1	Anoxic brain damage

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

348.4	Compression of brain
348.5	Cerebral edema
348.81	Temporal sclerosis
349.82	Toxic encephalopathy
353.1	Lumbosacral plexus lesions
356.0	Hereditary peripheral neuropathy
356.1	Peroneal muscular atrophy
356.2	Hereditary sensory neuropathy
356.3	Refsum's disease
356.4	Idiopathic progressive polyneuropathy
356.8	Other specified idiopathic peripheral neuropathy
356.9	Unspecified hereditary and idiopathic peripheral neuropathy
357.0	Acute infective polyneuritis
357.1	Polyneuropathy in collagen vascular disease
357.3	Polyneuropathy in malignant disease
357.4	Polyneuropathy in other diseases classified elsewhere
357.5	Alcoholic polyneuropathy
357.6	Polyneuropathy due to drugs
357.7	Polyneuropathy due to other toxic agents
357.81	Chronic inflammatory demyelinating polyneuritis
357.82	Critical illness polyneuropathy
358.01	Myasthenia gravis with (acute) exacerbation
358.1	Myasthenic syndromes in diseases classified elsewhere
358.2	Toxic myoneural disorders
358.8	Other specified myoneural disorders
359.0	Congenital hereditary muscular dystrophy
359.1	Hereditary progressive muscular dystrophy
359.21	Myotonic muscular dystrophy
359.22	Myotonia congenita
359.23	Myotonic chondrodystrophy
359.24	Drug- induced myotonia
359.4	Toxic myopathy
359.5	Myopathy in endocrine diseases classified elsewhere
359.6	Symptomatic inflammatory myopathy in diseases classified elsewhere
359.81	Critical illness myopathy
359.89	Other myopathies
430	Subarachnoid hemorrhage
431	Intracerebral hemorrhage
432.0	Nontraumatic extradural hemorrhage
432.1	Subdural hemorrhage
433.01	Occlusion and stenosis of basilar artery with cerebral infarction
433.11	Occlusion and stenosis of carotid artery with cerebral infarction
433.21	Occlusion and stenosis of vertebral artery with cerebral infarction
433.31	Occlusion and stenosis of multiple and bilateral precerebral arteries with cerebral infarction
433.81	Occlusion and stenosis of other specified precerebral artery with cerebral infarction
434.01	Cerebral thrombosis with cerebral infarction
434.11	Cerebral embolism with cerebral infarction

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

437.2	Hypertensive encephalopathy
437.4	Cerebral arteritis
437.5	Moyamoya disease
437.6	Nonpyogenic thrombosis of intracranial venous sinus
438.21	Late effects of cerebrovascular disease, hemiplegia affecting dominant side
438.22	Late effects of cerebrovascular disease, hemiplegia affecting nondominant side
438.41	Late effects of cerebrovascular disease, monoplegia of lower limb affecting dominant side
438.42	Late effects of cerebrovascular disease, monoplegia of lower limb affecting nondominant side
438.51	Late effects of cerebrovascular disease, other paralytic syndrome affecting dominant side
438.52	Late effects of cerebrovascular disease, other paralytic syndrome affecting nondominant side
438.53	Late effects of cerebrovascular disease, other paralytic syndrome, bilateral
710.0	Systemic lupus erythematosus
710.3	Dermatomyositis
710.4	Polymyositis
714.31	Polyarticular juvenile rheumatoid arthritis, acute
721.1	Cervical spondylosis with myelopathy
721.41	Spondylosis with myelopathy, thoracic region
721.42	Spondylosis with myelopathy, lumbar region
722.71	Intervertebral disc disorder with myelopathy, cervical region
722.72	Intervertebral disc disorder with myelopathy, thoracic region
722.73	Intervertebral disc disorder with myelopathy, lumbar region
733.14	Pathologic fracture of neck of femur
741.01	Spina bifida with hydrocephalus, cervical region
741.02	Spina bifida with hydrocephalus, dorsal (thoracic) region
741.03	Spina bifida with hydrocephalus, lumbar region
741.91	Spina bifida without mention of hydrocephalus, cervical region
741.92	Spina bifida without mention of hydrocephalus, dorsal (thoracic) region
741.93	Spina bifida without mention of hydrocephalus, lumbar region
742.0	Encephalocele
742.2	Congenital reduction deformities of brain
742.3	Congenital hydrocephalus
742.4	Other specified congenital anomalies of brain
742.51	Diastematomyelia
742.53	Hydromyelia
742.59	Other specified congenital anomalies of spinal cord
754.35	Congenital dislocation of one hip with subluxation of other hip
755.31	Transverse deficiency of lower limb
755.32	Longitudinal deficiency of lower limb, not elsewhere classified
755.33	Longitudinal deficiency, combined, involving femur, tibia, and fibula (complete or incomplete)
755.34	Longitudinal deficiency, femoral, complete or partial (with or without distal deficiencies, incomplete)
755.35	Longitudinal deficiency, tibiofibular, complete or partial (with or without distal deficiencies, incomplete)
755.36	Longitudinal deficiency, tibia, complete or partial (with or without distal deficiencies, incomplete)

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

755.37	Longitudinal deficiency, fibular, complete or partial (with or without distal deficiencies, incomplete)
755.38	Longitudinal deficiency, tarsals or metatarsals, complete or partial (with or without incomplete phalangeal deficiency)
756.4	Chondrodystrophy
756.51	Osteogenesis imperfecta
756.52	Osteopetrosis
756.53	Osteopoikilosis
756.54	Polyostotic fibrous dysplasia of bone
756.55	Chondroectodermal dysplasia
756.56	Multiple epiphyseal dysplasia
756.59	Other osteodystrophies
800.01	Closed fracture of vault of skull without mention of intracranial injury, with no loss of consciousness
800.02	Closed fracture of vault of skull without mention of intracranial injury, with brief [less than one hour] loss of consciousness
800.03	Closed fracture of vault of skull without mention of intracranial injury, with moderate [1-24 hours] loss of consciousness
800.04	Closed fracture of vault of skull without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
800.05	Closed fracture of vault of skull without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
800.06	Closed fracture of vault of skull without mention of intracranial injury, with loss of consciousness of unspecified duration
800.11	Closed fracture of vault of skull with cerebral laceration and contusion, with no loss of consciousness
800.12	Closed fracture of vault of skull with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness
800.13	Closed fracture of vault of skull with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness
800.14	Closed fracture of vault of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
800.15	Closed fracture of vault of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
800.16	Closed fracture of vault of skull with cerebral laceration and contusion, with loss of consciousness of unspecified duration
800.21	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness
800.22	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness
800.23	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness
800.24	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

800.25	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
800.26	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration
800.31	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with no loss of consciousness
800.32	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness
800.33	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness
800.34	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
800.35	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
800.36	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration
800.41	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with no loss of consciousness
800.42	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness
800.43	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness
800.44	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
800.45	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
800.46	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration
800.51	Open fracture of vault of skull without mention of intracranial injury, with no loss of consciousness
800.52	Open fracture of vault of skull without mention of intracranial injury, with brief [less than one hour] loss of consciousness
800.53	Open fracture of vault of skull without mention of intracranial injury, with moderate [1-24 hours] loss of consciousness
800.54	Open fracture of vault of skull without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
800.55	Open fracture of vault of skull without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
800.56	Open fracture of vault of skull without mention of intracranial injury, with loss of consciousness of unspecified duration
800.61	Open fracture of vault of skull with cerebral laceration and contusion, with no loss of consciousness

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

800.62	Open fracture of vault of skull with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness
800.63	Open fracture of vault of skull with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness
800.64	Open fracture of vault of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
800.65	Open fracture of vault of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
800.66	Open fracture of vault of skull with cerebral laceration and contusion, with loss of consciousness of unspecified duration
800.71	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness
800.72	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness
800.73	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness
800.74	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
800.75	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
800.76	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration
800.81	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, with no loss of consciousness
800.82	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness
800.83	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness
800.84	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
800.85	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
800.86	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration
800.91	Open fracture of vault of skull with intracranial injury of other and unspecified nature, with no loss of consciousness
800.92	Open fracture of vault of skull with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness
800.93	Open fracture of vault of skull with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness
800.94	Open fracture of vault of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

800.95	Open fracture of vault of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
800.96	Open fracture of vault of skull with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration
801.01	Closed fracture of base of skull without mention of intra cranial injury, with no loss of consciousness
801.02	Closed fracture of base of skull without mention of intra cranial injury, with brief [less than one hour] loss of consciousness
801.03	Closed fracture of base of skull without mention of intra cranial injury, with moderate [1-24 hours] loss of consciousness
801.04	Closed fracture of base of skull without mention of intra cranial injury, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
801.05	Closed fracture of base of skull without mention of intra cranial injury, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
801.06	Closed fracture of base of skull without mention of intra cranial injury, with loss of consciousness of unspecified duration
801.11	Closed fracture of base of skull with cerebral laceration and contusion, with no loss of consciousness
801.12	Closed fracture of base of skull with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness
801.13	Closed fracture of base of skull with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness
801.14	Closed fracture of base of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
801.15	Closed fracture of base of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
801.16	Closed fracture of base of skull with cerebral laceration and contusion, with loss of consciousness of unspecified duration
801.21	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness
801.22	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness
801.23	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness
801.24	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
801.25	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
801.26	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration
801.31	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, with no loss of consciousness
801.32	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

801.33	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness
801.34	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
801.35	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
801.36	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration
801.41	Closed fracture of base of skull with intracranial injury of other and unspecified nature, with no loss of consciousness
801.42	Closed fracture of base of skull with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness
801.43	Closed fracture of base of skull with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness
801.44	Closed fracture of base of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
801.45	Closed fracture of base of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
801.46	Closed fracture of base of skull with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration
801.51	Open fracture of base of skull without mention of intracranial injury, with no loss of consciousness
801.52	Open fracture of base of skull without mention of intracranial injury, with brief [less than one hour] loss of consciousness
801.53	Open fracture of base of skull without mention of intracranial injury, with moderate [1-24 hours] loss of consciousness
801.54	Open fracture of base of skull without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
801.55	Open fracture of base of skull without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
801.56	Open fracture of base of skull without mention of intracranial injury, with loss of consciousness of unspecified duration
801.61	Open fracture of base of skull with cerebral laceration and contusion, with no loss of consciousness
801.62	Open fracture of base of skull with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness
801.63	Open fracture of base of skull with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness
801.64	Open fracture of base of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
801.65	Open fracture of base of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

801.66	Open fracture of base of skull with cerebral laceration and contusion, with loss of consciousness of unspecified duration
801.71	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness
801.72	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness
801.73	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness
801.74	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
801.75	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
801.76	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration
801.81	Open fracture of base of skull with other and unspecified intracranial hemorrhage, with no loss of consciousness
801.82	Open fracture of base of skull with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness
801.83	Open fracture of base of skull with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness
801.84	Open fracture of base of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
801.85	Open fracture of base of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
801.86	Open fracture of base of skull with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration
801.91	Open fracture of base of skull with intracranial injury of other and unspecified nature, with no loss of consciousness
801.92	Open fracture of base of skull with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness
801.93	Open fracture of base of skull with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness
801.94	Open fracture of base of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
801.95	Open fracture of base of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
801.96	Open fracture of base of skull with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration
803.01	Other closed skull fracture without mention of intracranial injury, with no loss of consciousness

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

803.02	Other closed skull fracture without mention of intracranial injury, with brief [less than one hour] loss of consciousness
803.03	Other closed skull fracture without mention of intracranial injury, with moderate [1-24 hours] loss of consciousness
803.04	Other closed skull fracture without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
803.05	Other closed skull fracture without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
803.06	Other closed skull fracture without mention of intracranial injury, with loss of consciousness of unspecified duration
803.11	Other closed skull fracture with cerebral laceration and contusion, with no loss of consciousness
803.12	Other closed skull fracture with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness
803.13	Other closed skull fracture with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness
803.14	Other closed skull fracture with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
803.15	Other closed skull fracture with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
803.16	Other closed skull fracture with cerebral laceration and contusion, with loss of consciousness of unspecified duration
803.21	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness
803.22	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness
803.23	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness
803.24	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
803.25	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
803.26	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration
803.31	Other closed skull fracture with other and unspecified intracranial hemorrhage, with no loss of consciousness
803.32	Other closed skull fracture with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness
803.33	Other closed skull fracture with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness
803.34	Other closed skull fracture with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

803.35	Other closed skull fracture with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
803.36	Other closed skull fracture with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration
803.41	Other closed skull fracture with intracranial injury of other and unspecified nature, with no loss of consciousness
803.42	Other closed skull fracture with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness
803.43	Other closed skull fracture with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness
803.44	Other closed skull fracture with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
803.45	Other closed skull fracture with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
803.46	Other closed skull fracture with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration
803.51	Other open skull fracture without mention of intracranial injury, with no loss of consciousness
803.52	Other open skull fracture without mention of intracranial injury, with brief [less than one hour] loss of consciousness
803.53	Other open skull fracture without mention of intracranial injury, with moderate [1-24 hours] loss of consciousness
803.54	Other open skull fracture without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
803.55	Other open skull fracture without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
803.56	Other open skull fracture without mention of intracranial injury, with loss of consciousness of unspecified duration
803.61	Other open skull fracture with cerebral laceration and contusion, with no loss of consciousness
803.62	Other open skull fracture with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness
803.63	Other open skull fracture with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness
803.64	Other open skull fracture with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
803.65	Other open skull fracture with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
803.71	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness
803.72	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness
803.73	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

803.74	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
803.75	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
803.76	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration
803.81	Other open skull fracture with other and unspecified intracranial hemorrhage, with no loss of consciousness
803.82	Other open skull fracture with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness
803.83	Other open skull fracture with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness
803.84	Other open skull fracture with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
803.85	Other open skull fracture with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
803.86	Other open skull fracture with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration
803.91	Other open skull fracture with intracranial injury of other and unspecified nature, with no loss of consciousness
803.92	Other open skull fracture with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness
803.93	Other open skull fracture with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness
803.94	Other open skull fracture with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
803.95	Other open skull fracture with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
803.96	Other open skull fracture with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration
804.11	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, with no loss of consciousness
804.12	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness
804.13	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness
804.14	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
804.15	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

804.16	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, with loss of consciousness of unspecified duration
804.21	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness
804.22	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness
804.23	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness
804.24	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
804.25	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
804.26	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration
804.31	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with no loss of consciousness
804.32	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness
804.33	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness
804.34	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
804.35	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
804.36	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration
804.41	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with no loss of consciousness
804.42	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness
804.43	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness
804.44	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
804.45	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
804.46	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration
804.61	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, with no loss of consciousness

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

804.62	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness
804.63	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness
804.64	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
804.65	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
804.66	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, with loss of consciousness of unspecified duration
804.71	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness
804.72	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness
804.73	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness
804.74	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
804.75	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level
804.76	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration
804.81	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with no loss of consciousness
804.82	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness
804.83	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness
804.84	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
804.85	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss consciousness, without return to pre-existing conscious level
804.86	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration
804.91	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with no loss of consciousness
804.92	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness
804.93	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

804.94	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
804.95	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
804.96	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration
806.01	Closed fracture of C1-C4 level with complete lesion of cord
806.02	Closed fracture of C1-C4 level with anterior cord syndrome
806.03	Closed fracture of C1-C4 level with central cord syndrome
806.06	Closed fracture of C5-C7 level with complete lesion of cord
806.07	Closed fracture of C5-C7 level with anterior cord syndrome
806.08	Closed fracture of C5-C7 level with central cord syndrome
806.11	Open fracture of C1-C4 level with complete lesion of cord
806.12	Open fracture of C1-C4 level with anterior cord syndrome
806.13	Open fracture of C1-C4 level with central cord syndrome
806.14	Open fracture of C1-C4 level with other specified spinal cord injury
806.16	Open fracture of C5-C7 level with complete lesion of cord
806.17	Open fracture of C5-C7 level with anterior cord syndrome
806.18	Open fracture of C5-C7 level with central cord syndrome
806.19	Open fracture of C5-C7 level with other specified spinal cord injury
806.21	Closed fracture of T1-T6 level with complete lesion of cord
806.22	Closed fracture of T1-T6 level with anterior cord syndrome
806.23	Closed fracture of T1-T6 level with central cord syndrome
806.24	Closed fracture of T1-T6 level with other specified spinal cord injury
806.26	Closed fracture of T7-T12 level with complete lesion of cord
806.27	Closed fracture of T7-T12 level with anterior cord syndrome
806.28	Closed fracture of T7-T12 level with central cord syndrome
806.29	Closed fracture of T7-T12 level with other specified spinal cord injury
806.31	Open fracture of T1-T6 level with complete lesion of cord
806.32	Open fracture of T1-T6 level with anterior cord syndrome
806.33	Open fracture of T1-T6 level with central cord syndrome
806.34	Open fracture of T1-T6 level with other specified spinal cord injury
806.36	Open fracture of T7-T12 level with complete lesion of cord
806.37	Open fracture of T7-T12 level with anterior cord syndrome
806.38	Open fracture of T7-T12 level with central cord syndrome
806.39	Open fracture of T7-T12 level with other specified spinal cord injury
806.4	Closed fracture of lumbar spine with spinal cord injury
806.5	Open fracture of lumbar spine with spinal cord injury
806.61	Closed fracture of sacrum and coccyx with complete cauda equina lesion
806.62	Closed fracture of sacrum and coccyx with other cauda equina injury
806.69	Closed fracture of sacrum and coccyx with other spinal cord injury
806.71	Open fracture of sacrum and coccyx with complete cauda equina lesion
806.72	Open fracture of sacrum and coccyx with other cauda equina injury
806.79	Open fracture of sacrum and coccyx with other spinal cord injury
808.0	Closed fracture of acetabulum

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

808.1	Open fracture of acetabulum
808.43	Multiple closed pelvic fractures with disruption of pelvic circle
808.53	Multiple open pelvic fractures with disruption of pelvic circle
819.0	Multiple closed fractures involving both upper limbs, and upper limb with rib(s) and sternum
819.1	Multiple open fractures involving both upper limbs, and upper limb with rib(s) and sternum
820.01	Closed fracture of epiphysis (separation) (upper) of neck of femur
820.02	Closed fracture of midcervical section of neck of femur
820.03	Closed fracture of base of neck of femur
820.09	Other closed transcervical fracture of neck of femur
820.11	Open fracture of epiphysis (separation) (upper) of neck of femur
820.12	Open fracture of midcervical section of neck of femur
820.13	Open fracture of base of neck of femur
820.19	Other open transcervical fracture of neck of femur
820.20	Closed fracture of trochanteric section of neck of femur
820.21	Closed fracture of intertrochanteric section of neck of femur
820.22	Closed fracture of subtrochanteric section of neck of femur
820.31	Open fracture of intertrochanteric section of neck of femur
820.32	Open fracture of subtrochanteric section of neck of femur
828.0	Closed multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum
828.1	Open multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum
839.01	Closed dislocation, first cervical vertebra
839.02	Closed dislocation, second cervical vertebra
839.03	Closed dislocation, third cervical vertebra
839.04	Closed dislocation, fourth cervical vertebra
839.05	Closed dislocation, fifth cervical vertebra
839.06	Closed dislocation, sixth cervical vertebra
839.07	Closed dislocation, seventh cervical vertebra
839.08	Closed dislocation, multiple cervical vertebrae
839.11	Open dislocation, first cervical vertebra
839.12	Open dislocation, second cervical vertebra
839.13	Open dislocation, third cervical vertebra
839.14	Open dislocation, fourth cervical vertebra
839.15	Open dislocation, fifth cervical vertebra
839.16	Open dislocation, sixth cervical vertebra
839.17	Open dislocation, seventh cervical vertebra
839.18	Open dislocation, multiple cervical vertebrae
839.20	Closed dislocation, lumbar vertebra
839.21	Closed dislocation, thoracic vertebra
839.30	Open dislocation, lumbar vertebra
839.31	Open dislocation, thoracic vertebra
850.2	Concussion with moderate loss of consciousness
850.4	Concussion with prolonged loss of consciousness, without return to pre-existing conscious level
851.01	Cortex (cerebral) contusion without mention of open intracranial wound, with no loss of consciousness

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

851.02	Cortex (cerebral) contusion without mention of open intracranial wound, with brief [less than one hour] loss of consciousness
851.03	Cortex (cerebral) contusion without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness
851.04	Cortex (cerebral) contusion without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
851.05	Cortex (cerebral) contusion without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
851.06	Cortex (cerebral) contusion without mention of open intracranial wound, with loss of consciousness of unspecified duration
851.11	Cortex (cerebral) contusion with open intracranial wound, with no loss of consciousness
851.12	Cortex (cerebral) contusion with open intracranial wound, with brief [less than one hour] loss of consciousness
851.13	Cortex (cerebral) contusion with open intracranial wound, with moderate [1-24 hours] loss of consciousness
851.14	Cortex (cerebral) contusion with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
851.15	Cortex (cerebral) contusion with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
851.16	Cortex (cerebral) contusion with open intracranial wound, with loss of consciousness of unspecified duration
851.21	Cortex (cerebral) laceration without mention of open intracranial wound, with no loss of consciousness
851.22	Cortex (cerebral) laceration without mention of open intracranial wound, with brief [less than one hour] loss of consciousness
851.23	Cortex (cerebral) laceration without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness
851.24	Cortex (cerebral) laceration without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
851.25	Cortex (cerebral) laceration without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
851.26	Cortex (cerebral) laceration without mention of open intracranial wound, with loss of consciousness of unspecified duration
851.31	Cortex (cerebral) laceration with open intracranial wound, with no loss of consciousness
851.32	Cortex (cerebral) laceration with open intracranial wound, with brief [less than one hour] loss of consciousness
851.33	Cortex (cerebral) laceration with open intracranial wound, with moderate [1-24 hours] loss of consciousness
851.34	Cortex (cerebral) laceration with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
851.35	Cortex (cerebral) laceration with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
851.36	Cortex (cerebral) laceration with open intracranial wound, with loss of consciousness of unspecified duration
851.41	Cerebellar or brain stem contusion without mention of open intracranial wound, with no loss of consciousness

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

851.42	Cerebellar or brain stem contusion without mention of open intracranial wound, with brief [less than one hour] loss of consciousness
851.43	Cerebellar or brain stem contusion without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness
851.44	Cerebellar or brain stem contusion without mention of open intracranial wound, with prolonged [more than 24 hours] loss consciousness and return to pre-existing conscious level
851.45	Cerebellar or brain stem contusion without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
851.46	Cerebellar or brain stem contusion without mention of open intracranial wound, with loss of consciousness of unspecified duration
851.51	Cerebellar or brain stem contusion with open intracranial wound, with no loss of consciousness
851.52	Cerebellar or brain stem contusion with open intracranial wound, with brief [less than one hour] loss of consciousness
851.53	Cerebellar or brain stem contusion with open intracranial wound, with moderate [1-24 hours] loss of consciousness
851.54	Cerebellar or brain stem contusion with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
851.55	Cerebellar or brain stem contusion with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
851.56	Cerebellar or brain stem contusion with open intracranial wound, with loss of consciousness of unspecified duration
851.61	Cerebellar or brain stem laceration without mention of open intracranial wound, with no loss of consciousness
851.62	Cerebellar or brain stem laceration without mention of open intracranial wound, with brief [less than 1 hour] loss of consciousness
851.63	Cerebellar or brain stem laceration without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness
851.64	Cerebellar or brain stem laceration without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
851.65	Cerebellar or brain stem laceration without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
851.66	Cerebellar or brain stem laceration without mention of open intracranial wound, with loss of consciousness of unspecified duration
851.71	Cerebellar or brain stem laceration with open intracranial wound, with no loss of consciousness
851.72	Cerebellar or brain stem laceration with open intracranial wound, with brief [less than one hour] loss of consciousness
851.73	Cerebellar or brain stem laceration with open intracranial wound, with moderate [1-24 hours] loss of consciousness
851.74	Cerebellar or brain stem laceration with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
851.75	Cerebellar or brain stem laceration with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

851.76	Cerebellar or brain stem laceration with open intracranial wound, with loss of consciousness of unspecified duration
851.81	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, with no loss of consciousness
851.82	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, with brief [less than one hour] loss of consciousness
851.83	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness
851.84	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
851.85	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
851.86	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, with loss of consciousness of unspecified duration
852.01	Subarachnoid hemorrhage following injury without mention of open intracranial wound, with no loss of consciousness
852.02	Subarachnoid hemorrhage following injury without mention of open intracranial wound, with brief [less than one hour] loss of consciousness
852.03	Subarachnoid hemorrhage following injury without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness
852.04	Subarachnoid hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
852.05	Subarachnoid hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
852.06	Subarachnoid hemorrhage following injury without mention of open intracranial wound, with loss of consciousness of unspecified duration
852.11	Subarachnoid hemorrhage following injury with open intracranial wound, with no loss of consciousness
852.12	Subarachnoid hemorrhage following injury with open intracranial wound, with brief [less than one hour] loss of consciousness
852.13	Subarachnoid hemorrhage following injury with open intracranial wound, with moderate [1-24 hours] loss of consciousness
852.14	Subarachnoid hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
852.15	Subarachnoid hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
852.16	Subarachnoid hemorrhage following injury with open intracranial wound, with loss of consciousness of unspecified duration
852.21	Subdural hemorrhage following injury without mention of open intracranial wound, with no loss of consciousness
852.22	Subdural hemorrhage following injury without mention of open intracranial wound, with brief [less than one hour] loss of consciousness

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

852.23	Subdural hemorrhage following injury without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness
852.24	Subdural hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
852.25	Subdural hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
852.26	Subdural hemorrhage following injury without mention of open intracranial wound, with loss of consciousness of unspecified duration
852.31	Subdural hemorrhage following injury with open intracranial wound, with no loss of consciousness
852.32	Subdural hemorrhage following injury with open intracranial wound, with brief [less than one hour] loss of consciousness
852.33	Subdural hemorrhage following injury with open intracranial wound, with moderate [1-24 hours] loss of consciousness
852.34	Subdural hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
852.35	Subdural hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
852.36	Subdural hemorrhage following injury with open intracranial wound, with loss of consciousness of unspecified duration
852.41	Extradural hemorrhage following injury without mention of open intracranial wound, with no loss of consciousness
852.42	Extradural hemorrhage following injury without mention of open intracranial wound, with brief [less than 1 hour] loss of consciousness
852.43	Extradural hemorrhage following injury without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness
852.44	Extradural hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
852.45	Extradural hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
852.46	Extradural hemorrhage following injury without mention of open intracranial wound, with loss of consciousness of unspecified duration
852.51	Extradural hemorrhage following injury with open intracranial wound, with no loss of consciousness
852.52	Extradural hemorrhage following injury with open intracranial wound, with brief [less than one hour] loss of consciousness
852.53	Extradural hemorrhage following injury with open intracranial wound, with moderate [1-24 hours] loss of consciousness
852.54	Extradural hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
852.55	Extradural hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

852.56	Extradural hemorrhage following injury with open intracranial wound, with loss of consciousness of unspecified duration
853.01	Other and unspecified intracranial hemorrhage following injury without mention of open intracranial wound, with no loss of consciousness
853.02	Other and unspecified intracranial hemorrhage following injury without mention of open intracranial wound, with brief [less than one hour] loss of consciousness
853.03	Other and unspecified intracranial hemorrhage following injury without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness
853.04	Other and unspecified intracranial hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
853.05	Other and unspecified intracranial hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
853.06	Other and unspecified intracranial hemorrhage following injury without mention of open intracranial wound, with loss of consciousness of unspecified duration
853.11	Other and unspecified intracranial hemorrhage following injury with open intracranial wound, with no loss of consciousness
853.12	Other and unspecified intracranial hemorrhage following injury with open intracranial wound, with brief [less than one hour] loss of consciousness
853.13	Other and unspecified intracranial hemorrhage following injury with open intracranial wound, with moderate [1-24 hours] loss of consciousness
853.14	Other and unspecified intracranial hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
853.15	Other and unspecified intracranial hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
853.16	Other and unspecified intracranial hemorrhage following injury with open intracranial wound, with loss of consciousness of unspecified duration
854.01	Intracranial injury of other and unspecified nature without mention of open intracranial wound, with no loss of consciousness
854.02	Intracranial injury of other and unspecified nature without mention of open intracranial wound, with brief [less than one hour] loss of consciousness
854.03	Intracranial injury of other and unspecified nature without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness
854.04	Intracranial injury of other and unspecified nature without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
854.05	Intracranial injury of other and unspecified nature without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
854.06	Intracranial injury of other and unspecified nature without mention of open intracranial wound, with loss of consciousness of unspecified duration
854.11	Intracranial injury of other and unspecified nature with open intracranial wound, with no loss of consciousness

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

854.12	Intracranial injury of other and unspecified nature with open intracranial wound, with brief [less than one hour] loss of consciousness
854.13	Intracranial injury of other and unspecified nature with open intracranial wound, with moderate [1-24 hours] loss of consciousness
854.14	Intracranial injury of other and unspecified nature with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level
854.15	Intracranial injury of other and unspecified nature with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level
854.16	Intracranial injury of other and unspecified nature with open intracranial wound, with loss of consciousness of unspecified duration
887.6	Traumatic amputation of arm and hand (complete) (partial), bilateral [any level], without mention of complication
887.7	Traumatic amputation of arm and hand (complete) (partial), bilateral [any level], complicated
897.0	Traumatic amputation of leg(s) (complete) (partial), unilateral, below knee, without mention of complication
897.1	Traumatic amputation of leg(s) (complete) (partial), unilateral, below knee, complicated
897.2	Traumatic amputation of leg(s) (complete) (partial), unilateral, at or above knee, without mention of complication
897.3	Traumatic amputation of leg(s) (complete) (partial), unilateral, at or above knee, complicated
897.4	Traumatic amputation of leg(s) (complete) (partial), unilateral, level not specified, without mention of complication
897.5	Traumatic amputation of leg(s) (complete) (partial), unilateral, level not specified, complicated
897.6	Traumatic amputation of leg(s) (complete) (partial), bilateral [any level], without mention of complication
897.7	Traumatic amputation of leg(s) (complete) (partial), bilateral [any level], complicated
905.9	Late effect of traumatic amputation
906.5	Late effect of burn of eye, face, head, and neck
906.7	Late effect of burn of other extremities
906.8	Late effect of burns of other specified sites
907.0	Late effect of intracranial injury without mention of skull fracture
907.2	Late effect of spinal cord injury
941.30	Full-thickness skin loss [third degree, not otherwise specified] of face and head, unspecified site
941.32	Full-thickness skin loss [third degree, not otherwise specified] of eye (with other parts of face, head, and neck)
941.39	Full-thickness skin loss [third degree, not otherwise specified] of multiple sites [except with eye] of face, head, and neck
941.40	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, face and head, unspecified site
941.41	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, ear [any part]
941.42	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of eye (with other parts of face, head, and neck)

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

941.43	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of lip(s)
941.44	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of chin
941.45	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of nose (septum)
941.46	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part of scalp [any part]
941.47	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of forehead and cheek
941.48	Deep necrosis of underlying tissues [deep third degree], without mention of loss of a body part, of neck
941.49	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of multiple sites [except with eye] of face, head, and neck
941.50	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of face and head, unspecified site
941.51	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of ear [any part]
941.52	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of eye (with other parts of face, head, and neck)
941.53	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of lip(s)
941.54	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of chin
941.55	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of nose (septum)
941.56	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of scalp [any part]
941.57	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of forehead and cheek
941.58	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of neck
941.59	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of multiple sites [except with eye] of face, head, and neck
942.30	Full-thickness skin loss [third degree, not otherwise specified] of trunk, unspecified site
942.31	Full-thickness skin loss [third degree, not otherwise specified] of breast
942.32	Full-thickness skin loss [third degree, not otherwise specified] of chest wall, excluding breast and nipple
942.33	Full-thickness skin loss [third degree, not otherwise specified] of abdominal wall
942.34	Full-thickness skin loss [third degree, not otherwise specified] of back [any part]
942.35	Full-thickness skin loss [third degree, not otherwise specified] of genitalia
942.39	Full-thickness skin loss [third degree, not otherwise specified] of other and multiple sites of trunk
942.40	Deep necrosis of underlying tissues [deep third degree]) without mention of loss of a body part, of trunk, unspecified site
942.41	Deep necrosis of underlying tissues [deep third degree]) without mention of loss of a body part, of breast
942.42	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of chest wall, excluding breast and nipple

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

942.43	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of abdominal wall
942.44	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of back [any part]
942.45	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of genitalia
942.49	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of other and multiple sites of trunk
942.50	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, trunk, unspecified site
942.51	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of breast
942.52	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of chest wall, excluding breast and nipple
942.53	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of abdominal wall
942.54	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of back [any part]
942.55	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of genitalia
942.59	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of other and multiple sites of trunk,
943.20	Blisters,epidermal loss [second degree] of upper limb, unspecified site
943.21	Blisters, epidermal loss [second degree] of forearm
943.22	Blisters, epidermal loss [second degree] of elbow
943.23	Blisters, epidermal loss [second degree] of upper arm
943.24	Blisters, epidermal loss [second degree] of axilla
943.25	Blisters, epidermal loss [second degree] of shoulder
943.26	Blisters, epidermal loss [second degree] of scapular region
943.29	Blisters, epidermal loss [second degree] of multiple sites of upper limb, except wrist and hand
943.31	Full-thickness skin loss [third degree,not otherwise specified] of forearm
943.32	Full-thickness skin loss [third degree, not otherwise specified] of elbow
943.33	Full-thickness skin loss [third degree, not otherwise specified] of upper arm
943.34	Full-thickness skin loss [third degree, not otherwise specified] of axilla
943.35	Full-thickness skin loss [third degree, not otherwise specified] of shoulder
943.36	Full-thickness skin loss [third degree, not otherwise specified] of scapular region
943.39	Full-thickness skin loss [third degree, not otherwise specified] of multiple sites of upper limb, except wrist and hand
943.41	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of forearm
943.42	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of elbow
943.43	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of upper arm
943.44	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of axilla
943.45	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of shoulder

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

943.46	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of scapular region
943.49	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of multiple sites of upper limb, except wrist and hand
943.51	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of forearm
943.52	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of elbow
943.53	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of upper arm
943.54	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of axilla
943.55	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of shoulder
943.56	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of scapular region
943.59	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of multiple sites of upper limb, except wrist and hand
944.31	Full-thickness skin loss [third degree, not otherwise specified] of single digit [finger (nail)] other than thumb
944.32	Full-thickness skin loss [third degree, not otherwise specified] of thumb (nail)
944.33	Full-thickness skin loss [third degree, not otherwise specified] of two or more digits of hand, not including thumb
944.34	Full-thickness skin loss [third degree, not otherwise specified] of two or more digits of hand including thumb
944.35	Full-thickness skin loss [third degree, not otherwise specified] of palm of hand
944.36	Full-thickness skin loss [third degree, not otherwise specified] of back of hand
944.37	Full-thickness skin loss [third degree, not otherwise specified] of wrist
944.38	Full-thickness skin loss [third degree, not otherwise specified] of multiple sites of wrist(s) and hand(s)
944.41	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, single digit [finger (nail)] other than thumb
944.42	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, thumb (nail)
944.43	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, two or more digits of hand, not including thumb
944.44	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, two or more digits of hand including thumb
944.45	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of palm of hand
944.46	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of back of hand
944.47	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of wrist
944.48	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of multiple sites of wrist(s) and hand(s)
944.51	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of single digit [finger (nail)] other than thumb
944.52	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of thumb (nail)
944.53	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of two or more digits of hand, not including thumb

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

944.54	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of two or more digits of hand including thumb
944.55	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of palm of hand
944.56	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of back of hand
944.57	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of wrist
944.58	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of multiple sites of wrist(s) and hand(s)
945.21	Blisters, epidermal loss [second degree] of toe(s) (nail)
945.22	Blisters, epidermal loss [second degree] of foot
945.23	Blisters, epidermal loss [second degree] of ankle
945.24	Blisters, epidermal loss [second degree] of lower leg
945.25	Blisters, epidermal loss [second degree] of knee
945.26	Blisters, epidermal loss [second degree] of thigh [any part]
945.29	Blisters, epidermal loss [second degree] of multiple sites of lower limb(s)
945.30	Full-thickness skin loss [third degree NOS] of lower limb [leg] unspecified site
945.31	Full-thickness skin loss [third degree NOS] of toe(s) (nail)
945.32	Full-thickness skin loss [third degree NOS] of foot
945.33	Full-thickness skin loss [third degree NOS] of ankle
945.34	Full-thickness skin loss [third degree nos] of lower leg
945.35	Full-thickness skin loss [third degree NOS] of knee
945.36	Full-thickness skin loss [third degree NOS] of thigh [any part]
945.39	Full-thickness skin loss [third degree NOS] of multiple sites of lower limb(s)
945.41	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of toe(s)(nail)
945.42	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of foot
945.43	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of ankle
945.44	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of lower leg
945.45	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of knee
945.46	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of thigh [any part]
945.49	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of multiple sites of lower limb(s)
945.51	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of toe(s) (nail)
945.52	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of foot
945.53	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of ankle
945.54	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of lower leg
945.55	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of knee
945.56	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of thigh [any part]

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

945.59	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of multiple sites of lower limb(s)
946.2	Blisters, epidermal loss [second degree] of multiple specified sites
946.3	Full-thickness skin loss [third degree NOS] of multiple specified sites
946.4	Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part, of multiple specified sites
946.5	Deep necrosis of underlying tissues [deep third degree] with loss of a body part, of multiple specified sites
948.10	Burn [any degree] involving 10-19 percent of body surface with third degree burn, less than 10 percent or unspecified
948.11	Burn [any degree] involving 10-19 percent of body surface with third degree burn, 10-19%
948.20	Burn [any degree] involving 20-29 percent of body surface with third degree burn, less than 10 percent or unspecified
948.21	Burn [any degree] involving 20-29 percent of body surface with third degree burn, 10-19%
948.22	Burn [any degree] involving 20-29 percent of body surface with third degree burn, 20-29%
948.30	Burn [any degree] involving 30-39 percent of body surface with third degree burn, less than 10 percent or unspecified
948.31	Burn [any degree] involving 30-39 percent of body surface with third degree burn, 10-19%
948.32	Burn [any degree] involving 30-39 percent of body surface with third degree burn, 20-29%
948.33	Burn [any degree] involving 30-39 percent of body surface with third degree burn, 30-39%
948.40	Burn [any degree] involving 40-49 percent of body surface with third degree burn, less than 10 percent or unspecified
948.41	Burn [any degree] involving 40-49 percent of body surface with third degree burn, 10-19%
948.42	Burn [any degree] involving 40-49 percent of body surface with third degree burn, 20-29%
948.43	Burn [any degree] involving 40-49 percent of body surface with third degree burn, 30-39%
948.44	Burn [any degree] involving 40-49 percent of body surface with third degree burn, 40-49%
948.50	Burn [any degree] involving 50-59 percent of body surface with third degree burn, less than 10 percent or unspecified
948.51	Burn [any degree] involving 50-59 percent of body surface with third degree burn, 10-19%
948.52	Burn [any degree] involving 50-59 percent of body surface with third degree burn, 20-29%
948.53	Burn [any degree] involving 50-59 percent of body surface with third degree burn, 30-39%
948.54	Burn [any degree] involving 50-59 percent of body surface with third degree burn, 40-49%
948.55	Burn [any degree] involving 50-59 percent of body surface with third degree burn, 50-59%
948.60	Burn [any degree] involving 60-69 percent of body surface with third degree burn, less than 10 percent or unspecified
948.61	Burn [any degree] involving 60-69 percent of body surface with third degree burn, 10-19%
948.62	Burn [any degree] involving 60-69 percent of body surface with third degree burn, 20-29%
948.63	Burn [any degree] involving 60-69 percent of body surface with third degree burn, 30-39%
948.64	Burn [any degree] involving 60-69 percent of body surface with third degree burn, 40-49%
948.65	Burn (any degree) involving 60-69 percent of body surface with third degree burn, 50-59%
948.66	Burn [any degree] involving 60-69 percent of body surface with third degree burn, 60-69%
948.70	Burn [any degree] involving 70-79 percent of body surface with third degree burn, less than 10 percent or unspecified
948.71	Burn [any degree] involving 70-79 percent of body surface with third degree burn, 10-19%
948.72	Burn [any degree] involving 70-79 percent of body surface with third degree burn, 20-29%
948.73	Burn [any degree] involving 70-79 percent of body surface with third degree burn, 30-39%
948.74	Burn [any degree] involving 70-79 percent of body surface with third degree burn, 40-49%

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

948.75	Burn [any degree] involving 70-79 percent of body surface with third degree burn, 50-59%
948.76	Burn [any degree] involving 70-79 percent of body surface with third degree burn, 60-69%
948.77	Burn [any degree] involving 70-79 percent of body surface with third degree burn, 70-79%
948.80	Burn [any degree] involving 80-89 percent of body surface with third degree burn, less than 10 percent or unspecified
948.81	Burn [any degree] involving 80-89 percent of body surface with third degree burn, 10-19%
948.82	Burn [any degree] involving 80-89 percent of body surface with third degree burn, 20-29%
948.83	Burn [any degree] involving 80-89 percent of body surface with third degree burn, 30-39%
948.84	Burn [any degree] involving 80-89 percent of body surface with third degree burn, 40-49%
948.85	Burn [any degree] involving 80-89 percent of body surface with third degree burn, 50-59%
948.86	Burn [any degree] involving 80-89 percent of body surface with third degree burn, 60-69%
948.87	Burn [any degree] involving 80-89 percent of body surface with third degree burn, 70-79%
948.88	Burn [any degree] involving 80-89 percent of body surface with third degree burn, 80-89%
948.90	Burn [any degree] involving 90 percent or more of body surface with third degree burn, less than 10 percent or unspecified
948.91	Burn [any degree] involving 90 percent or more of body surface with third degree burn, 10-19%
948.92	Burn [any degree] involving 90 percent or more of body surface with third degree burn, 20-29%
948.93	Burn [any degree] involving 90 percent or more of body surface with third degree burn, 30-39%
948.94	Burn [any degree] involving 90 percent or more of body surface with third degree burn, 40-49%
948.95	Burn [any degree] involving 90 percent or more of body surface with third degree burn, 50-59%
948.96	Burn [any degree] involving 90 percent or more of body surface with third degree burn, 60-69%
948.97	Burn [any degree] involving 90 percent or more of body surface with third degree burn, 70-79%
948.98	Burn [any degree] involving 90 percent or more of body surface with third degree burn, 80-89%
948.99	Burn [any degree] involving 90 percent or more of body surface with third degree burn, 90% or more of body surface
949.3	Full-thickness skin loss [third degree nos]
952.01	C1-C4 level with complete lesion of spinal cord
952.02	C1-C4 level with anterior cord syndrome
952.03	C1-C4 level with central cord syndrome
952.04	C1-C4 level with other specified spinal cord injury
952.05	C5-C7 level with unspecified spinal cord injury
952.06	C5-C7 level with complete lesion of spinal cord
952.07	C5-C7 level with anterior cord syndrome
952.08	C5-C7 level with central cord syndrome
952.09	C5-C7 level with other specified spinal cord injury
952.10	T1-T6 level with unspecified spinal cord injury
952.11	T1-T6 level with complete lesion of spinal cord
952.12	T1-T6 level with anterior cord syndrome
952.13	T1-T6 level with central cord syndrome
952.14	T1-T6 level with other specified spinal cord injury
952.15	T7-T12 level with unspecified spinal cord injury
952.16	T7-T12 level with complete lesion of spinal cord
952.17	T7-T12 level with anterior cord syndrome
952.18	T7-T12 level with central cord syndrome
952.19	T7-T12 level with other specified spinal cord injury
952.2	Lumbar spinal cord injury without evidence of spinal bone injury
952.3	Sacral spinal cord injury without evidence of spinal bone injury

Draft Appendix C: ICD-9-CM Codes That Meet the Presumptive Compliance Criteria

952.4	Cauda equina spinal cord injury without evidence of spinal bone injury
952.8	Multiple sites of spinal cord injury without evidence of spinal bone injury
952.9	Unspecified site of spinal cord injury without evidence of spinal bone injury
997.01	Central nervous system complication
997.02	Iatrogenic cerebrovascular infarction or hemorrhage
997.61	Neuroma of amputation stump
997.62	Infection (chronic) of amputation stump
997.69	Other amputation stump complication
V49.65	Below elbow amputation status
V49.66	Above elbow amputation status
V49.67	Shoulder amputation status
V49.73	Foot amputation status
V49.74	Ankle amputation status
V49.75	Below knee amputation status
V49.76	Above knee amputation status
V49.77	Hip amputation status
V52.0	Fitting and adjustment of artificial arm (complete) (partial)
V52.1	Fitting and adjustment of artificial leg (complete) (partial)