

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)
Detailed Data Specifications Report
Section: C

Item ID: C0100.....	2
Item ID: C0200.....	3
Item ID: C0300A	4
Item ID: C0300B.....	5
Item ID: C0300C.....	6
Item ID: C0400A	7
Item ID: C0400B.....	8
Item ID: C0400C.....	9
Item ID: C0500.....	10
Item ID: C0600.....	12
Item ID: C0900A	13
Item ID: C0900B.....	14
Item ID: C0900C.....	15
Item ID: C0900E.....	16
Item ID: C0900Z.....	17

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)
Detailed Data Specifications Report
Section: C

Item ID: C0100

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
C0100	Brief Interview - Mental Status (BIMS)	Asmt	Code	1	1436-1436

Item Values

Value	Value Text
0	No (patient is rarely/never understood)
1	Yes
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5055	Consistency	Fatal	C0100-C0600 Consistency: a) If C0100=[0], then all items from C0200 through C0600 must be equal to [^]. b) If C0100=[1], then all items from C0200 through C0600 must not be equal to [^]. c) If C0100=[-], then all items from C0200 through C0500 must be equal to [-] and C0600 must equal [1,-].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V4.00.0]-The following mappings were deleted, since the items were deleted: 29A, 29D, 30A, 30D, 31A, 31D, 32A, 32D, 33A, 33D, 34A, 34D, 35A, 35D, 36A, 36D, 37A, 37D, 38A, 38D, 39AA, 39AD, 39AG, 39BA, 39BD, 39BG, 39CA, 39CD, 39CG, 39DA, 39DD, 39DG, 39EA, 39ED, 39EG, 39FA, 39FD, 39FG, 39GA, 39GD, 39GG, 39HA, 39HD, 39HG, 39IA, 39ID, 39IG, 39JA, 39JD, 39JG, 39KA, 39KD, 39KG, 39LA, 39LAA, 39LD, 39LDD, 39LG, 39MA, 39MD, 39MG, 39NA, 39NAA, 39ND, 39NDD, 39NG, 39OA, 39OAA, 39OD, 39ODD, 39OG, 39PA, 39PD, 39PG, 39QA, 39QD, 39QG, 39RA, 39RD, 39RG, O0250A, O0250C.

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)

Detailed Data Specifications Report

Section: C

Item ID: C0200

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
C0200	BIMS - Repetition of Three Words	Asmt	Code	1	1437-1437

Item Values

Value	Value Text
3	Three
2	Two
1	One
0	None
-	Not assessed/no information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5055	Consistency	Fatal	C0100-C0600 Consistency: a) If C0100=[0], then all items from C0200 through C0600 must be equal to [^]. b) If C0100=[1], then all items from C0200 through C0600 must not be equal to [^]. c) If C0100=[-], then all items from C0200 through C0500 must be equal to [-] and C0600 must equal [1,-].
-5056	Consistency	Fatal	BIMS Summary Score: a) If all of the BIMS component items have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items. b) If all of the BIMS component items have numeric values (not dash) and if four or more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99]. c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99]. d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V4.00.0]-The following mappings were deleted, since the items were deleted: 29A, 29D, 30A, 30D, 31A, 31D, 32A, 32D, 33A, 33D, 34A, 34D, 35A, 35D, 36A, 36D, 37A, 37D, 38A, 38D, 39AA, 39AD, 39AG, 39BA, 39BD, 39BG, 39CA, 39CD, 39CG, 39DA, 39DD, 39DG, 39EA, 39ED, 39EG, 39FA, 39FD, 39FG, 39GA, 39GD, 39GG, 39HA, 39HD, 39HG, 39IA, 39ID, 39IG, 39JA, 39JD, 39JG, 39KA, 39KD, 39KG, 39LA, 39LAA, 39LD, 39LDD, 39LG, 39MA, 39MD, 39MG, 39NA, 39NAA, 39ND, 39NDD, 39NG, 39OA, 39OAA, 39OD, 39ODD, 39OG, 39PA, 39PD, 39PG, 39QA, 39QD, 39QG, 39RA, 39RD, 39RG, O0250A, O0250C.

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)

Detailed Data Specifications Report

Section: C

Item ID: C0300A

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
C0300A	BIMS - Temporal Orientation - Year	Asmt	Code	1	1438-1438

Item Values

Value	Value Text
3	Correct
2	Missed by 1 year
1	Missed by 2-5 years
0	Missed by > 5 years or no answer
-	Not assessed/no information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5055	Consistency	Fatal	C0100-C0600 Consistency: a) If C0100=[0], then all items from C0200 through C0600 must be equal to [^]. b) If C0100=[1], then all items from C0200 through C0600 must not be equal to [^]. c) If C0100=[-], then all items from C0200 through C0500 must be equal to [-] and C0600 must equal [1,-].
-5056	Consistency	Fatal	BIMS Summary Score: a) If all of the BIMS component items have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items. b) If all of the BIMS component items have numeric values (not dash) and if four or more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99]. c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99]. d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V4.00.0]-The following mappings were deleted, since the items were deleted: 29A, 29D, 30A, 30D, 31A, 31D, 32A, 32D, 33A, 33D, 34A, 34D, 35A, 35D, 36A, 36D, 37A, 37D, 38A, 38D, 39AA, 39AD, 39AG, 39BA, 39BD, 39BG, 39CA, 39CD, 39CG, 39DA, 39DD, 39DG, 39EA, 39ED, 39EG, 39FA, 39FD, 39FG, 39GA, 39GD, 39GG, 39HA, 39HD, 39HG, 39IA, 39ID, 39IG, 39JA, 39JD, 39JG, 39KA, 39KD, 39KG, 39LA, 39LAA, 39LD, 39LDD, 39LG, 39MA, 39MD, 39MG, 39NA, 39NAA, 39ND, 39NDD, 39NG, 39OA, 39OAA, 39OD, 39ODD, 39OG, 39PA, 39PD, 39PG, 39QA, 39QD, 39QG, 39RA, 39RD, 39RG, O0250A, O0250C.

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)

Detailed Data Specifications Report

Section: C

Item ID: C0300B

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
C0300B	BIMS - Temporal Orientation - Month	Asmt	Code	1	1439-1439

Item Values

Value	Value Text
2	Accurate within 5 days
1	Missed by 6 days to 1 month
0	Missed by > 1 month or no answer
-	Not assessed/no information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5055	Consistency	Fatal	C0100-C0600 Consistency: a) If C0100=[0], then all items from C0200 through C0600 must be equal to [^]. b) If C0100=[1], then all items from C0200 through C0600 must not be equal to [^]. c) If C0100=[-], then all items from C0200 through C0500 must be equal to [-] and C0600 must equal [1,-].
-5056	Consistency	Fatal	BIMS Summary Score: a) If all of the BIMS component items have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items. b) If all of the BIMS component items have numeric values (not dash) and if four or more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99]. c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99]. d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V4.00.0]-The following mappings were deleted, since the items were deleted: 29A, 29D, 30A, 30D, 31A, 31D, 32A, 32D, 33A, 33D, 34A, 34D, 35A, 35D, 36A, 36D, 37A, 37D, 38A, 38D, 39AA, 39AD, 39AG, 39BA, 39BD, 39BG, 39CA, 39CD, 39CG, 39DA, 39DD, 39DG, 39EA, 39ED, 39EG, 39FA, 39FD, 39FG, 39GA, 39GD, 39GG, 39HA, 39HD, 39HG, 39IA, 39ID, 39IG, 39JA, 39JD, 39JG, 39KA, 39KD, 39KG, 39LA, 39LAA, 39LD, 39LDD, 39LG, 39MA, 39MD, 39MG, 39NA, 39NAA, 39ND, 39NDD, 39NG, 39OA, 39OAA, 39OD, 39ODD, 39OG, 39PA, 39PD, 39PG, 39QA, 39QD, 39QG, 39RA, 39RD, 39RG, O0250A, O0250C.

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)

Detailed Data Specifications Report

Section: C

Item ID: C0300C

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
C0300C	BIMS - Temporal Orientation - Day	Asmt	Code	1	1440-1440

Item Values

Value	Value Text
1	Correct
0	Incorrect or no answer
-	Not assessed/no information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5055	Consistency	Fatal	C0100-C0600 Consistency: a) If C0100=[0], then all items from C0200 through C0600 must be equal to [^]. b) If C0100=[1], then all items from C0200 through C0600 must not be equal to [^]. c) If C0100=[-], then all items from C0200 through C0500 must be equal to [-] and C0600 must equal [1,-].
-5056	Consistency	Fatal	BIMS Summary Score: a) If all of the BIMS component items have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items. b) If all of the BIMS component items have numeric values (not dash) and if four or more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99]. c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99]. d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V4.00.0]-The following mappings were deleted, since the items were deleted: 29A, 29D, 30A, 30D, 31A, 31D, 32A, 32D, 33A, 33D, 34A, 34D, 35A, 35D, 36A, 36D, 37A, 37D, 38A, 38D, 39AA, 39AD, 39AG, 39BA, 39BD, 39BG, 39CA, 39CD, 39CG, 39DA, 39DD, 39DG, 39EA, 39ED, 39EG, 39FA, 39FD, 39FG, 39GA, 39GD, 39GG, 39HA, 39HD, 39HG, 39IA, 39ID, 39IG, 39JA, 39JD, 39JG, 39KA, 39KD, 39KG, 39LA, 39LAA, 39LD, 39LDD, 39LG, 39MA, 39MD, 39MG, 39NA, 39NAA, 39ND, 39NDD, 39NG, 39OA, 39OAA, 39OD, 39ODD, 39OG, 39PA, 39PD, 39PG, 39QA, 39QD, 39QG, 39RA, 39RD, 39RG, O0250A, O0250C.

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)

Detailed Data Specifications Report

Section: C

Item ID: C0400A

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
C0400A	BIMS - Recalls Sock	Asmt	Code	1	1441-1441

Item Values

Value	Value Text
2	Yes, no cue required
1	Yes, after cueing ("something to wear")
0	No - could not recall
-	Not assessed/no information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5055	Consistency	Fatal	C0100-C0600 Consistency: a) If C0100=[0], then all items from C0200 through C0600 must be equal to [^]. b) If C0100=[1], then all items from C0200 through C0600 must not be equal to [^]. c) If C0100=[-], then all items from C0200 through C0500 must be equal to [-] and C0600 must equal [1,-].
-5056	Consistency	Fatal	BIMS Summary Score: a) If all of the BIMS component items have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items. b) If all of the BIMS component items have numeric values (not dash) and if four or more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99]. c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99]. d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V4.00.0]-The following mappings were deleted, since the items were deleted: 29A, 29D, 30A, 30D, 31A, 31D, 32A, 32D, 33A, 33D, 34A, 34D, 35A, 35D, 36A, 36D, 37A, 37D, 38A, 38D, 39AA, 39AD, 39AG, 39BA, 39BD, 39BG, 39CA, 39CD, 39CG, 39DA, 39DD, 39DG, 39EA, 39ED, 39EG, 39FA, 39FD, 39FG, 39GA, 39GD, 39GG, 39HA, 39HD, 39HG, 39IA, 39ID, 39IG, 39JA, 39JD, 39JG, 39KA, 39KD, 39KG, 39LA, 39LAA, 39LD, 39LDD, 39LG, 39MA, 39MD, 39MG, 39NA, 39NAA, 39ND, 39NDD, 39NG, 39OA, 39OAA, 39OD, 39ODD, 39OG, 39PA, 39PD, 39PG, 39QA, 39QD, 39QG, 39RA, 39RD, 39RG, O0250A, O0250C.

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)

Detailed Data Specifications Report

Section: C

Item ID: C0400B

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
C0400B	BIMS - Recalls Blue	Asmt	Code	1	1442-1442

Item Values

Value	Value Text
2	Yes, no cue required
1	Yes, after cueing ("a color")
0	No - could not recall
-	Not assessed/no information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5055	Consistency	Fatal	C0100-C0600 Consistency: a) If C0100=[0], then all items from C0200 through C0600 must be equal to [^]. b) If C0100=[1], then all items from C0200 through C0600 must not be equal to [^]. c) If C0100=[-], then all items from C0200 through C0500 must be equal to [-] and C0600 must equal [1,-].
-5056	Consistency	Fatal	BIMS Summary Score: a) If all of the BIMS component items have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items. b) If all of the BIMS component items have numeric values (not dash) and if four or more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99]. c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99]. d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V4.00.0]-The following mappings were deleted, since the items were deleted: 29A, 29D, 30A, 30D, 31A, 31D, 32A, 32D, 33A, 33D, 34A, 34D, 35A, 35D, 36A, 36D, 37A, 37D, 38A, 38D, 39AA, 39AD, 39AG, 39BA, 39BD, 39BG, 39CA, 39CD, 39CG, 39DA, 39DD, 39DG, 39EA, 39ED, 39EG, 39FA, 39FD, 39FG, 39GA, 39GD, 39GG, 39HA, 39HD, 39HG, 39IA, 39ID, 39IG, 39JA, 39JD, 39JG, 39KA, 39KD, 39KG, 39LA, 39LAA, 39LD, 39LDD, 39LG, 39MA, 39MD, 39MG, 39NA, 39NAA, 39ND, 39NDD, 39NG, 39OA, 39OAA, 39OD, 39ODD, 39OG, 39PA, 39PD, 39PG, 39QA, 39QD, 39QG, 39RA, 39RD, 39RG, O0250A, O0250C.

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)

Detailed Data Specifications Report

Section: C

Item ID: C0400C

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
C0400C	BIMS - Recalls Bed	Asmt	Code	1	1443-1443

Item Values

Value	Value Text
2	Yes, no cue required
1	Yes, after cueing ("a piece of furniture")
0	No - could not recall
-	Not assessed/no information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5055	Consistency	Fatal	C0100-C0600 Consistency: a) If C0100=[0], then all items from C0200 through C0600 must be equal to [^]. b) If C0100=[1], then all items from C0200 through C0600 must not be equal to [^]. c) If C0100=[-], then all items from C0200 through C0500 must be equal to [-] and C0600 must equal [1,-].
-5056	Consistency	Fatal	BIMS Summary Score: a) If all of the BIMS component items have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items. b) If all of the BIMS component items have numeric values (not dash) and if four or more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99]. c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99]. d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V4.00.0]-The following mappings were deleted, since the items were deleted: 29A, 29D, 30A, 30D, 31A, 31D, 32A, 32D, 33A, 33D, 34A, 34D, 35A, 35D, 36A, 36D, 37A, 37D, 38A, 38D, 39AA, 39AD, 39AG, 39BA, 39BD, 39BG, 39CA, 39CD, 39CG, 39DA, 39DD, 39DG, 39EA, 39ED, 39EG, 39FA, 39FD, 39FG, 39GA, 39GD, 39GG, 39HA, 39HD, 39HG, 39IA, 39ID, 39IG, 39JA, 39JD, 39JG, 39KA, 39KD, 39KG, 39LA, 39LAA, 39LD, 39LDD, 39LG, 39MA, 39MD, 39MG, 39NA, 39NAA, 39ND, 39NDD, 39NG, 39OA, 39OAA, 39OD, 39ODD, 39OG, 39PA, 39PD, 39PG, 39QA, 39QD, 39QG, 39RA, 39RD, 39RG, O0250A, O0250C.

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)
Detailed Data Specifications Report
Section: C

Item ID: C0500

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
C0500	BIMS - Summary Score	Asmt	Number	2	1444-1445

Item Values

Value	Value Text
00	Minimum value
15	Maximum value
99	Patient was unable to complete the interview
-	Not assessed/no information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5055	Consistency	Fatal	C0100-C0600 Consistency: a) If C0100=[0], then all items from C0200 through C0600 must be equal to [^]. b) If C0100=[1], then all items from C0200 through C0600 must not be equal to [^]. c) If C0100=[-], then all items from C0200 through C0500 must be equal to [-] and C0600 must equal [1,-].
-5056	Consistency	Fatal	BIMS Summary Score: a) If all of the BIMS component items have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items. b) If all of the BIMS component items have numeric values (not dash) and if four or more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99]. c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99]. d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].
-5058	Consistency	Fatal	C0500/C0600 Consistency: a) If C0500=[99,-], then C0600 must be equal to [1,-]. b) If C0500=[00-15], then C0600 must be equal to [0].

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)

Detailed Data Specifications Report

Section: C

-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V4.00.0]-The following mappings were deleted, since the items were deleted: 29A, 29D, 30A, 30D, 31A, 31D, 32A, 32D, 33A, 33D, 34A, 34D, 35A, 35D, 36A, 36D, 37A, 37D, 38A, 38D, 39AA, 39AD, 39AG, 39BA, 39BD, 39BG, 39CA, 39CD, 39CG, 39DA, 39DD, 39DG, 39EA, 39ED, 39EG, 39FA, 39FD, 39FG, 39GA, 39GD, 39GG, 39HA, 39HD, 39HG, 39IA, 39ID, 39IG, 39JA, 39JD, 39JG, 39KA, 39KD, 39KG, 39LA, 39LAA, 39LD, 39LDD, 39LG, 39MA, 39MD, 39MG, 39NA, 39NAA, 39ND, 39NDD, 39NG, 39OA, 39OAA, 39OD, 39ODD, 39OG, 39PA, 39PD, 39PG, 39QA, 39QD, 39QG, 39RA, 39RD, 39RG, O0250A, O0250C.

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)

Detailed Data Specifications Report

Section: C

Item ID: C0600

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
C0600	Conduct Staff Assessment - Mental Status	Asmt	Code	1	1446-1446

Item Values

Value	Value Text
0	No (patient was able to complete Brief Interview for Mental Status)
1	Yes (patient was unable to complete Brief Interview for Mental Status)
-	Not assessed/no information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5055	Consistency	Fatal	C0100-C0600 Consistency: a) If C0100=[0], then all items from C0200 through C0600 must be equal to [^]. b) If C0100=[1], then all items from C0200 through C0600 must not be equal to [^]. c) If C0100=[-], then all items from C0200 through C0500 must be equal to [-] and C0600 must equal [1,-].
-5057	Consistency	Fatal	C0600-C0900Z Consistency: a) If C0600=[0], then all items from C0900A through C0900Z must be equal to [^]. b) If C0600=[^,1], then all items from C0900A through C0900Z must not be equal to [^]. c) If C0600=[-], then all items from C0900A through C0900Z must be equal to [-].
-5058	Consistency	Fatal	C0500/C0600 Consistency: a) If C0500=[99,-], then C0600 must be equal to [1,-]. b) If C0500=[00-15], then C0600 must be equal to [0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V4.00.0]-The following mappings were deleted, since the items were deleted: 29A, 29D, 30A, 30D, 31A, 31D, 32A, 32D, 33A, 33D, 34A, 34D, 35A, 35D, 36A, 36D, 37A, 37D, 38A, 38D, 39AA, 39AD, 39AG, 39BA, 39BD, 39BG, 39CA, 39CD, 39CG, 39DA, 39DD, 39DG, 39EA, 39ED, 39EG, 39FA, 39FD, 39FG, 39GA, 39GD, 39GG, 39HA, 39HD, 39HG, 39IA, 39ID, 39IG, 39JA, 39JD, 39JG, 39KA, 39KD, 39KG, 39LA, 39LAA, 39LD, 39LDD, 39LG, 39MA, 39MD, 39MG, 39NA, 39NAA, 39ND, 39NDD, 39NG, 39OA, 39OAA, 39OD, 39ODD, 39OG, 39PA, 39PD, 39PG, 39QA, 39QD, 39QG, 39RA, 39RD, 39RG, O0250A, O0250C.

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)
Detailed Data Specifications Report
Section: C

Item ID: C0900A

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
C0900A	Memory/Recall - Current Season (3-day Asmt Prd)	Asmt	Checklist	1	1447-1447

Item Values

Value	Value Text
0	Not checked (No)
1	Checked (Yes)
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5057	Consistency	Fatal	C0600-C0900Z Consistency: a) If C0600=[0], then all items from C0900A through C0900Z must be equal to [^]. b) If C0600=[^,1], then all items from C0900A through C0900Z must not be equal to [^]. c) If C0600=[-], then all items from C0900A through C0900Z must be equal to [-].
-5059	Consistency	Fatal	C0900 Consistency: a) If C0900Z=[1], then all items from C0900A through C0900E must be equal to [0]. b) If C0900Z=[0], then at least one of the items C0900A through C0900E must be equal to [1]. c) If C0900Z=[-], then at least one item from C0900A through C0900E must equal [-] and all remaining items must equal [0,-].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V4.00.0]-The following mappings were deleted, since the items were deleted: 29A, 29D, 30A, 30D, 31A, 31D, 32A, 32D, 33A, 33D, 34A, 34D, 35A, 35D, 36A, 36D, 37A, 37D, 38A, 38D, 39AA, 39AD, 39AG, 39BA, 39BD, 39BG, 39CA, 39CD, 39CG, 39DA, 39DD, 39DG, 39EA, 39ED, 39EG, 39FA, 39FD, 39FG, 39GA, 39GD, 39GG, 39HA, 39HD, 39HG, 39IA, 39ID, 39IG, 39JA, 39JD, 39JG, 39KA, 39KD, 39KG, 39LA, 39LAA, 39LD, 39LDD, 39LG, 39MA, 39MD, 39MG, 39NA, 39NAA, 39ND, 39NDD, 39NG, 39OA, 39OAA, 39OD, 39ODD, 39OG, 39PA, 39PD, 39PG, 39QA, 39QD, 39QG, 39RA, 39RD, 39RG, O0250A, O0250C.

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)
Detailed Data Specifications Report
Section: C

Item ID: C0900B

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
C0900B	Memory/Recall - Loc Of Own Room (3-day Asmt Prd)	Asmt	Checklist	1	1448-1448

Item Values

Value	Value Text
0	Not checked (No)
1	Checked (Yes)
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5057	Consistency	Fatal	C0600-C0900Z Consistency: a) If C0600=[0], then all items from C0900A through C0900Z must be equal to [^]. b) If C0600=[^,1], then all items from C0900A through C0900Z must not be equal to [^]. c) If C0600=[-], then all items from C0900A through C0900Z must be equal to [-].
-5059	Consistency	Fatal	C0900 Consistency: a) If C0900Z=[1], then all items from C0900A through C0900E must be equal to [0]. b) If C0900Z=[0], then at least one of the items C0900A through C0900E must be equal to [1]. c) If C0900Z=[-], then at least one item from C0900A through C0900E must equal [-] and all remaining items must equal [0,-].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V4.00.0]-The following mappings were deleted, since the items were deleted: 29A, 29D, 30A, 30D, 31A, 31D, 32A, 32D, 33A, 33D, 34A, 34D, 35A, 35D, 36A, 36D, 37A, 37D, 38A, 38D, 39AA, 39AD, 39AG, 39BA, 39BD, 39BG, 39CA, 39CD, 39CG, 39DA, 39DD, 39DG, 39EA, 39ED, 39EG, 39FA, 39FD, 39FG, 39GA, 39GD, 39GG, 39HA, 39HD, 39HG, 39IA, 39ID, 39IG, 39JA, 39JD, 39JG, 39KA, 39KD, 39KG, 39LA, 39LAA, 39LD, 39LDD, 39LG, 39MA, 39MD, 39MG, 39NA, 39NAA, 39ND, 39NDD, 39NG, 39OA, 39OAA, 39OD, 39ODD, 39OG, 39PA, 39PD, 39PG, 39QA, 39QD, 39QG, 39RA, 39RD, 39RG, O0250A, O0250C.

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)

Detailed Data Specifications Report

Section: C

Item ID: C0900C

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
C0900C	Memory/Recall - Staff Names/Faces (3-day Asmt Prd)	Asmt	Checklist	1	1449-1449

Item Values

Value	Value Text
0	Not checked (No)
1	Checked (Yes)
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5057	Consistency	Fatal	C0600-C0900Z Consistency: a) If C0600=[0], then all items from C0900A through C0900Z must be equal to [^]. b) If C0600=[^,1], then all items from C0900A through C0900Z must not be equal to [^]. c) If C0600=[-], then all items from C0900A through C0900Z must be equal to [-].
-5059	Consistency	Fatal	C0900 Consistency: a) If C0900Z=[1], then all items from C0900A through C0900E must be equal to [0]. b) If C0900Z=[0], then at least one of the items C0900A through C0900E must be equal to [1]. c) If C0900Z=[-], then at least one item from C0900A through C0900E must equal [-] and all remaining items must equal [0,-].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V4.00.0]-The following mappings were deleted, since the items were deleted: 29A, 29D, 30A, 30D, 31A, 31D, 32A, 32D, 33A, 33D, 34A, 34D, 35A, 35D, 36A, 36D, 37A, 37D, 38A, 38D, 39AA, 39AD, 39AG, 39BA, 39BD, 39BG, 39CA, 39CD, 39CG, 39DA, 39DD, 39DG, 39EA, 39ED, 39EG, 39FA, 39FD, 39FG, 39GA, 39GD, 39GG, 39HA, 39HD, 39HG, 39IA, 39ID, 39IG, 39JA, 39JD, 39JG, 39KA, 39KD, 39KG, 39LA, 39LAA, 39LD, 39LDD, 39LG, 39MA, 39MD, 39MG, 39NA, 39NAA, 39ND, 39NDD, 39NG, 39OA, 39OAA, 39OD, 39ODD, 39OG, 39PA, 39PD, 39PG, 39QA, 39QD, 39QG, 39RA, 39RD, 39RG, O0250A, O0250C.

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)
Detailed Data Specifications Report
Section: C

Item ID: C0900E

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
C0900E	Memory/Recall - In Hospital Unit (3-day Asmt Prd)	Asmt	Checklist	1	1450-1450

Item Values

Value	Value Text
0	Not checked (No)
1	Checked (Yes)
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5057	Consistency	Fatal	C0600-C0900Z Consistency: a) If C0600=[0], then all items from C0900A through C0900Z must be equal to [^]. b) If C0600=[^,1], then all items from C0900A through C0900Z must not be equal to [^]. c) If C0600=[-], then all items from C0900A through C0900Z must be equal to [-].
-5059	Consistency	Fatal	C0900 Consistency: a) If C0900Z=[1], then all items from C0900A through C0900E must be equal to [0]. b) If C0900Z=[0], then at least one of the items C0900A through C0900E must be equal to [1]. c) If C0900Z=[-], then at least one item from C0900A through C0900E must equal [-] and all remaining items must equal [0,-].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V4.00.0]-The following mappings were deleted, since the items were deleted: 29A, 29D, 30A, 30D, 31A, 31D, 32A, 32D, 33A, 33D, 34A, 34D, 35A, 35D, 36A, 36D, 37A, 37D, 38A, 38D, 39AA, 39AD, 39AG, 39BA, 39BD, 39BG, 39CA, 39CD, 39CG, 39DA, 39DD, 39DG, 39EA, 39ED, 39EG, 39FA, 39FD, 39FG, 39GA, 39GD, 39GG, 39HA, 39HD, 39HG, 39IA, 39ID, 39IG, 39JA, 39JD, 39JG, 39KA, 39KD, 39KG, 39LA, 39LAA, 39LD, 39LDD, 39LG, 39MA, 39MD, 39MG, 39NA, 39NAA, 39ND, 39NDD, 39NG, 39OA, 39OAA, 39OD, 39ODD, 39OG, 39PA, 39PD, 39PG, 39QA, 39QD, 39QG, 39RA, 39RD, 39RG, O0250A, O0250C.

Data Submission Specifications for the IRF-PAI Item Set (V4.00.0)

Detailed Data Specifications Report

Section: C

Item ID: C0900Z

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
C0900Z	Memory/Recall - None Of The Above (3-day Asmt Prd)	Asmt	Checklist	1	1451-1451

Item Values

Value	Value Text
0	Not checked (No)
1	Checked (Yes)
-	Not assessed/no information
^	Skipped

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5057	Consistency	Fatal	C0600-C0900Z Consistency: a) If C0600=[0], then all items from C0900A through C0900Z must be equal to [^]. b) If C0600=[^,1], then all items from C0900A through C0900Z must not be equal to [^]. c) If C0600=[-], then all items from C0900A through C0900Z must be equal to [-].
-5059	Consistency	Fatal	C0900 Consistency: a) If C0900Z=[1], then all items from C0900A through C0900E must be equal to [0]. b) If C0900Z=[0], then at least one of the items C0900A through C0900E must be equal to [1]. c) If C0900Z=[-], then at least one item from C0900A through C0900E must equal [-] and all remaining items must equal [0,-].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V4.00.0]-The following mappings were deleted, since the items were deleted: 29A, 29D, 30A, 30D, 31A, 31D, 32A, 32D, 33A, 33D, 34A, 34D, 35A, 35D, 36A, 36D, 37A, 37D, 38A, 38D, 39AA, 39AD, 39AG, 39BA, 39BD, 39BG, 39CA, 39CD, 39CG, 39DA, 39DD, 39DG, 39EA, 39ED, 39EG, 39FA, 39FD, 39FG, 39GA, 39GD, 39GG, 39HA, 39HD, 39HG, 39IA, 39ID, 39IG, 39JA, 39JD, 39JG, 39KA, 39KD, 39KG, 39LA, 39LAA, 39LD, 39LDD, 39LG, 39MA, 39MD, 39MG, 39NA, 39NAA, 39ND, 39NDD, 39NG, 39OA, 39OAA, 39OD, 39ODD, 39OG, 39PA, 39PD, 39PG, 39QA, 39QD, 39QG, 39RA, 39RD, 39RG, O0250A, O0250C.