

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | |
|---|----|
| Item ID: M1306_UNHLD_STG2_PRSR_ULCR..... | 2 |
| Item ID: M1307_OLDST_STG2_AT_DSCHRG..... | 4 |
| Item ID: M1307_OLDST_STG2_ONST_DT | 6 |
| Item ID: M1311_NBR_PRSULC_STG2_A1 | 8 |
| Item ID: M1311_NBR_ULC_SOCROC_STG2_A2 | 11 |
| Item ID: M1311_NBR_PRSULC_STG3_B1..... | 13 |
| Item ID: M1311_NBR_ULC_SOCROC_STG3_B2 | 16 |
| Item ID: M1311_NBR_PRSULC_STG4_C1..... | 18 |
| Item ID: M1311_NBR_ULC_SOCROC_STG4_C2 | 21 |
| Item ID: M1311_NSTG_DRSG_D1 | 23 |
| Item ID: M1311_NSTG_DRSG_SOCROC_D2..... | 26 |
| Item ID: M1311_NSTG_CVRG_E1 | 28 |
| Item ID: M1311_NSTG_CVRG_SOCROC_E2 | 31 |
| Item ID: M1311_NSTG_DEEP_TSUE_F1 | 33 |
| Item ID: M1311_NSTG_DEEP_TSUE_SOCROC_F2 | 36 |
| Item ID: M1322_NBR_PRSULC_STG1..... | 38 |
| Item ID: M1324_STG_PRBLM_ULCER | 40 |
| Item ID: M1330_STAS_ULCR_PRSNT | 42 |
| Item ID: M1332_NBR_STAS_ULCR..... | 44 |
| Item ID: M1334_STUS_PRBLM_STAS_ULCR | 46 |
| Item ID: M1340_SRGCL_WND_PRSNT | 48 |
| Item ID: M1342_STUS_PRBLM_SRGCL_WND | 50 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1306_UNHLD_STG2_PRSR_ULCR

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Patient has 1+ unhealed PU/injury at stage 2+ | Asmt | | Code | 1 | 786-786 |

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------|
| 0 | | No |
| 1 | | Yes |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3060 | Format | Fatal | VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -5131 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5132 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1. |
| -5111 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5112 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^]. |
| -5122 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5123 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1. |

Data Submission Specifications for the OASIS Item Set (V2.31.0)
Detailed Data Specifications Report
Section: Integumentary Status

Changes for Version

| Type | ID | Description |
|--------------|-----------|--|
| Consistency | -5131 | [V2.31.0]-Replaced by edit -5132 |
| Consistency | -5132 | [V2.31.0]- New edit replacing edit -5131 |
| Skip pattern | -5111 | [V2.31.0]-Replaced by edit -5112 |
| Skip pattern | -5112 | [V2.31.0]-New edit replacing edit -5111 |
| Skip pattern | -5122 | [V2.31.0]-Replaced by edit -5123 |
| Skip pattern | -5123 | [V2.31.0]-New edit replacing edit -5122 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1307_OLDST_STG2_AT_DSCHRG

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Status of oldest stage 2 pressure ulcer at disch | Asmt | | Code | 2 | 787-788 |

Item Subsets

Active: 09
Inactive: 01,03,04,05,06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|---|
| 01 | | Was present at the most recent SOC/ROC assessment |
| 02 | | Developed since the most recent SOC/ROC assessment |
| NA | | No Stage 2 pressure ulcers are present at discharge |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|---|
| -3060 | Format | Fatal | VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -4030 | Skip pattern | Fatal | If M1307_OLDST_STG2_AT_DSCHRG=[01,NA], then if M1307_OLDST_STG2_ONST_DT is active it must equal |
| -4040 | Skip pattern | Fatal | If M1307_OLDST_STG2_AT_DSCHRG=[02], then if M1307_OLDST_STG2_ONST_DT is active it must not equal [^]. |
| -5111 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5112 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^]. |
| -5122 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5123 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCER = [1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1. |

Data Submission Specifications for the OASIS Item Set (V2.31.0)
Detailed Data Specifications Report
Section: Integumentary Status

Changes for Version

| Type | ID | Description |
|--------------|-----------|---|
| Skip pattern | -5111 | [V2.31.0]-Replaced by edit -5112 |
| Skip pattern | -5112 | [V2.31.0]-New edit replacing edit -5111 |
| Skip pattern | -5122 | [V2.31.0]-Replaced by edit -5123 |
| Skip pattern | -5123 | [V2.31.0]-New edit replacing edit -5122 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1307_OLDST_STG2_ONST_DT

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Date of onset of oldest stage 2 pressure ulcer | Asmt | | Date | 8 | 789-796 |

Item Subsets

Active: 09
Inactive: 01,03,04,05,06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|----------|------------|--|
| YYYYMMDD | | Date of onset of oldest stage 2 pressure ulcer |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3070 | Format | Fatal | VALUES OF DATE ITEMS This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101". |
| -3261 | Consistency | Fatal | DATE ITEM CONSISTENCY: PATTERN 1 Each active item in the list below that contains a valid date (not blank) must be in the specified order. If M0032_ROC_DT is equal to [^], then the following rules apply: M0066_PAT_BIRTH_DT < M1005_INP_DISCHARGE_DT <= M0102_PHYSN_ORDRD_SOCROC_DT <= M0030_START_CARE_DT <= M1307_OLDST_STG2_ONST_DT <= M0906_DC_TRAN_DTH_DT <= M0090_INFO_COMPLETED_DT <= Current date |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | | |
|-------|--------------|-------|--|
| -3271 | Consistency | Fatal | <p>DATE ITEM CONSISTENCY: PATTERN 2</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order.</p> <p>If M0032_ROC_DT is NOT equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT <</p> <p>M0030_START_CARE_DT <=</p> <p>M1005_INP_DISCHARGE_DT <=</p> <p>M0102_PHYSN_ORDRD_SOCROC_DT <=</p> <p>M0032_ROC_DT <=</p> <p>M1307_OLDST_STG2_ONST_DT <=</p> <p>M0906_DC_TRAN_DTH_DT <=</p> <p>M0090_INFO_COMPLETED_DT <=</p> <p>Current date</p> |
| -4030 | Skip pattern | Fatal | If M1307_OLDST_STG2_AT_DSCHRG=[01,NA], then if M1307_OLDST_STG2_ONST_DT is active it must equal |
| -4040 | Skip pattern | Fatal | If M1307_OLDST_STG2_AT_DSCHRG=[02], then if M1307_OLDST_STG2_ONST_DT is active it must not equal [^]. |
| -5111 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5112 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^]. |

Changes for Version

| Type | ID | Description |
|--------------|-------|---|
| Skip pattern | -5111 | [V2.31.0]-Replaced by edit -5112 |
| Skip pattern | -5112 | [V2.31.0]-New edit replacing edit -5111 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NBR_PRSULC_STG2_A1

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Number of Stage 2 Pressure Ulcers | Asmt | | Number | 2 | 1560-1561 |

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-------------------------------|
| 00 | | Minimum value |
| 99 | | Maximum value |
| - | | Not assessed (no information) |
| ^ | | Blank (skip pattern) |
| = | | Ignored |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|--|
| -3090 | Format | Fatal | VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3100 | Format | Fatal | FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.],

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

[01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].

| | | | |
|-------|--------------|-------|--|
| -5700 | Format | Fatal | If M0100_ASSMT_REASON=[01,03,09], then item response cannot equal [=]. |
| -4181 | Consistency | Fatal | ***THIS EDIT DELETED IN V2.31.0*** |
| -4182 | Consistency | Fatal | If M0100_ASSMT_REASON=[01,03,09] AND M1324_STG_PRBLM_ULCER=[02], then if M1311_NBR_PRSULC_STG2_A1 is active it must not equal [^] and it must be greater than [00]. |
| -5131 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5132 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1. |
| -5372 | Consistency | Fatal | If M1311_NBR_PRSULC_STG2_A1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG2_A2 is active, then M1311_NBR_ULC_SOCROC_STG2_A2 must be (a) less than or equal to M1311_NBR_PRSULC_STG2_A1, or (b) equal to dash [-]. |
| -5373 | Consistency | Fatal | If M1311_NBR_PRSULC_STG2_A1=[-], then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [-]. |
| -5660 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5661 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1. |
| -5680 | Consistency | Fatal | ***THIS EDIT DELETED IN V2.31.0*** |
| -5681 | Consistency | Fatal | a) If M0100_ASSMT_REASON = [01,03], and M1322_NBR_PRSULC_STG1 and M1311_NBR_PRSULC_STG2_A1 and M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then if M1324_STG_PRBLM_ULCER is active it must be equal to [NA]. b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA]. |
| -5111 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5112 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^]. |
| -5122 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5123 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCER = [1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1. |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | | |
|-------|--------------|-------|--|
| -5371 | Skip pattern | Fatal | (a) If M1311_NBR_PRSULC_STG2_A1=[0], then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [^]. (b) If M1311_NBR_PRSULC_STG2_A1>0, then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must not be equal to [^]. |
|-------|--------------|-------|--|

Changes for Version

| Type | ID | Description |
|--------------|------------------------------|--|
| Item | M1311_NBR_PR SULC_STG2_A1 | [V2.31.0]-Added new item value [=]. |
| Format | -5700 | [V2.31.0]-New edit |
| Consistency | -4181 | [V2.31.0]-This edit replaced by -4182 |
| Consistency | -4182 | [V2.31.0]-New edit replacing -4181 |
| Consistency | -5131 | [V2.31.0]-Replaced by edit -5132 |
| Consistency | -5132 | [V2.31.0]- New edit replacing edit -5131 |
| Consistency | -5660 | [V2.31.0]-Replaced by edit -5661 |
| Consistency | -5661 | [V2.31.0]-New edit replacing edit -5660 |
| Consistency | -5680 | [V2.31.0]-Replaced by edit -5681 |
| Consistency | -5681 | [V2.31.0]- New edit replacing edit -5680 |
| Skip pattern | -5111 | [V2.31.0]-Replaced by edit -5112 |
| Skip pattern | -5112 | [V2.31.0]-New edit replacing edit -5111 |
| Skip pattern | -5122 | [V2.31.0]-Replaced by edit -5123 |
| Skip pattern | -5123 | [V2.31.0]-New edit replacing edit -5122 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NBR_ULC_SOCROC_STG2_A2

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Number of Stage 2 pressure ulcers at SOC/ROC | Asmt | | Number | 2 | 1562-1563 |

Item Subsets

Active: 09
Inactive: 01,03,04,05,06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-------------------------------|
| 00 | | Minimum value |
| 99 | | Maximum value |
| - | | Not assessed (no information) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|--|
| -3090 | Format | Fatal | VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3100 | Format | Fatal | FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.],

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | | |
|-------|--------------|-------|--|
| -5372 | Consistency | Fatal | If M1311_NBR_PRSULC_STG2_A1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG2_A2 is active, then M1311_NBR_ULC_SOCROC_STG2_A2 must be (a) less than or equal to M1311_NBR_PRSULC_STG2_A1, or (b) equal to dash [-]. |
| -5373 | Consistency | Fatal | If M1311_NBR_PRSULC_STG2_A1=[-], then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [-]. |
| -5111 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5112 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^]. |
| -5371 | Skip pattern | Fatal | (a) If M1311_NBR_PRSULC_STG2_A1=[0], then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [^]. (b) If M1311_NBR_PRSULC_STG2_A1>0, then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must not be equal to [^]. |

Changes for Version

| Type | ID | Description |
|--------------|-------|---|
| Skip pattern | -5111 | [V2.31.0]-Replaced by edit -5112 |
| Skip pattern | -5112 | [V2.31.0]-New edit replacing edit -5111 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NBR_PRSULC_STG3_B1

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Number of Stage 3 Pressure Ulcers | Asmt | | Number | 2 | 1564-1565 |

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-------------------------------|
| 00 | | Minimum value |
| 99 | | Maximum value |
| - | | Not assessed (no information) |
| ^ | | Blank (skip pattern) |
| = | | Ignored |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|--|
| -3090 | Format | Fatal | VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3100 | Format | Fatal | FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.],

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

[01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].

| | | | |
|-------|--------------|-------|--|
| -5700 | Format | Fatal | If M0100_ASSMT_REASON=[01,03,09], then item response cannot equal [=]. |
| -4191 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -4192 | Consistency | Fatal | If M0100_ASSMT_REASON=[01,03,09] AND M1324_STG_PRBLM_ULCER=[03], then if M1311_NBR_PRSULC_STG3_B1 is active it must not equal [^] and it must be greater than [00]. |
| -5131 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5132 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1. |
| -5382 | Consistency | Fatal | If M1311_NBR_PRSULC_STG3_B1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG3_B2 is active, then M1311_NBR_ULC_SOCROC_STG3_B2 must be (a) less than or equal to M1311_NBR_PRSULC_STG3_B1, or (b) equal to dash [-]. |
| -5383 | Consistency | Fatal | If M1311_NBR_PRSULC_STG3_B1=[-], then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [-]. |
| -5660 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5661 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1. |
| -5680 | Consistency | Fatal | ***THIS EDIT DELETED IN V2.31.0*** |
| -5681 | Consistency | Fatal | a) If M0100_ASSMT_REASON = [01,03], and M1322_NBR_PRSULC_STG1 and M1311_NBR_PRSULC_STG2_A1 and M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then if M1324_STG_PRBLM_ULCER is active it must be equal to [NA]. b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA]. |
| -5111 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5112 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^]. |
| -5122 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5123 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCER = [1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1. |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | | |
|-------|--------------|-------|--|
| -5381 | Skip pattern | Fatal | (a) If M1311_NBR_PRSULC_STG3_B1=[0], then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [^]. (b) If M1311_NBR_PRSULC_STG3_B1>0, then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must not be equal to [^]. |
|-------|--------------|-------|--|

Changes for Version

| Type | ID | Description |
|--------------|------------------------------|--|
| Item | M1311_NBR_PR SULC_STG3_B1 | [V2.31.0]-Added new item value [=]. |
| Format | -5700 | [V2.31.0]-New edit |
| Consistency | -4191 | [V2.31.0]-Replaced by edit -4192 |
| Consistency | -4192 | [V2.31.0]-New edit replacing -4191 |
| Consistency | -5131 | [V2.31.0]-Replaced by edit -5132 |
| Consistency | -5132 | [V2.31.0]- New edit replacing edit -5131 |
| Consistency | -5660 | [V2.31.0]-Replaced by edit -5661 |
| Consistency | -5661 | [V2.31.0]-New edit replacing edit -5660 |
| Consistency | -5680 | [V2.31.0]-Replaced by edit -5681 |
| Consistency | -5681 | [V2.31.0]- New edit replacing edit -5680 |
| Skip pattern | -5111 | [V2.31.0]-Replaced by edit -5112 |
| Skip pattern | -5112 | [V2.31.0]-New edit replacing edit -5111 |
| Skip pattern | -5122 | [V2.31.0]-Replaced by edit -5123 |
| Skip pattern | -5123 | [V2.31.0]-New edit replacing edit -5122 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NBR_ULC_SOCROC_STG3_B2

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Number of Stage 3 pressure ulcers at SOC/ROC | Asmt | | Number | 2 | 1566-1567 |

Item Subsets

Active: 09
Inactive: 01,03,04,05,06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-------------------------------|
| 00 | | Minimum value |
| 99 | | Maximum value |
| - | | Not assessed (no information) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|--|
| -3090 | Format | Fatal | VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3100 | Format | Fatal | FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.],

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | | |
|-------|--------------|-------|--|
| -5382 | Consistency | Fatal | If M1311_NBR_PRSULC_STG3_B1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG3_B2 is active, then M1311_NBR_ULC_SOCROC_STG3_B2 must be (a) less than or equal to M1311_NBR_PRSULC_STG3_B1, or (b) equal to dash [-]. |
| -5383 | Consistency | Fatal | If M1311_NBR_PRSULC_STG3_B1=[-], then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [-]. |
| -5111 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5112 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^]. |
| -5381 | Skip pattern | Fatal | (a) If M1311_NBR_PRSULC_STG3_B1=[0], then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [^]. (b) If M1311_NBR_PRSULC_STG3_B1>0, then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must not be equal to [^]. |

Changes for Version

| Type | ID | Description |
|--------------|-------|---|
| Skip pattern | -5111 | [V2.31.0]-Replaced by edit -5112 |
| Skip pattern | -5112 | [V2.31.0]-New edit replacing edit -5111 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NBR_PRSULC_STG4_C1

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Number of Stage 4 Pressure Ulcers | Asmt | | Number | 2 | 1568-1569 |

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-------------------------------|
| 00 | | Minimum value |
| 99 | | Maximum value |
| - | | Not assessed (no information) |
| ^ | | Blank (skip pattern) |
| = | | Ignored |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|--|
| -3090 | Format | Fatal | VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3100 | Format | Fatal | FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.],

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

[01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].

| | | | |
|-------|--------------|-------|--|
| -5700 | Format | Fatal | If M0100_ASSMT_REASON=[01,03,09], then item response cannot equal [=]. |
| -4201 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -4202 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03,09], AND M1324_STG_PRBLM_ULCER=[04], then if M1311_NBR_PRSULC_STG4_C1 is active it must not equal [^] and it must be greater than [00]. |
| -5131 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5132 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1. |
| -5392 | Consistency | Fatal | If M1311_NBR_PRSULC_STG4_C1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG4_C2 is active, then M1311_NBR_ULC_SOCROC_STG4_C2 must be (a) less than or equal to M1311_NBR_PRSULC_STG4_C1, or (b) equal to dash [-]. |
| -5393 | Consistency | Fatal | If M1311_NBR_PRSULC_STG4_C1=[-], then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [-]. |
| -5660 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5661 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1. |
| -5680 | Consistency | Fatal | ***THIS EDIT DELETED IN V2.31.0*** |
| -5681 | Consistency | Fatal | a) If M0100_ASSMT_REASON = [01,03], and M1322_NBR_PRSULC_STG1 and M1311_NBR_PRSULC_STG2_A1 and M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then if M1324_STG_PRBLM_ULCER is active it must be equal to [NA]. b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA]. |
| -5111 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5112 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^]. |
| -5122 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5123 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCER = [1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1. |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | | |
|-------|--------------|-------|--|
| -5391 | Skip pattern | Fatal | (a) If M1311_NBR_PRSULC_STG4_C1=[0], then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [^]. (b) If M1311_NBR_PRSULC_STG4_C1>0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must not be equal to [^]. |
|-------|--------------|-------|--|

Changes for Version

| Type | ID | Description |
|--------------|------------------------------|--|
| Item | M1311_NBR_PR SULC_STG4_C1 | [V2.31.0]-Added new item value [=]. |
| Format | -5700 | [V2.31.0]-New edit |
| Consistency | -4201 | [V2.31.0]-Replaced by edit -4202 |
| Consistency | -4202 | [V2.31.0]-New edit replacing -4201 |
| Consistency | -5131 | [V2.31.0]-Replaced by edit -5132 |
| Consistency | -5132 | [V2.31.0]- New edit replacing edit -5131 |
| Consistency | -5660 | [V2.31.0]-Replaced by edit -5661 |
| Consistency | -5661 | [V2.31.0]-New edit replacing edit -5660 |
| Consistency | -5680 | [V2.31.0]-Replaced by edit -5681 |
| Consistency | -5681 | [V2.31.0]- New edit replacing edit -5680 |
| Skip pattern | -5111 | [V2.31.0]-Replaced by edit -5112 |
| Skip pattern | -5112 | [V2.31.0]-New edit replacing edit -5111 |
| Skip pattern | -5122 | [V2.31.0]-Replaced by edit -5123 |
| Skip pattern | -5123 | [V2.31.0]-New edit replacing edit -5122 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NBR_ULC_SOCROC_STG4_C2

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Number of Stage 4 pressure ulcers at SOC/ROC | Asmt | | Number | 2 | 1570-1571 |

Item Subsets

Active: 09
Inactive: 01,03,04,05,06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-------------------------------|
| 00 | | Minimum value |
| 99 | | Maximum value |
| - | | Not assessed (no information) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|--|
| -3090 | Format | Fatal | VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3100 | Format | Fatal | FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.],

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | | |
|-------|--------------|-------|--|
| -5392 | Consistency | Fatal | If M1311_NBR_PRSULC_STG4_C1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG4_C2 is active, then M1311_NBR_ULC_SOCROC_STG4_C2 must be (a) less than or equal to M1311_NBR_PRSULC_STG4_C1, or (b) equal to dash [-]. |
| -5393 | Consistency | Fatal | If M1311_NBR_PRSULC_STG4_C1=[-], then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [-]. |
| -5111 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5112 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^]. |
| -5391 | Skip pattern | Fatal | (a) If M1311_NBR_PRSULC_STG4_C1=[0], then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [^]. (b) If M1311_NBR_PRSULC_STG4_C1>0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must not be equal to [^]. |

Changes for Version

| Type | ID | Description |
|--------------|-------|---|
| Skip pattern | -5111 | [V2.31.0]-Replaced by edit -5112 |
| Skip pattern | -5112 | [V2.31.0]-New edit replacing edit -5111 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NSTG_DRSG_D1

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Num unstage pressure ulcer non-remov dress | Asmt | | Number | 2 | 1572-1573 |

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-------------------------------|
| 00 | | Minimum value |
| 99 | | Maximum value |
| - | | Not assessed (no information) |
| ^ | | Blank (skip pattern) |
| = | | Ignored |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|--|
| -3090 | Format | Fatal | VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3100 | Format | Fatal | FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.],

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | | |
|-------|--------------|-------|---|
| | | | [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5]. |
| -5700 | Format | Fatal | If M0100_ASSMT_REASON=[01,03,09], then item response cannot equal [=]. |
| -5131 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5132 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1. |
| -5402 | Consistency | Fatal | If M1311_NSTG_DRSG_D1 is greater than 0, and M1311_NSTG_DRSG_SOCROC_D2 is active, then M1311_NSTG_DRSG_SOCROC_D2 must be (a) less than or equal to M1311_NSTG_DRSG_D1, or (b) equal to dash [-]. |
| -5403 | Consistency | Fatal | If M1311_NSTG_DRSG_D1=[-], then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [-]. |
| -5660 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5661 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1. |
| -5111 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5112 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^]. |
| -5122 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5123 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCER = [1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1. |
| -5401 | Skip pattern | Fatal | (a) If M1311_NSTG_DRSG_D1=[0], then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [^]. (b) If M1311_NSTG_DRSG_D1>0, then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must not be equal to [^]. |

Changes for Version

| Type | ID | Description |
|--------|--------------------|-------------------------------------|
| Item | M1311_NSTG_DRSG_D1 | [V2.31.0]-Added new item value [=]. |
| Format | -5700 | [V2.31.0]-New edit |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | |
|--------------|-------|--|
| Consistency | -5131 | [V2.31.0]-Replaced by edit -5132 |
| Consistency | -5132 | [V2.31.0]- New edit replacing edit -5131 |
| Consistency | -5660 | [V2.31.0]-Replaced by edit -5661 |
| Consistency | -5661 | [V2.31.0]-New edit replacing edit -5660 |
| Skip pattern | -5111 | [V2.31.0]-Replaced by edit -5112 |
| Skip pattern | -5112 | [V2.31.0]-New edit replacing edit -5111 |
| Skip pattern | -5122 | [V2.31.0]-Replaced by edit -5123 |
| Skip pattern | -5123 | [V2.31.0]-New edit replacing edit -5122 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NSTG_DRSG_SOCROC_D2

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Num unstage pressure ulcer non-remov dress SOC/ROC | Asmt | | Number | 2 | 1574-1575 |

Item Subsets

Active: 09
Inactive: 01,03,04,05,06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-------------------------------|
| 00 | | Minimum value |
| 99 | | Maximum value |
| - | | Not assessed (no information) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|--|
| -3090 | Format | Fatal | VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3100 | Format | Fatal | FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.],

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | | |
|-------|--------------|-------|--|
| -5402 | Consistency | Fatal | If M1311_NSTG_DRSG_D1 is greater than 0, and M1311_NSTG_DRSG_SOCROC_D2 is active, then M1311_NSTG_DRSG_SOCROC_D2 must be (a) less than or equal to M1311_NSTG_DRSG_D1, or (b) equal to dash [-]. |
| -5403 | Consistency | Fatal | If M1311_NSTG_DRSG_D1=[-], then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [-]. |
| -5111 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5112 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^]. |
| -5401 | Skip pattern | Fatal | (a) If M1311_NSTG_DRSG_D1=[0], then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [^]. (b) If M1311_NSTG_DRSG_D1>0, then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must not be equal to [^]. |

Changes for Version

| Type | ID | Description |
|--------------|-------|---|
| Skip pattern | -5111 | [V2.31.0]-Replaced by edit -5112 |
| Skip pattern | -5112 | [V2.31.0]-New edit replacing edit -5111 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NSTG_CVRG_E1

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Unstageable: coverage by slough or eschar | Asmt | | Number | 2 | 1576-1577 |

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-------------------------------|
| 00 | | Minimum value |
| 99 | | Maximum value |
| - | | Not assessed (no information) |
| ^ | | Blank (skip pattern) |
| = | | Ignored |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|--|
| -3090 | Format | Fatal | VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3100 | Format | Fatal | FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.],

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | | |
|-------|--------------|-------|---|
| | | | [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5]. |
| -5700 | Format | Fatal | If M0100_ASSMT_REASON=[01,03,09], then item response cannot equal [=]. |
| -5131 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5132 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1. |
| -5412 | Consistency | Fatal | If M1311_NSTG_CVRG_E1 is greater than 0, and M1311_NSTG_CVRG_SOCROC_E2 is active, then M1311_NSTG_CVRG_SOCROC_E2 must be (a) less than or equal to M1311_NSTG_CVRG_E1, or (b) equal to dash [-]. |
| -5413 | Consistency | Fatal | If M1311_NSTG_CVRG_E1=[-], then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [-]. |
| -5660 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5661 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1. |
| -5111 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5112 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^]. |
| -5122 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5123 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCER = [1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1. |
| -5411 | Skip pattern | Fatal | (a) If M1311_NSTG_CVRG_E1=[0], then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [^]. |
| | | | (b) If M1311_NSTG_CVRG_E1 >0, then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must not be equal to [^]. |

Changes for Version

| Type | ID | Description |
|--------|--------------------|-------------------------------------|
| Item | M1311_NSTG_CVRG_E1 | [V2.31.0]-Added new item value [=]. |
| Format | -5700 | [V2.31.0]-New edit |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | |
|--------------|-------|--|
| Consistency | -5131 | [V2.31.0]-Replaced by edit -5132 |
| Consistency | -5132 | [V2.31.0]- New edit replacing edit -5131 |
| Consistency | -5660 | [V2.31.0]-Replaced by edit -5661 |
| Consistency | -5661 | [V2.31.0]-New edit replacing edit -5660 |
| Skip pattern | -5111 | [V2.31.0]-Replaced by edit -5112 |
| Skip pattern | -5112 | [V2.31.0]-New edit replacing edit -5111 |
| Skip pattern | -5122 | [V2.31.0]-Replaced by edit -5123 |
| Skip pattern | -5123 | [V2.31.0]-New edit replacing edit -5122 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NSTG_CVRG_SOCROC_E2

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Unstageable: coverage by slough or eschar SOC/ROC | Asmt | | Number | 2 | 1578-1579 |

Item Subsets

Active: 09
Inactive: 01,03,04,05,06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-------------------------------|
| 00 | | Minimum value |
| 99 | | Maximum value |
| - | | Not assessed (no information) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|--|
| -3090 | Format | Fatal | VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3100 | Format | Fatal | FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.],

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | | |
|-------|--------------|-------|---|
| -5412 | Consistency | Fatal | If M1311_NSTG_CVRG_E1 is greater than 0, and M1311_NSTG_CVRG_SOCROC_E2 is active, then M1311_NSTG_CVRG_SOCROC_E2 must be (a) less than or equal to M1311_NSTG_CVRG_E1, or (b) equal to dash [-]. |
| -5413 | Consistency | Fatal | If M1311_NSTG_CVRG_E1=[-], then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [-]. |
| -5111 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5112 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^]. |
| -5411 | Skip pattern | Fatal | (a) If M1311_NSTG_CVRG_E1=[0], then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [^]. (b) If M1311_NSTG_CVRG_E1 >0, then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must not be equal to [^]. |

Changes for Version

| Type | ID | Description |
|--------------|-------|---|
| Skip pattern | -5111 | [V2.31.0]-Replaced by edit -5112 |
| Skip pattern | -5112 | [V2.31.0]-New edit replacing edit -5111 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NSTG_DEEP_TSUE_F1

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------|------------|------------|-----------|------------|------------------------------|
| Unstageable: deep tissue injury | Asmt | | Number | 2 | 1580-1581 |

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-------------------------------|
| 00 | | Minimum value |
| 99 | | Maximum value |
| - | | Not assessed (no information) |
| ^ | | Blank (skip pattern) |
| = | | Ignored |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|--|
| -3090 | Format | Fatal | VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3100 | Format | Fatal | FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.],

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | | |
|-------|--------------|-------|---|
| | | | [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5]. |
| -5700 | Format | Fatal | If M0100_ASSMT_REASON=[01,03,09], then item response cannot equal [=]. |
| -5131 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5132 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1. |
| -5422 | Consistency | Fatal | If M1311_NSTG_DEEP_TSUE_F1 is greater than 0, and M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, then M1311_NSTG_DEEP_TSUE_SOCROC_F2 must be (a) less than or equal to M1311_NSTG_DEEP_TSUE_F1, or (b) equal to dash [-]. |
| -5423 | Consistency | Fatal | If M1311_NSTG_DEEP_TSUE_F1=[-], then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [-]. |
| -5660 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5661 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1. |
| -5111 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5112 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^]. |
| -5122 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5123 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCER = [1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1. |
| -5421 | Skip pattern | Fatal | (a) If M1311_NSTG_DEEP_TSUE_F=[0], then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [^]. (b) If M1311_NSTG_DEEP_TSUE_F1 >0, then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must not be equal to [^]. |

Changes for Version

| Type | ID | Description |
|------|-------------------------|-------------------------------------|
| Item | M1311_NSTG_DEEP_TSUE_F1 | [V2.31.0]-Added new item value [=]. |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | |
|--------------|-------|--|
| Format | -5700 | [V2.31.0]-New edit |
| Consistency | -5131 | [V2.31.0]-Replaced by edit -5132 |
| Consistency | -5132 | [V2.31.0]- New edit replacing edit -5131 |
| Consistency | -5660 | [V2.31.0]-Replaced by edit -5661 |
| Consistency | -5661 | [V2.31.0]-New edit replacing edit -5660 |
| Skip pattern | -5111 | [V2.31.0]-Replaced by edit -5112 |
| Skip pattern | -5112 | [V2.31.0]-New edit replacing edit -5111 |
| Skip pattern | -5122 | [V2.31.0]-Replaced by edit -5123 |
| Skip pattern | -5123 | [V2.31.0]-New edit replacing edit -5122 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NSTG_DEEP_TSUE_SOCROC_F2

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Unstageable: deep tissue injury SOC/ROC | Asmt | | Number | 2 | 1582-1583 |

Item Subsets

Active: 09
Inactive: 01,03,04,05,06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-------------------------------|
| 00 | | Minimum value |
| 99 | | Maximum value |
| - | | Not assessed (no information) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|--|
| -3090 | Format | Fatal | VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3100 | Format | Fatal | FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.],

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | | |
|-------|--------------|-------|--|
| -5422 | Consistency | Fatal | If M1311_NSTG_DEEP_TSUE_F1 is greater than 0, and M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, then M1311_NSTG_DEEP_TSUE_SOCROC_F2 must be (a) less than or equal to M1311_NSTG_DEEP_TSUE_F1, or (b) equal to dash [-]. |
| -5423 | Consistency | Fatal | If M1311_NSTG_DEEP_TSUE_F1=[-], then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [-]. |
| -5111 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -5112 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^]. |
| -5421 | Skip pattern | Fatal | (a) If M1311_NSTG_DEEP_TSUE_F=[0], then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [^]. (b) If M1311_NSTG_DEEP_TSUE_F1 >0, then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must not be equal to [^]. |

Changes for Version

| Type | ID | Description |
|--------------|-------|---|
| Skip pattern | -5111 | [V2.31.0]-Replaced by edit -5112 |
| Skip pattern | -5112 | [V2.31.0]-New edit replacing edit -5111 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1322_NBR_PRSULC_STG1

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| Number of stage 1 pressure injuries | Asmt | | Code | 2 | 835-836 |

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------|
| 00 | | 0 |
| 01 | | 1 |
| 02 | | 2 |
| 03 | | 3 |
| 04 | | 4 or more |
| = | | Ignored |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3060 | Format | Fatal | VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -5690 | Format | Fatal | If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=]. |
| -4170 | Consistency | Fatal | ***THIS EDIT DELETED IN V2.31.0*** |
| -4171 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03], AND M1324_STG_PRBLM_ULCER=[01], then if M1322_NBR_PRSULC_STG1 is active it must be > [00]. |
| -5680 | Consistency | Fatal | ***THIS EDIT DELETED IN V2.31.0*** |
| -5681 | Consistency | Fatal | a) If M0100_ASSMT_REASON = [01,03], and M1322_NBR_PRSULC_STG1 and M1311_NBR_PRSULC_STG2_A1 and M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then if M1324_STG_PRBLM_ULCER is active it must be equal to [NA]. b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA].

Changes for Version

| Type | ID | Description |
|-------------|---------------------------|--|
| Item | M1322_NBR_PR SULC_STG1 | [V2.31.0]-Added new item value [=]. |
| Format | -5690 | [V2.31.0]-New edit |
| Consistency | -4170 | [V2.31.0]-Replaced by edit -4171 |
| Consistency | -4171 | [V2.31.0]-New edit replacing -4170 |
| Consistency | -5680 | [V2.31.0]-Replaced by edit -5681 |
| Consistency | -5681 | [V2.31.0]- New edit replacing edit -5680 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1324_STG_PRBLM_ULCER

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Stage of most problematic pressure ulcer/injury | Asmt | | Code | 2 | 837-838 |

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|--|
| 01 | | Stage 1 |
| 02 | | Stage 2 |
| 03 | | Stage 3 |
| 04 | | Stage 4 |
| NA | | Patient has no pressure ulcers or no stageable pressure ulcers |
| = | | Ignored |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3060 | Format | Fatal | VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -5700 | Format | Fatal | If M0100_ASSMT_REASON=[01,03,09], then item response cannot equal [=]. |
| -4170 | Consistency | Fatal | ***THIS EDIT DELETED IN V2.31.0*** |
| -4171 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03], AND M1324_STG_PRBLM_ULCER=[01], then if M1322_NBR_PRSULC_STG1 is active it must be > [00]. |
| -4181 | Consistency | Fatal | ***THIS EDIT DELETED IN V2.31.0*** |
| -4182 | Consistency | Fatal | If M0100_ASSMT_REASON=[01,03,09] AND M1324_STG_PRBLM_ULCER=[02], then if M1311_NBR_PRSULC_STG2_A1 is active it must not equal [^] and it must be greater than [00]. |
| -4191 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

| | | | |
|-------|-------------|-------|--|
| -4192 | Consistency | Fatal | If M0100_ASSMT_REASON=[01,03,09] AND M1324_STG_PRBLM_ULCER=[03], then if M1311_NBR_PRSULC_STG3_B1 is active it must not equal [^] and it must be greater than [00]. |
| -4201 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -4202 | Consistency | Fatal | If M0100_ASSMT_REASON = [01,03,09], AND M1324_STG_PRBLM_ULCER=[04], then if M1311_NBR_PRSULC_STG4_C1 is active it must not equal [^] and it must be greater than [00]. |
| -5680 | Consistency | Fatal | ***THIS EDIT DELETED IN V2.31.0*** |
| -5681 | Consistency | Fatal | a) If M0100_ASSMT_REASON = [01,03], and M1322_NBR_PRSULC_STG1 and M1311_NBR_PRSULC_STG2_A1 and M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then if M1324_STG_PRBLM_ULCER is active it must be equal to [NA]. b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA]. |

Changes for Version

| Type | ID | Description |
|-------------|---------------------------|--|
| Item | M1324_STG_PR BLM_ULCER | [V2.31.0]-Added new item value [=]. |
| Format | -5700 | [V2.31.0]-New edit |
| Consistency | -4170 | [V2.31.0]-Replaced by edit -4171 |
| Consistency | -4171 | [V2.31.0]-New edit replacing -4170 |
| Consistency | -4181 | [V2.31.0]-This edit replaced by -4182 |
| Consistency | -4182 | [V2.31.0]-New edit replacing -4181 |
| Consistency | -4191 | [V2.31.0]-Replaced by edit -4192 |
| Consistency | -4192 | [V2.31.0]-New edit replacing -4191 |
| Consistency | -4201 | [V2.31.0]-Replaced by edit -4202 |
| Consistency | -4202 | [V2.31.0]-New edit replacing -4201 |
| Consistency | -5680 | [V2.31.0]-Replaced by edit -5681 |
| Consistency | -5681 | [V2.31.0]- New edit replacing edit -5680 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1330_STAS_ULCR_PRSNT

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| Does this patient have a stasis ulcer | Asmt | | Code | 2 | 839-840 |

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|---|
| 00 | | No |
| 01 | | Yes, patient has BOTH observable and unobservable stasis ulcers. |
| 02 | | Yes, patient has observable stasis ulcers ONLY. |
| 03 | | Yes, patient has unobservable stasis ulcers ONLY (known but not observable due to non- removable dressing/device) |
| = | | Ignored |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|---|
| -3060 | Format | Fatal | VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -5700 | Format | Fatal | If M0100_ASSMT_REASON=[01,03,09], then item response cannot equal [=]. |
| -4220 | Skip pattern | Fatal | ***THIS EDIT DELETED IN V2.31.0*** |
| -4221 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09], and M1330_STAS_ULCR_PRSNT = [00,03], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must equal [^]. |
| -4230 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -4231 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1330_STAS_ULCR_PRSNT = [01,02], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must not equal [^]. |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Changes for Version

| Type | ID | Description |
|--------------|----------------------------|---|
| Item | M1330_STAS_U LCR_PRSENT | [V2.31.0]-Added new item value [=]. |
| Format | -5700 | [V2.31.0]-New edit |
| Skip pattern | -4220 | [V2.31.0]-Replaced by edit -4221 |
| Skip pattern | -4221 | [V2.31.0]-New edit replacing edit -4220 |
| Skip pattern | -4230 | [V2.31.0]-Replaced by edit -4231 |
| Skip pattern | -4231 | [V2.31.0]-New edit replacing edit -4230 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1332_NBR_STAS_ULCR

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------|------------|------------|-----------|------------|------------------------------|
| Number of stasis ulcers | Asmt | | Code | 2 | 841-842 |

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 01 | | One |
| 02 | | Two |
| 03 | | Three |
| 04 | | Four or more |
| ^ | | Blank (skip pattern) |
| = | | Ignored |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3060 | Format | Fatal | VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -5690 | Format | Fatal | If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=]. |
| -4220 | Skip pattern | Fatal | ***THIS EDIT DELETED IN V2.31.0*** |
| -4221 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09], and M1330_STAS_ULCR_PRSENT = [00,03], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must equal [^]. |
| -4230 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -4231 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1330_STAS_ULCR_PRSENT = [01,02], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must not equal [^]. |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Changes for Version

| Type | ID | Description |
|--------------|-------------------------|---|
| Item | M1332_NBR_ST AS_ULCR | [V2.31.0]-Added new item value [=]. |
| Format | -5690 | [V2.31.0]-New edit |
| Skip pattern | -4220 | [V2.31.0]-Replaced by edit -4221 |
| Skip pattern | -4221 | [V2.31.0]-New edit replacing edit -4220 |
| Skip pattern | -4230 | [V2.31.0]-Replaced by edit -4231 |
| Skip pattern | -4231 | [V2.31.0]-New edit replacing edit -4230 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1334_STUS_PRBLM_STAS_ULCR

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Status of most problematic stasis ulcer | Asmt | | Code | 2 | 843-844 |

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|---------------------------|
| 01 | | Fully granulating |
| 02 | | Early/partial granulation |
| 03 | | Not healing |
| ^ | | Blank (skip pattern) |
| = | | Ignored |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3060 | Format | Fatal | VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -5700 | Format | Fatal | If M0100_ASSMT_REASON=[01,03,09], then item response cannot equal [=]. |
| -4220 | Skip pattern | Fatal | ***THIS EDIT DELETED IN V2.31.0*** |
| -4221 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09], and M1330_STAS_ULCR_PRSENT = [00,03], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must equal [^]. |
| -4230 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -4231 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1330_STAS_ULCR_PRSENT = [01,02], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must not equal [^]. |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Changes for Version

| Type | ID | Description |
|--------------|------------------------------------|---|
| Item | M1334_STUS_P RBLM_STAS_UL CR | [V2.31.0]-Added new item value [=]. |
| Format | -5700 | [V2.31.0]-New edit |
| Skip pattern | -4220 | [V2.31.0]-Replaced by edit -4221 |
| Skip pattern | -4221 | [V2.31.0]-New edit replacing edit -4220 |
| Skip pattern | -4230 | [V2.31.0]-Replaced by edit -4231 |
| Skip pattern | -4231 | [V2.31.0]-New edit replacing edit -4230 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1340_SRGCL_WND_PRSNT

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Does this patient have a surgical wound | Asmt | | Code | 2 | 845-846 |

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|--|
| 00 | | No |
| 01 | | Yes, patient has at least one observable surgical wound |
| 02 | | Surgical wound known but not observable due to non-removable dressing/device |
| = | | Ignored |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3060 | Format | Fatal | VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -5700 | Format | Fatal | If M0100_ASSMT_REASON=[01,03,09], then item response cannot equal [=]. |
| -4240 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -4241 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1340_SRGCL_WND_PRSNT = [00,02], then if M1342_STUS_PRBLM_SRGCL_WND is active it must equal [^]. |
| -4250 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -4251 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09], and M1340_SRGCL_WND_PRSNT = [01], then if M1342_STUS_PRBLM_SRGCL_WND is active it must not equal [^]. |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Changes for Version

| Type | ID | Description |
|--------------|-------------|---|
| Item | M1340_SRGL_ | [V2.31.0]-Added new item value [=]. |
| | WND_PRNT | |
| Format | -5700 | [V2.31.0]-New edit |
| Skip pattern | -4240 | [V2.31.0]-Replaced by edit -4241 |
| Skip pattern | -4241 | [V2.31.0]-New edit replacing edit -4240 |
| Skip pattern | -4250 | [V2.31.0]-Replaced by edit -4251 |
| Skip pattern | -4251 | [V2.31.0]-New edit replacing edit -4250 |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1342_STUS_PRBLM_SRGCL_WND

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Status of most problematic surgical wound | Asmt | | Code | 2 | 847-848 |

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|---------------------------|
| 00 | | Newly epithelialized |
| 01 | | Fully granulating |
| 02 | | Early/partial granulation |
| 03 | | Not healing |
| ^ | | Blank (skip pattern) |
| = | | Ignored |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3060 | Format | Fatal | VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -5700 | Format | Fatal | If M0100_ASSMT_REASON=[01,03,09], then item response cannot equal [=]. |
| -4240 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -4241 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09] and M1340_SRGCL_WND_PRSENT = [00,02], then if M1342_STUS_PRBLM_SRGCL_WND is active it must equal [^]. |
| -4250 | Skip pattern | Fatal | ***THIS EDIT WAS DELETED IN V2.31.0*** |
| -4251 | Skip pattern | Fatal | If M0100_ASSMT_REASON = [01,03,09], and M1340_SRGCL_WND_PRSENT = [01], then if M1342_STUS_PRBLM_SRGCL_WND is active it must not equal [^]. |

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Integumentary Status

Changes for Version

| Type | ID | Description |
|--------------|------------------------------------|---|
| Item | M1342_STUS_P RBLM_SRGCL_ WND | [V2.31.0]-Added new item value [=]. |
| Format | -5700 | [V2.31.0]-New edit |
| Skip pattern | -4240 | [V2.31.0]-Replaced by edit -4241 |
| Skip pattern | -4241 | [V2.31.0]-New edit replacing edit -4240 |
| Skip pattern | -4250 | [V2.31.0]-Replaced by edit -4251 |
| Skip pattern | -4251 | [V2.31.0]-New edit replacing edit -4250 |