

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section:

|                      |    |
|----------------------|----|
| Item ID: I0100 ..... | 4  |
| Item ID: I0200 ..... | 5  |
| Item ID: I0300 ..... | 6  |
| Item ID: I0400 ..... | 7  |
| Item ID: I0500 ..... | 8  |
| Item ID: I0600 ..... | 9  |
| Item ID: I0700 ..... | 10 |
| Item ID: I0800 ..... | 11 |
| Item ID: I0900 ..... | 12 |
| Item ID: I1100 ..... | 13 |
| Item ID: I1200 ..... | 14 |
| Item ID: I1300 ..... | 15 |
| Item ID: I1400 ..... | 16 |
| Item ID: I1500 ..... | 17 |
| Item ID: I1550 ..... | 18 |
| Item ID: I1650 ..... | 19 |
| Item ID: I1700 ..... | 20 |
| Item ID: I2000 ..... | 21 |
| Item ID: I2100 ..... | 22 |
| Item ID: I2200 ..... | 23 |
| Item ID: I2300 ..... | 24 |
| Item ID: I2400 ..... | 25 |
| Item ID: I2500 ..... | 26 |
| Item ID: I2900 ..... | 27 |
| Item ID: I3100 ..... | 28 |
| Item ID: I3200 ..... | 29 |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

|                      |    |
|----------------------|----|
| Item ID: I3300 ..... | 30 |
| Item ID: I3400 ..... | 31 |
| Item ID: I3700 ..... | 32 |
| Item ID: I3800 ..... | 33 |
| Item ID: I3900 ..... | 34 |
| Item ID: I4000 ..... | 35 |
| Item ID: I4200 ..... | 36 |
| Item ID: I4300 ..... | 37 |
| Item ID: I4400 ..... | 38 |
| Item ID: I4500 ..... | 39 |
| Item ID: I4800 ..... | 40 |
| Item ID: I4900 ..... | 41 |
| Item ID: I5000 ..... | 42 |
| Item ID: I5100 ..... | 43 |
| Item ID: I5200 ..... | 44 |
| Item ID: I5250 ..... | 45 |
| Item ID: I5300 ..... | 46 |
| Item ID: I5350 ..... | 47 |
| Item ID: I5400 ..... | 48 |
| Item ID: I5500 ..... | 49 |
| Item ID: I5600 ..... | 50 |
| Item ID: I5700 ..... | 51 |
| Item ID: I5800 ..... | 52 |
| Item ID: I5900 ..... | 53 |
| Item ID: I5950 ..... | 54 |
| Item ID: I6000 ..... | 55 |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

|                       |    |
|-----------------------|----|
| Item ID: I6100 .....  | 56 |
| Item ID: I6200 .....  | 57 |
| Item ID: I6300 .....  | 58 |
| Item ID: I6500 .....  | 59 |
| Item ID: I7900 .....  | 60 |
| Item ID: I8000A ..... | 61 |
| Item ID: I8000B ..... | 62 |
| Item ID: I8000C ..... | 63 |
| Item ID: I8000D ..... | 64 |
| Item ID: I8000E ..... | 65 |
| Item ID: I8000F ..... | 66 |
| Item ID: I8000G ..... | 67 |
| Item ID: I8000H ..... | 68 |
| Item ID: I8000I ..... | 69 |
| Item ID: I8000J ..... | 70 |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I0100

| Item Label                          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| Cancer (with or without metastasis) | Asmt       |            | Checklist | 1          | 694-694                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I0200

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------|------------|------------|-----------|------------|------------------------------|
| Anemia     | Asmt       |            | Checklist | 1          | 695-695                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I0300

| Item Label                                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Atrial fibrillation and other dysrhythmias | Asmt       |            | Checklist | 1          | 696-696                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I0400

| Item Label                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------|------------|------------|-----------|------------|------------------------------|
| Coronary artery disease (CAD) | Asmt       |            | Checklist | 1          | 697-697                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I0500

| Item Label                               | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Deep venous thrombosis (DVT), PE, or PTE | Asmt       |            | Checklist | 1          | 698-698                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |



# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I0600

| Item Label    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------|------------|------------|-----------|------------|------------------------------|
| Heart failure | Asmt       |            | Checklist | 1          | 699-699                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I0700

| Item Label   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------|------------|------------|-----------|------------|------------------------------|
| Hypertension | Asmt       |            | Checklist | 1          | 700-700                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I0800

| Item Label              | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------|------------|------------|-----------|------------|------------------------------|
| Orthostatic hypotension | Asmt       |            | Checklist | 1          | 701-701                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I0900

| Item Label                               | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Peripheral vascular disease (PVD) or PAD | Asmt       |            | Checklist | 1          | 702-702                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I1100

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------|------------|------------|-----------|------------|------------------------------|
| Cirrhosis  | Asmt       |            | Checklist | 1          | 703-703                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I1200

| Item Label                                      | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Gastroesophageal reflux disease (GERD) or ulcer | Asmt       |            | Checklist | 1          | 704-704                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I1300

| Item Label   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Ulcerative colitis, Chrohn's, inflam bowel disease | Asmt       |            | Checklist | 1          | 705-705                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I1400

| Item Label                         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------|------------|------------|-----------|------------|------------------------------|
| Benign prostatic hyperplasia (BPH) | Asmt       |            | Checklist | 1          | 706-706                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |



# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I1500

| Item Label                               | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Renal insufficiency, renal failure, ESRD | Asmt       |            | Checklist | 1          | 707-707                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I1550

| Item Label         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------|------------|------------|-----------|------------|------------------------------|
| Neurogenic bladder | Asmt       |            | Checklist | 1          | 708-708                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I1650

| Item Label           | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------|------------|------------|-----------|------------|------------------------------|
| Obstructive uropathy | Asmt       |            | Checklist | 1          | 709-709                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I1700

| Item Label                          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| Multidrug resistant organism (MDRO) | Asmt       |            | Checklist | 1          | 710-710                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I2000

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------|------------|------------|-----------|------------|------------------------------|
| Pneumonia  | Asmt       |            | Checklist | 1          | 711-711                      |

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I2100

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------|------------|------------|-----------|------------|------------------------------|
| Septicemia | Asmt       |            | Checklist | 1          | 712-712                      |

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I2200

| Item Label   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------|------------|------------|-----------|------------|------------------------------|
| Tuberculosis | Asmt       |            | Checklist | 1          | 713-713                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I2300

| Item Label                                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Urinary tract infection (UTI) (LAST 30 DAYS) | Asmt       |            | Checklist | 1          | 714-714                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |



# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I2400

| Item Label  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Viral hepatitis (includes type A, B, C, D, and E) | Asmt       |            | Checklist | 1          | 715-715                      |

#### Item Subsets

Active: NC,NQ,NP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I2500

| Item Label                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Wound infection (other than foot) | Asmt       |            | Checklist | 1          | 716-716                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I2900

| Item Label             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------|------------|------------|-----------|------------|------------------------------|
| Diabetes mellitus (DM) | Asmt       |            | Checklist | 1          | 717-717                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD

Inactive: NS,NT,SS,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I3100

| Item Label   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------|------------|------------|-----------|------------|------------------------------|
| Hyponatremia | Asmt       |            | Checklist | 1          | 718-718                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I3200

| Item Label   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------|------------|------------|-----------|------------|------------------------------|
| Hyperkalemia | Asmt       |            | Checklist | 1          | 719-719                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I3300

| Item Label                                  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Hyperlipidemia (e.g., hypercholesterolemia) | Asmt       |            | Checklist | 1          | 720-720                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I3400

| Item Label       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------|------------|------------|-----------|------------|------------------------------|
| Thyroid disorder | Asmt       |            | Checklist | 1          | 721-721                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I3700

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------|------------|------------|-----------|------------|------------------------------|
| Arthritis  | Asmt       |            | Checklist | 1          | 722-722                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |



# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I3800

| Item Label   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------|------------|------------|-----------|------------|------------------------------|
| Osteoporosis | Asmt       |            | Checklist | 1          | 723-723                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I3900

| Item Label   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------|------------|------------|-----------|------------|------------------------------|
| Hip fracture | Asmt       |            | Checklist | 1          | 724-724                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I4000

| Item Label     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------|------------|------------|-----------|------------|------------------------------|
| Other fracture | Asmt       |            | Checklist | 1          | 725-725                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I4200

| Item Label          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------|------------|------------|-----------|------------|------------------------------|
| Alzheimer's disease | Asmt       |            | Checklist | 1          | 726-726                      |

#### Item Subsets

Active: NC,NQ,NP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I4300

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------|------------|------------|-----------|------------|------------------------------|
| Aphasia    | Asmt       |            | Checklist | 1          | 727-727                      |

#### Item Subsets

Active: NC,NQ,NP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I4400

| Item Label     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------|------------|------------|-----------|------------|------------------------------|
| Cerebral palsy | Asmt       |            | Checklist | 1          | 728-728                      |

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I4500

| Item Label                                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Cerebrovascular accident (CVA), TIA, or stroke | Asmt       |            | Checklist | 1          | 729-729                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I4800

| Item Label               | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------|------------|------------|-----------|------------|------------------------------|
| Non-Alzheimer's dementia | Asmt       |            | Checklist | 1          | 730-730                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |



# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I4900

| Item Label                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------|------------|------------|-----------|------------|------------------------------|
| Hemiplegia or hemiparesis | Asmt       |            | Checklist | 1          | 731-731                      |

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I5000

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------|------------|------------|-----------|------------|------------------------------|
| Paraplegia | Asmt       |            | Checklist | 1          | 732-732                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I5100

| Item Label   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------|------------|------------|-----------|------------|------------------------------|
| Quadriplegia | Asmt       |            | Checklist | 1          | 733-733                      |

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I5200

| Item Label         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------|------------|------------|-----------|------------|------------------------------|
| Multiple sclerosis | Asmt       |            | Checklist | 1          | 734-734                      |

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I5250

| Item Label           | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------|------------|------------|-----------|------------|------------------------------|
| Huntington's disease | Asmt       |            | Checklist | 1          | 735-735                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I5300

| Item Label          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------|------------|------------|-----------|------------|------------------------------|
| Parkinson's disease | Asmt       |            | Checklist | 1          | 736-736                      |

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I5350

| Item Label          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------|------------|------------|-----------|------------|------------------------------|
| Tourette's syndrome | Asmt       |            | Checklist | 1          | 737-737                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I5400

| Item Label                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------|------------|------------|-----------|------------|------------------------------|
| Seizure disorder or epilepsy | Asmt       |            | Checklist | 1          | 738-738                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |



# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I5500

| Item Label                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------|------------|------------|-----------|------------|------------------------------|
| Traumatic brain injury (TBI) | Asmt       |            | Checklist | 1          | 739-739                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I5600

| Item Label   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Malnutrition (protein, calorie), risk of malnutrit | Asmt       |            | Checklist | 1          | 740-740                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I5700

| Item Label       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------|------------|------------|-----------|------------|------------------------------|
| Anxiety disorder | Asmt       |            | Checklist | 1          | 741-741                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I5800

| Item Label                      | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------|------------|------------|-----------|------------|------------------------------|
| Depression (other than bipolar) | Asmt       |            | Checklist | 1          | 742-742                      |

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I5900

| Item Label                         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------|------------|------------|-----------|------------|------------------------------|
| Manic depression (bipolar disease) | Asmt       |            | Checklist | 1          | 743-743                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I5950

| Item Label                                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Psychotic disorder (other than schizophrenia) | Asmt       |            | Checklist | 1          | 744-744                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I6000

| Item Label    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------|------------|------------|-----------|------------|------------------------------|
| Schizophrenia | Asmt       |            | Checklist | 1          | 745-745                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I6100

| Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| Post-traumatic stress disorder (PTSD) | Asmt       |            | Checklist | 1          | 746-746                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |



# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I6200

| Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| Asthma (COPD) or chronic lung disease | Asmt       |            | Checklist | 1          | 747-747                      |

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I6300

| Item Label          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------|------------|------------|-----------|------------|------------------------------|
| Respiratory failure | Asmt       |            | Checklist | 1          | 748-748                      |

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I6500

| Item Label                                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Cataracts, glaucoma, or macular degeneration | Asmt       |            | Checklist | 1          | 749-749                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I7900

| Item Label                                       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| None of above active diseases within last 7 days | Asmt       |            | Checklist | 1          | 750-750                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3507   | None of above | Fatal    | If I0100 through I6500 and I7900 are all active, then the following rules apply:<br>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].<br>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].<br>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items. |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I8000A

| Item Label                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Additional active ICD diagnosis 1 | Asmt       |            | ICD       | 8          | 751-758                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value  | LOINC Code | Value Text                |
|--------|------------|---------------------------|
| ICD-10 |            | ICD-10 code               |
| ^      |            | Blank (no diagnosis code) |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text  |
|---------|-----------|----------|--|
| -3591   | Format    | Fatal    | ***THIS EDIT WAS DELETED IN V1.15.0 OF THE DATA SPECS  |
| -3852   | Format    | Fatal    | <p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that an entirely blank ICD code must be submitted as a single caret: [^].</p> |

#### Supplemental Information

| Info ID | Type        | Text   |
|---------|-------------|--|
| -9006   | Information | Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.  |
| -9019   | Information | <p>For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.</p> <p>For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).</p> |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I8000B

| Item Label                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Additional active ICD diagnosis 2 | Asmt       |            | ICD       | 8          | 759-766                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value  | LOINC Code | Value Text                |
|--------|------------|---------------------------|
| ICD-10 |            | ICD-10 code               |
| ^      |            | Blank (no diagnosis code) |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text  |
|---------|-----------|----------|--|
| -3591   | Format    | Fatal    | ***THIS EDIT WAS DELETED IN V1.15.0 OF THE DATA SPECS  |
| -3852   | Format    | Fatal    | <p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that an entirely blank ICD code must be submitted as a single caret: [^].</p> |

#### Supplemental Information

| Info ID | Type        | Text   |
|---------|-------------|--|
| -9006   | Information | Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.  |
| -9019   | Information | <p>For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.</p> <p>For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).</p> |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I8000C

| Item Label                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Additional active ICD diagnosis 3 | Asmt       |            | ICD       | 8          | 767-774                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value  | LOINC Code | Value Text                |
|--------|------------|---------------------------|
| ICD-10 |            | ICD-10 code               |
| ^      |            | Blank (no diagnosis code) |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text  |
|---------|-----------|----------|--|
| -3591   | Format    | Fatal    | ***THIS EDIT WAS DELETED IN V1.15.0 OF THE DATA SPECS  |
| -3852   | Format    | Fatal    | <p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that an entirely blank ICD code must be submitted as a single caret: [^].</p> |

#### Supplemental Information

| Info ID | Type        | Text   |
|---------|-------------|--|
| -9006   | Information | Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.  |
| -9019   | Information | <p>For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.</p> <p>For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).</p> |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I8000D

| Item Label                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Additional active ICD diagnosis 4 | Asmt       |            | ICD       | 8          | 775-782                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value  | LOINC Code | Value Text                |
|--------|------------|---------------------------|
| ICD-10 |            | ICD-10 code               |
| ^      |            | Blank (no diagnosis code) |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text  |
|---------|-----------|----------|--|
| -3591   | Format    | Fatal    | ***THIS EDIT WAS DELETED IN V1.15.0 OF THE DATA SPECS  |
| -3852   | Format    | Fatal    | <p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that an entirely blank ICD code must be submitted as a single caret: [^].</p> |

#### Supplemental Information

| Info ID | Type        | Text   |
|---------|-------------|--|
| -9006   | Information | Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.  |
| -9019   | Information | <p>For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.</p> <p>For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).</p> |



# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I8000E

| Item Label                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Additional active ICD diagnosis 5 | Asmt       |            | ICD       | 8          | 783-790                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value  | LOINC Code | Value Text                |
|--------|------------|---------------------------|
| ICD-10 |            | ICD-10 code               |
| ^      |            | Blank (no diagnosis code) |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text  |
|---------|-----------|----------|--|
| -3591   | Format    | Fatal    | ***THIS EDIT WAS DELETED IN V1.15.0 OF THE DATA SPECS  |
| -3852   | Format    | Fatal    | <p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that an entirely blank ICD code must be submitted as a single caret: [^].</p> |

#### Supplemental Information

| Info ID | Type        | Text   |
|---------|-------------|--|
| -9006   | Information | Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.  |
| -9019   | Information | <p>For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.</p> <p>For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).</p> |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I8000F

| Item Label                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Additional active ICD diagnosis 6 | Asmt       |            | ICD       | 8          | 791-798                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value  | LOINC Code | Value Text                |
|--------|------------|---------------------------|
| ICD-10 |            | ICD-10 code               |
| ^      |            | Blank (no diagnosis code) |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text  |
|---------|-----------|----------|--|
| -3591   | Format    | Fatal    | ***THIS EDIT WAS DELETED IN V1.15.0 OF THE DATA SPECS  |
| -3852   | Format    | Fatal    | <p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that an entirely blank ICD code must be submitted as a single caret: [^].</p> |

#### Supplemental Information

| Info ID | Type        | Text   |
|---------|-------------|--|
| -9006   | Information | Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.  |
| -9019   | Information | <p>For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.</p> <p>For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).</p> |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I8000G

| Item Label                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Additional active ICD diagnosis 7 | Asmt       |            | ICD       | 8          | 799-806                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value  | LOINC Code | Value Text                |
|--------|------------|---------------------------|
| ICD-10 |            | ICD-10 code               |
| ^      |            | Blank (no diagnosis code) |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text  |
|---------|-----------|----------|--|
| -3591   | Format    | Fatal    | ***THIS EDIT WAS DELETED IN V1.15.0 OF THE DATA SPECS  |
| -3852   | Format    | Fatal    | <p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that an entirely blank ICD code must be submitted as a single caret: [^].</p> |

#### Supplemental Information

| Info ID | Type        | Text   |
|---------|-------------|--|
| -9006   | Information | Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.  |
| -9019   | Information | <p>For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.</p> <p>For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).</p> |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I8000H

| Item Label                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Additional active ICD diagnosis 8 | Asmt       |            | ICD       | 8          | 807-814                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value  | LOINC Code | Value Text                |
|--------|------------|---------------------------|
| ICD-10 |            | ICD-10 code               |
| ^      |            | Blank (no diagnosis code) |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text  |
|---------|-----------|----------|--|
| -3591   | Format    | Fatal    | ***THIS EDIT WAS DELETED IN V1.15.0 OF THE DATA SPECS  |
| -3852   | Format    | Fatal    | <p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that an entirely blank ICD code must be submitted as a single caret: [^].</p> |

#### Supplemental Information

| Info ID | Type        | Text   |
|---------|-------------|--|
| -9006   | Information | Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.  |
| -9019   | Information | <p>For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.</p> <p>For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).</p> |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I8000I

| Item Label                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Additional active ICD diagnosis 9 | Asmt       |            | ICD       | 8          | 815-822                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value  | LOINC Code | Value Text                |
|--------|------------|---------------------------|
| ICD-10 |            | ICD-10 code               |
| ^      |            | Blank (no diagnosis code) |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text  |
|---------|-----------|----------|--|
| -3591   | Format    | Fatal    | ***THIS EDIT WAS DELETED IN V1.15.0 OF THE DATA SPECS  |
| -3852   | Format    | Fatal    | <p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that an entirely blank ICD code must be submitted as a single caret: [^].</p> |

#### Supplemental Information

| Info ID | Type        | Text   |
|---------|-------------|--|
| -9006   | Information | Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.  |
| -9019   | Information | <p>For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.</p> <p>For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).</p> |

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: I

Item ID: I8000J

| Item Label                         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------|------------|------------|-----------|------------|------------------------------|
| Additional active ICD diagnosis 10 | Asmt       |            | ICD       | 8          | 823-830                      |

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE,SPE

State optional:

#### Item Values

| Value  | LOINC Code | Value Text                |
|--------|------------|---------------------------|
| ICD-10 |            | ICD-10 code               |
| ^      |            | Blank (no diagnosis code) |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text  |
|---------|-----------|----------|--|
| -3591   | Format    | Fatal    | ***THIS EDIT WAS DELETED IN V1.15.0 OF THE DATA SPECS  |
| -3852   | Format    | Fatal    | <p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that an entirely blank ICD code must be submitted as a single caret: [^].</p> |

#### Supplemental Information

| Info ID | Type        | Text   |
|---------|-------------|--|
| -9006   | Information | Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.  |
| -9019   | Information | <p>For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.</p> <p>For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).</p> |