

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0100A .....	3
Item ID: M0100B.....	4
Item ID: M0100C.....	5
Item ID: M0100Z.....	6
Item ID: M0150.....	7
Item ID: M0210.....	8
Item ID: M0300A .....	10
Item ID: M0300B1 .....	11
Item ID: M0300B2 .....	13
Item ID: M0300B3 .....	15
Item ID: M0300C1.....	18
Item ID: M0300C2.....	20
Item ID: M0300D1 .....	22
Item ID: M0300D2 .....	24
Item ID: M0300E1.....	26
Item ID: M0300E2.....	28
Item ID: M0300F1.....	30
Item ID: M0300F2.....	32
Item ID: M0300G1 .....	34
Item ID: M0300G2 .....	36
Item ID: M0610A .....	38
Item ID: M0610B.....	40
Item ID: M0610C.....	42
Item ID: M0700.....	44
Item ID: M0800A .....	45
Item ID: M0800B.....	47

## Data Submission Specifications for the MDS Item Set (V2.00.1)

### Detailed Data Specifications Report

#### Section: M

Item ID: M0800C.....	49
Item ID: M0900A .....	51
Item ID: M0900B.....	52
Item ID: M0900C.....	53
Item ID: M0900D .....	54
Item ID: M1030.....	55
Item ID: M1040A .....	56
Item ID: M1040B.....	57
Item ID: M1040C.....	58
Item ID: M1040D .....	59
Item ID: M1040E.....	60
Item ID: M1040F .....	61
Item ID: M1040G .....	62
Item ID: M1040H .....	63
Item ID: M1040Z.....	64
Item ID: M1200A .....	65
Item ID: M1200B.....	66
Item ID: M1200C.....	67
Item ID: M1200D .....	68
Item ID: M1200E.....	69
Item ID: M1200F .....	70
Item ID: M1200G .....	71
Item ID: M1200H .....	72
Item ID: M1200I.....	73
Item ID: M1200Z.....	74

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0100A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Risk determination: has ulcer, scar, or dressing	Asmt		Checklist	1	893-893

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3595	None of above	Fatal	If M0100A through M0100C and M0100Z are all active, then the following rules apply: a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1]. b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0]. c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0100B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Risk determination: formal assessment	Asmt		Checklist	1	894-894

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3595	None of above	Fatal	If M0100A through M0100C and M0100Z are all active, then the following rules apply: a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1]. b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0]. c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0100C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Risk determination: clinical assessment	Asmt		Checklist	1	895-895

#### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3595	None of above	Fatal	If M0100A through M0100C and M0100Z are all active, then the following rules apply: a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1]. b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0]. c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0100Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Risk determination: none of the above	Asmt		Checklist	1	896-896

#### Item Subsets

Active: NC,NQ,NP,SP

Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3595	None of above	Fatal	If M0100A through M0100C and M0100Z are all active, then the following rules apply: a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1]. b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0]. c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0150

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Is resident at risk of developing pressure ulcer	Asmt		Code	1	897-897

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0210

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Resident has Stage 1 or higher pressure ulcers	Asmt		Code	1	898-898

#### Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD,NPE

Inactive: NS,NT,SS,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3596	Consistency	Fatal	a) If A0310E=[1], then all active items from M0800A through M0800C must equal [^]. b) If A0310E=[0] and M0210=[1], then all active items from M0800A through M0800C must not equal [^]. c) If A0310E=[0] and M0210=[-], then all active items from M0800A through M0800C must equal [-].
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3542	Skip pattern	Fatal	If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].
-3543	Skip pattern	Fatal	If M0210=[1], then if M0300C1 is active it must not equal [^].
-3544	Skip pattern	Fatal	If M0210=[1], then if M0300D1 is active it must not equal [^].
-3545	Skip pattern	Fatal	If M0210=[1], then if M0300E1 is active it must not equal [^].
-3546	Skip pattern	Fatal	If M0210=[1], then if M0300F1 is active it must not equal [^].
-3547	Skip pattern	Fatal	If M0210=[1], then if M0300G1 is active it must not equal [^].
-3705	Skip pattern	Fatal	a) If M0210=[1], then if M0700 is active it must not equal [^]. b) If M0210=[-], then if M0700 is active it must equal [-].



**Data Submission Specifications for the MDS Item Set (V2.00.1)**  
**Detailed Data Specifications Report**  
**Section: M**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Item	M0210	[V2.00.0]-Item added to the new NPE and SPE item subsets. [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0.
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 1 pressure ulcers: number present	Asmt		Number	1	899-899

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3542	Skip pattern	Fatal	If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300B1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 2 pressure ulcers: number present	Asmt		Number	1	900-900

#### Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD,NPE

Inactive: NS,NT,SS,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3662	Consistency	Fatal	If M0300B1 is equal to [1-9], then one of the following must be true: a) M0300B2 must be equal to [-], OR b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3847	Consistency	Fatal	If M0800A=[0-9] and M0300B1=[0-9], then the value in M0800A must be less than or equal to the value in M0300B1.
-3857	Consistency	Fatal	If A0310E=[0] and M0300B1=[-], then M0800A must equal [-].
-3542	Skip pattern	Fatal	If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].

**Data Submission Specifications for the MDS Item Set (V2.00.1)**  
**Detailed Data Specifications Report**

**Section: M**

-3548	Skip pattern	Fatal	a) If M0300B1=[1-9], then all active items from M0300B2 through M0300B3 must not equal [^]. b) If M0300B1=[0,^], then all active items from M0300B2 through M0300B3 must equal [^]. c) If M0300B1=[-], then all active items from M0300B2 through M0300B3 must equal [-].
-------	--------------	-------	---

**Version Changes**

Type	ID	Description
Item	M0300B1	[V2.00.0]-Item added to the new NPE and SPE item subsets. [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 2 pressure ulcers: number at admit/reentry	Asmt		Number	1	901-901

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD,NPE

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3662	Consistency	Fatal	If M0300B1 is equal to [1-9], then one of the following must be true: a) M0300B2 must be equal to [-], OR b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3548	Skip pattern	Fatal	a) If M0300B1=[1-9], then all active items from M0300B2 through M0300B3 must not equal [^]. b) If M0300B1=[0,^], then all active items from M0300B2 through M0300B3 must equal [^]. c) If M0300B1=[-], then all active items from M0300B2 through M0300B3 must equal [-].

**Data Submission Specifications for the MDS Item Set (V2.00.1)**  
**Detailed Data Specifications Report**  
**Section: M**

**Version Changes**

Type	ID	Description
Item	M0300B2	[V2.00.0]-Item added to the new NPE and SPE item subsets. [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0. Item was added to the NSD, NOD and ND item subsets, per issue 04 of the errata for V2.00.0.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300B3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 2 pressure ulcers: date of oldest	Asmt		Date	8	902-909

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Date of oldest Stage 2 pressure ulcer
-----		Unknown
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	<p>Values of Date Items:</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p>
-3612	Consistency	Fatal	<p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> <p>b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].</p>

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

-3851	Consistency	Fatal	<p>Date Item Consistency Rules</p> <p>Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.</p> <p>-----</p> <p>GROUP A RULES (Edit –3851a)</p> <p>Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:</p> <p>A0900 (birthdate) &lt;=</p> <p>A1900 (admission date) &lt;=</p> <p>A1600 (entry date) &lt;=</p> <p>A2300 (assessment reference date) = A2000 (discharge date) &lt;=</p> <p>Z0500B (date RN signed assessment as complete) &lt;=</p> <p>V0200B2 (CAT assessment process signature date) &lt;=</p> <p>V0200C2 (CAT care planning signature date) &lt;=</p> <p>X1100E (correction: attestation date) &lt;=</p> <p>current date</p> <p>-----</p> <p>GROUP B (Edit –3851b)</p> <p>Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:</p> <ol style="list-style-type: none"><li>1. Each Group B date must be greater than or equal to A0900 (birthdate).</li><li>2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.</li><li>3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.</li><li>4. For start/end date pairs shown below, the start date must be less than or equal to the end date.</li><li>5. Otherwise, the Group B dates may be in any order.</li></ol> <p>The following is a list of Group B dates:</p> <p>A2400B &lt;= A2400C (Medicare stay start/end)</p> <p>M0300B3 (date of oldest Stage 2 pressure ulcer)</p> <p>O0250B (date influenza vaccine received)</p> <p>O0400A5 &lt;= O0400A6 (speech-language audiology therapy start/end)</p> <p>O0400B5 &lt;= O0400B6 (occupational therapy start/end)</p> <p>O0400C5 &lt;= O0400C6 (physical therapy start/end)</p> <p>V0100C (prior assessment reference date)</p> <p>-----</p> <p>GROUP C RULES</p> <p>The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).</p> <p>RULE C1 (Edit –3851c1)</p> <p>If A0310A = [05, 06] and A1700=[1] (admission), then Rule C1 applies:</p> <p>A1600 (entry date) &lt;=</p> <p>A2200 (previous ARD for significant correction)&lt;=</p> <p>A2300 (assessment reference date)</p>
-------	-------------	-------	---



## Data Submission Specifications for the MDS Item Set (V2.00.1)

### Detailed Data Specifications Report

#### Section: M

RULE C2: (Edit -3851c2)

If A0310A = [05, 06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=

A2200 (previous ARD for significant correction) <=

A2300 (assessment reference date)

-----

GROUP D (Edit -3851d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)

O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-, ^, -----]), then each of those dates must be greater than or equal to A1600 (entry date).

-3548      Skip pattern      Fatal

a) If M0300B1=[1-9], then all active items from M0300B2 through M0300B3 must not equal [^].

b) If M0300B1=[0, ^], then all active items from M0300B2 through M0300B3 must equal [^].

c) If M0300B1=[-], then all active items from M0300B2 through M0300B3 must equal [-].

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300C1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 3 pressure ulcers: number present	Asmt		Number	1	910-910

#### Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD,NPE

Inactive: NS,NT,SS,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3593	Consistency	Fatal	a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^]. b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].
-3663	Consistency	Fatal	If M0300C1 is equal to [1-9], then one of the following must be true: a) M0300C2 must be equal to [-], OR b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1.
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].

## Data Submission Specifications for the MDS Item Set (V2.00.1)

### Detailed Data Specifications Report

#### Section: M

-3848	Consistency	Fatal	If M0800B=[0-9] and M0300C1=[0-9], then the value in M0800B must be less than or equal to the value in M0300C1.
-3858	Consistency	Fatal	If A0310E=[0] and M0300C1=[-], then M0800B must equal [-].
-3543	Skip pattern	Fatal	If M0210=[1], then if M0300C1 is active it must not equal [^].
-3549	Skip pattern	Fatal	a) If M0300C1=[1-9], then if M0300C2 is active it must not equal [^]. b) If M0300C1=[0,^], then if M0300C2 is active it must equal [^]. c) If M0300C1=[-], then if M0300C2 is active it must equal [-].

#### Version Changes

Type	ID	Description
Item	M0300C1	[V2.00.0]-Item added to the new NPE and SPE item subsets. [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300C2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 3 pressure ulcers: number at admit/reentry	Asmt		Number	1	911-911

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD,NPE

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	<p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p>
-3680	Format	Fatal	<p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p>
-3663	Consistency	Fatal	<p>If M0300C1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300C2 must be equal to [-], OR</p> <p>b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1.</p>
-3612	Consistency	Fatal	<p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> <p>b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].</p>
-3549	Skip pattern	Fatal	<p>a) If M0300C1=[1-9], then if M0300C2 is active it must not equal [^].</p> <p>b) If M0300C1=[0,^], then if M0300C2 is active it must equal [^].</p> <p>c) If M0300C1=[-], then if M0300C2 is active it must equal [-].</p>

## Data Submission Specifications for the MDS Item Set (V2.00.1)

### Detailed Data Specifications Report

#### Section: M

##### Version Changes

Type	ID	Description
Item	M0300C2	[V2.00.0]-Item added to the new NPE and SPE item subsets. [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0. Item was added to the NSD, NOD and ND item subsets, per issue 04 of the errata for V2.00.0.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300D1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 4 pressure ulcers: number present	Asmt		Number	1	912-912

#### Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD,NPE

Inactive: NS,NT,SS,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3593	Consistency	Fatal	a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^]. b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].
-3664	Consistency	Fatal	If M0300D1 is equal to [1-9], then one of the following must be true: a) M0300D2 must be equal to [-], OR b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1.
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].

## Data Submission Specifications for the MDS Item Set (V2.00.1)

### Detailed Data Specifications Report

#### Section: M

-3849	Consistency	Fatal	If M0800C=[0-9] and M0300D1=[0-9], then the value in M0800C must be less than or equal to the value in M0300D1.
-3859	Consistency	Fatal	If A0310E=[0] and M0300D1=[-], then M0800C must equal [-].
-3544	Skip pattern	Fatal	If M0210=[1], then if M0300D1 is active it must not equal [^].
-3550	Skip pattern	Fatal	a) If M0300D1=[1-9], then if M0300D2 is active it must not equal [^]. b) If M0300D1=[0,^], then if M0300D2 is active it must equal [^]. c) If M0300D1=[-], then if M0300D2 is active it must equal [-].

#### Version Changes

Type	ID	Description
Item	M0300D1	[V2.00.0]-Item added to the new NPE and SPE item subsets. [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300D2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 4 pressure ulcers: number at admit/reentry	Asmt		Number	1	913-913

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD,NPE

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3664	Consistency	Fatal	If M0300D1 is equal to [1-9], then one of the following must be true: a) M0300D2 must be equal to [-], OR b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1.
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3550	Skip pattern	Fatal	a) If M0300D1=[1-9], then if M0300D2 is active it must not equal [^]. b) If M0300D1=[0,^], then if M0300D2 is active it must equal [^]. c) If M0300D1=[-], then if M0300D2 is active it must equal [-].



## Data Submission Specifications for the MDS Item Set (V2.00.1)

### Detailed Data Specifications Report

#### Section: M

##### Version Changes

Type	ID	Description
Item	M0300D2	[V2.00.0]-Item added to the new NPE and SPE item subsets. [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0. Item was added to the NSD, NOD and ND item subsets, per issue 04 of the errata for V2.00.0.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300E1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstaged due to dressing: number present	Asmt		Number	1	914-914

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD,NPE

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3665	Consistency	Fatal	If M0300E1 is equal to [1-9], then one of the following must be true: a) M0300E2 must be equal to [-], OR b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1.
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3545	Skip pattern	Fatal	If M0210=[1], then if M0300E1 is active it must not equal [^].

**Data Submission Specifications for the MDS Item Set (V2.00.1)**  
**Detailed Data Specifications Report**

**Section: M**

-3551	Skip pattern	Fatal	a) If M0300E1=[1-9], then if M0300E2 is active it must not equal [^]. b) If M0300E1=[0,^], then if M0300E2 is active it must equal [^]. c) If M0300E1=[-], then if M0300E2 is active it must equal [-].
-------	--------------	-------	---

**Version Changes**

Type	ID	Description
Item	M0300E1	[V2.00.0]-Item added to the new NPE and SPE item subsets. [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300E2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstaged due to dressing: number at admit/reentry	Asmt		Number	1	915-915

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD,NPE

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3665	Consistency	Fatal	If M0300E1 is equal to [1-9], then one of the following must be true: a) M0300E2 must be equal to [-], OR b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1.
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3551	Skip pattern	Fatal	a) If M0300E1=[1-9], then if M0300E2 is active it must not equal [^]. b) If M0300E1=[0,^], then if M0300E2 is active it must equal [^]. c) If M0300E1=[-], then if M0300E2 is active it must equal [-].

## Data Submission Specifications for the MDS Item Set (V2.00.1)

### Detailed Data Specifications Report

#### Section: M

##### Version Changes

Type	ID	Description
Item	M0300E2	[V2.00.0]-Item added to the new NPE and SPE item subsets. [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0. Item was added to the NSD, NOD and ND item subsets, per issue 04 of the errata for V2.00.0.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300F1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstaged slough/eschar: number present	Asmt		Number	1	916-916

#### Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD,NPE

Inactive: NS,NT,SS,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3593	Consistency	Fatal	a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^]. b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].
-3666	Consistency	Fatal	If M0300F1 is equal to [1-9], then one of the following must be true: a) M0300F2 must be equal to [-], OR b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1.
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].

## Data Submission Specifications for the MDS Item Set (V2.00.1)

### Detailed Data Specifications Report

#### Section: M

-3546	Skip pattern	Fatal	If M0210=[1], then if M0300F1 is active it must not equal [^].
-3552	Skip pattern	Fatal	a) If M0300F1=[1-9], then if M0300F2 is active it must not equal [^]. b) If M0300F1=[0,^], then if M0300F2 is active it must equal [^]. c) If M0300F1=[-], then if M0300F2 is active it must equal [-].

#### Version Changes

Type	ID	Description
Item	M0300F1	[V2.00.0]-Item added to the new NPE and SPE item subsets. [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300F2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstaged slough/eschar: number at admit/reentry	Asmt		Number	1	917-917

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD,NPE

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3666	Consistency	Fatal	If M0300F1 is equal to [1-9], then one of the following must be true: a) M0300F2 must be equal to [-], OR b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1.
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3552	Skip pattern	Fatal	a) If M0300F1=[1-9], then if M0300F2 is active it must not equal [^]. b) If M0300F1=[0,^], then if M0300F2 is active it must equal [^]. c) If M0300F1=[-], then if M0300F2 is active it must equal [-].



## Data Submission Specifications for the MDS Item Set (V2.00.1)

### Detailed Data Specifications Report

#### Section: M

##### Version Changes

Type	ID	Description
Item	M0300F2	[V2.00.0]-Item added to the new NPE and SPE item subsets. [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0. Item was added to the NSD, NOD and ND item subsets, per issue 04 of the errata for V2.00.0.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300G1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstageable - deep tissue injury: # present	Asmt		Number	1	918-918

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD,NPE

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3667	Consistency	Fatal	If M0300G1 is equal to [1-9], then one of the following must be true: a) M0300G2 must be equal to [-], OR b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1.
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3547	Skip pattern	Fatal	If M0210=[1], then if M0300G1 is active it must not equal [^].

## Data Submission Specifications for the MDS Item Set (V2.00.1)

### Detailed Data Specifications Report

#### Section: M

-3553	Skip pattern	Fatal	a) If M0300G1=[1-9], then if M0300G2 is active it must not equal [^]. b) If M0300G1=[0,^], then if M0300G2 is active it must equal [^]. c) If M0300G1=[-], then if M0300G2 is active it must equal [-].
-------	--------------	-------	---

#### Version Changes

Type	ID	Description
Item	M0300G1	[V2.00.0]-Item added to the new NPE and SPE item subsets. Label changed to "deep tissue injury". [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300G2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstageable - deep tissue injury: # at adm/reent	Asmt		Number	1	919-919

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD,NPE

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3667	Consistency	Fatal	If M0300G1 is equal to [1-9], then one of the following must be true: a) M0300G2 must be equal to [-], OR b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1.
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3553	Skip pattern	Fatal	a) If M0300G1=[1-9], then if M0300G2 is active it must not equal [^]. b) If M0300G1=[0,^], then if M0300G2 is active it must equal [^]. c) If M0300G1=[-], then if M0300G2 is active it must equal [-].

**Data Submission Specifications for the MDS Item Set (V2.00.1)**  
**Detailed Data Specifications Report**  
**Section: M**

**Version Changes**

Type	ID	Description
Item	M0300G2	[V2.00.0]-Item added to the new NPE and SPE item subsets. Label changed to "deep tissue injury". [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0610A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 3 or 4 pressure ulcer longest length	Asmt		Number	4	920-923

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

#### Item Values

Value	LOINC Code	Value Text
00.0		Minimum length (cm)
99.9		Maximum length (cm)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	<p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p>
-3682	Format	Fatal	<p>Formatting of Numeric Items with Tenths Decimal Values:</p> <p>Only integer values, values with tenths decimals, and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading and trailing zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and tenth value may be included; however the fractional portion beyond the tenths decimal place must not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1.2] and the maximum length is equal to 4: [1.2], [01.2]. The following values are NOT allowed and will lead to a fatal error: [1.21], [1.20].</p> <p>The following examples are allowable if the value to be submitted is an integer equal to [1] and the maximum length is equal to 4: [1], [01], [1.], [01.], [1.0], [01.0]. The following values are NOT allowed and will lead to a fatal error: [1.00], [01.00].</p>
-3593	Consistency	Fatal	<p>a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^].</p> <p>b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].</p>
-3612	Consistency	Fatal	<p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> <p>b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].</p>

**Data Submission Specifications for the MDS Item Set (V2.00.1)**  
**Detailed Data Specifications Report**  
**Section: M**

**Supplemental Information**

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9014	Information	<p>Rounding of Numeric Items with Tenths Decimal Values:</p> <p>This item should be rounded to the nearest tenth decimal place. If the value in the hundredth decimal place is equal to 0 through 4, round the value down to the nearest tenth (i.e., discard the fractional portion of the number after the tenth decimal place). If the value in the hundredth decimal place is equal to 5 through 9, round the value up to the next largest tenth decimal value.</p>

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0610B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 3 or 4 pressure ulcer width (same ulcer)	Asmt		Number	4	924-927

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

#### Item Values

Value	LOINC Code	Value Text
00.0		Minimum width (cm)
99.9		Maximum width (cm)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3682	Format	Fatal	Formatting of Numeric Items with Tenths Decimal Values: Only integer values, values with tenths decimals, and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading and trailing zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and tenth value may be included; however the fractional portion beyond the tenths decimal place must not be included. The following examples are allowable if the value to be submitted is equal to [1.2] and the maximum length is equal to 4: [1.2], [01.2]. The following values are NOT allowed and will lead to a fatal error: [1.21], [1.20]. The following examples are allowable if the value to be submitted is an integer equal to [1] and the maximum length is equal to 4: [1], [01], [1.], [01.], [1.0], [01.0]. The following values are NOT allowed and will lead to a fatal error: [1.00], [01.00].
-3593	Consistency	Fatal	a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^]. b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].



## Data Submission Specifications for the MDS Item Set (V2.00.1)

### Detailed Data Specifications Report

#### Section: M

##### Supplemental Information

Info ID	Type	Text
-9014	Information	<p>Rounding of Numeric Items with Tenths Decimal Values:</p> <p>This item should be rounded to the nearest tenth decimal place. If the value in the hundredth decimal place is equal to 0 through 4, round the value down to the nearest tenth (i.e., discard the fractional portion of the number after the tenth decimal place). If the value in the hundredth decimal place is equal to 5 through 9, round the value up to the next largest tenth decimal value.</p>

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0610C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 3 or 4 pressure ulcer depth (same ulcer)	Asmt		Number	4	928-931

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

#### Item Values

Value	LOINC Code	Value Text
00.0		Minimum depth (cm)
99.9		Maximum depth (cm)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	<p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p>
-3682	Format	Fatal	<p>Formatting of Numeric Items with Tenths Decimal Values:</p> <p>Only integer values, values with tenths decimals, and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading and trailing zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and tenth value may be included; however the fractional portion beyond the tenths decimal place must not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1.2] and the maximum length is equal to 4: [1.2], [01.2]. The following values are NOT allowed and will lead to a fatal error: [1.21], [1.20].</p> <p>The following examples are allowable if the value to be submitted is an integer equal to [1] and the maximum length is equal to 4: [1], [01], [1.], [01.], [1.0], [01.0]. The following values are NOT allowed and will lead to a fatal error: [1.00], [01.00].</p>
-3593	Consistency	Fatal	<p>a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^].</p> <p>b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].</p>
-3612	Consistency	Fatal	<p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> <p>b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].</p>

## Data Submission Specifications for the MDS Item Set (V2.00.1)

### Detailed Data Specifications Report

#### Section: M

##### Supplemental Information

Info ID	Type	Text
-9014	Information	<p>Rounding of Numeric Items with Tenths Decimal Values:</p> <p>This item should be rounded to the nearest tenth decimal place. If the value in the hundredth decimal place is equal to 0 through 4, round the value down to the nearest tenth (i.e., discard the fractional portion of the number after the tenth decimal place). If the value in the hundredth decimal place is equal to 5 through 9, round the value up to the next largest tenth decimal value.</p>

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Tissue type for ulcer at most advanced stage	Asmt		Code	1	932-932

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
1		Epithelial tissue-new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin.
2		Granulation tissue-pink or red tissue with shiny, moist, granular appearance
3		Slough-yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous
4		Eschar-black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin.
9		None of the above
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3705	Skip pattern	Fatal	a) If M0210=[1], then if M0700 is active it must not equal [^]. b) If M0210=[-], then if M0700 is active it must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0800A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Worsened since prior asmt: Stage 2 pressure ulcers	Asmt		Number	1	933-933

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD,NPE

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3596	Consistency	Fatal	a) If A0310E=[1], then all active items from M0800A through M0800C must equal [^]. b) If A0310E=[0] and M0210=[1], then all active items from M0800A through M0800C must not equal [^]. c) If A0310E=[0] and M0210=[-], then all active items from M0800A through M0800C must equal [-].
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3847	Consistency	Fatal	If M0800A=[0-9] and M0300B1=[0-9], then the value in M0800A must be less than or equal to the value in M0300B1.
-3857	Consistency	Fatal	If A0310E=[0] and M0300B1=[-], then M0800A must equal [-].

**Data Submission Specifications for the MDS Item Set (V2.00.1)**  
**Detailed Data Specifications Report**  
**Section: M**

**Version Changes**

Type	ID	Description
Item	M0800A	[V2.00.0]-Item added to the new NPE and SPE item subsets. [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0800B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Worsened since prior asmt: Stage 3 pressure ulcers	Asmt		Number	1	934-934

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD,NPE

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3596	Consistency	Fatal	a) If A0310E=[1], then all active items from M0800A through M0800C must equal [^]. b) If A0310E=[0] and M0210=[1], then all active items from M0800A through M0800C must not equal [^]. c) If A0310E=[0] and M0210=[-], then all active items from M0800A through M0800C must equal [-].
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3848	Consistency	Fatal	If M0800B=[0-9] and M0300C1=[0-9], then the value in M0800B must be less than or equal to the value in M0300C1.
-3858	Consistency	Fatal	If A0310E=[0] and M0300C1=[-], then M0800B must equal [-].

**Data Submission Specifications for the MDS Item Set (V2.00.1)**  
**Detailed Data Specifications Report**  
**Section: M**

**Version Changes**

Type	ID	Description
Item	M0800B	[V2.00.0]-Item added to the new NPE and SPE item subsets. [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0.



# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0800C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Worsened since prior asmt: Stage 4 pressure ulcers	Asmt		Number	1	935-935

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD,NPE

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3596	Consistency	Fatal	a) If A0310E=[1], then all active items from M0800A through M0800C must equal [^]. b) If A0310E=[0] and M0210=[1], then all active items from M0800A through M0800C must not equal [^]. c) If A0310E=[0] and M0210=[-], then all active items from M0800A through M0800C must equal [-].
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3849	Consistency	Fatal	If M0800C=[0-9] and M0300D1=[0-9], then the value in M0800C must be less than or equal to the value in M0300D1.
-3859	Consistency	Fatal	If A0310E=[0] and M0300D1=[-], then M0800C must equal [-].

**Data Submission Specifications for the MDS Item Set (V2.00.1)**  
**Detailed Data Specifications Report**  
**Section: M**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Item	M0800C	[V2.00.0]-Item added to the new NPE and SPE item subsets. [V2.00.1]-Item is no longer associated with the SPE item subset, which was deleted per issue 09 of the errata for V2.00.0.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0900A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pressure ulcers on prior assessment	Asmt		Code	1	936-936

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3670	Skip pattern	Fatal	If A0310E=[1], then all active items from M0900A through M0900D must equal [^].
-3597	Skip pattern	Fatal	If A0310E=[0], then if M0900A is active it must equal [0,1,-].
-3598	Skip pattern	Fatal	a) If M0900A=[1], then all active items from M0900B through M0900D must not equal [^]. b) If M0900A=[0,^], then all active items from M0900B through M0900D must equal [^]. c) If M0900A=[-], then all active items from M0900B through M0900D must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0900B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Healed pressure ulcers: Stage 2	Asmt		Number	1	937-937

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3670	Skip pattern	Fatal	If A0310E=[1], then all active items from M0900A through M0900D must equal [^].
-3598	Skip pattern	Fatal	a) If M0900A=[1], then all active items from M0900B through M0900D must not equal [^]. b) If M0900A=[0,^], then all active items from M0900B through M0900D must equal [^]. c) If M0900A=[-], then all active items from M0900B through M0900D must equal [-].

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0900C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Healed pressure ulcers: Stage 3	Asmt		Number	1	938-938

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3670	Skip pattern	Fatal	If A0310E=[1], then all active items from M0900A through M0900D must equal [^].
-3598	Skip pattern	Fatal	a) If M0900A=[1], then all active items from M0900B through M0900D must not equal [^]. b) If M0900A=[0,^], then all active items from M0900B through M0900D must equal [^]. c) If M0900A=[-], then all active items from M0900B through M0900D must equal [-].

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M0900D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Healed pressure ulcers: Stage 4	Asmt		Number	1	939-939

#### Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX,NPE

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3670	Skip pattern	Fatal	If A0310E=[1], then all active items from M0900A through M0900D must equal [^].
-3598	Skip pattern	Fatal	a) If M0900A=[1], then all active items from M0900B through M0900D must not equal [^]. b) If M0900A=[0,^], then all active items from M0900B through M0900D must equal [^]. c) If M0900A=[-], then all active items from M0900B through M0900D must equal [-].

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1030

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Number of venous and arterial ulcers	Asmt		Number	1	940-940

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	<p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p>
-3680	Format	Fatal	<p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p>

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1040A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other skin probs: infection of the foot	Asmt		Checklist	1	941-941

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.



# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1040B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other skin probs: diabetic foot ulcer(s)	Asmt		Checklist	1	942-942

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1040C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other skin probs: other open lesion(s) on the foot	Asmt		Checklist	1	943-943

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1040D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other skin probs: lesions not ulcers, rashes, cuts	Asmt		Checklist	1	944-944

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1040E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other skin probs: surgical wound(s)	Asmt		Checklist	1	945-945

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1040F

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other skin probs: burns (second or third degree)	Asmt		Checklist	1	946-946

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1040G

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin Tear(s)	Asmt		Checklist	1	1454-1454

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1040H

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Moisture Associated Skin Damage (MASD)	Asmt		Checklist	1	1455-1455

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1040Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other skin probs: none of the above	Asmt		Checklist	1	947-947

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3828	None of above	Fatal	If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.



# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1200A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer treat: pressure reduce device for chair	Asmt		Checklist	1	948-948

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1200B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer treat: pressure reducing device for bed	Asmt		Checklist	1	949-949

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1200C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer treat: turning/repositioning	Asmt		Checklist	1	950-950

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1200D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer treat: nutrition/hydration	Asmt		Checklist	1	951-951

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1200E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer treat: pressure ulcer care	Asmt		Checklist	1	952-952

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1200F

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer treat: surgical wound care	Asmt		Checklist	1	953-953

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1200G

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer treat: application of dressings	Asmt		Checklist	1	954-954

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1200H

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer treat: apply ointments/medications	Asmt		Checklist	1	955-955

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.



# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1200I

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer treat: apply dressings to feet	Asmt		Checklist	1	956-956

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.1)

## Detailed Data Specifications Report

### Section: M

Item ID: M1200Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Skin/ulcer treat: none of the above	Asmt		Checklist	1	957-957

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3515	None of above	Fatal	If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.