

**Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT**  
**Detailed Data Specifications Report**  
**Section: L**

|                       |   |
|-----------------------|---|
| Item ID: L0200A ..... | 2 |
| Item ID: L0200B ..... | 3 |
| Item ID: L0200C ..... | 4 |
| Item ID: L0200D ..... | 5 |
| Item ID: L0200E ..... | 6 |
| Item ID: L0200F ..... | 7 |
| Item ID: L0200G ..... | 8 |
| Item ID: L0200Z ..... | 9 |

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200A

| Item Label                                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Dental: broken or loosely fitting denture | Asmt       |            | Checklist | 1          | 885-885                      |

#### Item Subsets

Active: NC,NQ,NP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3513   | None of above | Fatal    | If L0200A through L0200G and L0200Z are all active, then the following rules apply:<br>a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1].<br>b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0].<br>c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200B

| Item Label                                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Dental: no natural teeth or tooth fragment(s) | Asmt       |            | Checklist | 1          | 886-886                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3513   | None of above | Fatal    | If L0200A through L0200G and L0200Z are all active, then the following rules apply:<br>a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1].<br>b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0].<br>c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200C

| Item Label                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------|------------|------------|-----------|------------|------------------------------|
| Dental: abnormal mouth tissue | Asmt       |            | Checklist | 1          | 887-887                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3513   | None of above | Fatal    | If L0200A through L0200G and L0200Z are all active, then the following rules apply:<br>a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1].<br>b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0].<br>c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200D

| Item Label                             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Dental: cavity or broken natural teeth | Asmt       |            | Checklist | 1          | 888-888                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3513   | None of above | Fatal    | If L0200A through L0200G and L0200Z are all active, then the following rules apply:<br>a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1].<br>b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0].<br>c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200E

| Item Label                                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Dental: inflamed/bleeding gums or loose teeth | Asmt       |            | Checklist | 1          | 889-889                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3513   | None of above | Fatal    | If L0200A through L0200G and L0200Z are all active, then the following rules apply:<br>a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1].<br>b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0].<br>c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200F

| Item Label                                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Dental: pain, discomfort, difficulty chewing | Asmt       |            | Checklist | 1          | 890-890                      |

#### Item Subsets

Active: NC,NQ,NP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3513   | None of above | Fatal    | If L0200A through L0200G and L0200Z are all active, then the following rules apply:<br>a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1].<br>b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0].<br>c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200G

| Item Label                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------|------------|------------|-----------|------------|------------------------------|
| Dental: unable to examine | Asmt       |            | Checklist | 1          | 891-891                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3513   | None of above | Fatal    | If L0200A through L0200G and L0200Z are all active, then the following rules apply:<br>a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1].<br>b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0].<br>c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |



# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200Z

| Item Label                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------|------------|------------|-----------|------------|------------------------------|
| Dental: none of the above | Asmt       |            | Checklist | 1          | 892-892                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3513   | None of above | Fatal    | If L0200A through L0200G and L0200Z are all active, then the following rules apply:<br>a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1].<br>b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0].<br>c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-]. |

#### Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |