

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: V

| | |
|--------------------------|----|
| Item ID: V0100A..... | 3 |
| Item ID: V0100B..... | 5 |
| Item ID: V0100C..... | 7 |
| Item ID: V0100D | 10 |
| Item ID: V0100E..... | 12 |
| Item ID: V0100F | 14 |
| Item ID: V0200A01A | 16 |
| Item ID: V0200A01B | 17 |
| Item ID: V0200A02A | 18 |
| Item ID: V0200A02B | 19 |
| Item ID: V0200A03A | 20 |
| Item ID: V0200A03B | 21 |
| Item ID: V0200A04A | 22 |
| Item ID: V0200A04B | 23 |
| Item ID: V0200A05A | 24 |
| Item ID: V0200A05B | 25 |
| Item ID: V0200A06A | 26 |
| Item ID: V0200A06B | 27 |
| Item ID: V0200A07A | 28 |
| Item ID: V0200A07B | 29 |
| Item ID: V0200A08A | 30 |
| Item ID: V0200A08B | 31 |
| Item ID: V0200A09A | 32 |
| Item ID: V0200A09B | 33 |
| Item ID: V0200A10A | 34 |
| Item ID: V0200A10B | 35 |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: V

| | |
|--------------------------|----|
| Item ID: V0200A11A | 36 |
| Item ID: V0200A11B | 37 |
| Item ID: V0200A12A | 38 |
| Item ID: V0200A12B | 39 |
| Item ID: V0200A13A | 40 |
| Item ID: V0200A13B | 41 |
| Item ID: V0200A14A | 42 |
| Item ID: V0200A14B | 43 |
| Item ID: V0200A15A | 44 |
| Item ID: V0200A15B | 45 |
| Item ID: V0200A16A | 46 |
| Item ID: V0200A16B | 47 |
| Item ID: V0200A17A | 48 |
| Item ID: V0200A17B | 49 |
| Item ID: V0200A18A | 50 |
| Item ID: V0200A18B | 51 |
| Item ID: V0200A19A | 52 |
| Item ID: V0200A19B | 53 |
| Item ID: V0200A20A | 54 |
| Item ID: V0200A20B | 55 |
| Item ID: V0200B2..... | 56 |
| Item ID: V0200C2..... | 59 |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0100A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------------|------------|------------|-----------|------------|------------------------------|
| Prior OBRA reason for assessment | Asmt | | Code | 2 | 1142-1143 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|--|
| 01 | | Admission assessment (required by day 14) |
| 02 | | Quarterly review assessment |
| 03 | | Annual assessment |
| 04 | | Significant change in status assessment |
| 05 | | Significant correction to prior comprehensive assessment |
| 06 | | Significant correction to prior quarterly assessment |
| 99 | | None of the above |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3782 | Consistency | Fatal | V0100A and V0100B cannot both be equal to [99]. |
| -3744 | Consistency | Fatal | If A0310E=[1], then all active items from V0100A through V0100F must equal [^]. |

Supplemental Information

| Info ID | Type | Text |
|---------|-------------|--|
| -9015 | Information | Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment. |
| -9016 | Information | V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01,02,03,04,05,06]. The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs. The purpose of V0100A through V0100C is to document the prior assessment that contained those values. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: V

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0100B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------|------------|------------|-----------|------------|------------------------------|
| Prior PPS reason for assessment | Asmt | | Code | 2 | 1144-1145 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|--|
| 01 | | 5-day scheduled assessment |
| 02 | | 14-day scheduled assessment |
| 03 | | 30-day scheduled assessment |
| 04 | | 60-day scheduled assessment |
| 05 | | 90-day scheduled assessment |
| 07 | | Unscheduled assessment used for PPS (OMRA, significant or clinical change, or significant correction assessment) |
| 99 | | None of the above |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3782 | Consistency | Fatal | V0100A and V0100B cannot both be equal to [99]. |
| -3744 | Consistency | Fatal | If A0310E=[1], then all active items from V0100A through V0100F must equal [^]. |

Supplemental Information

| Info ID | Type | Text |
|---------|-------------|--|
| -9015 | Information | Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment. |
| -9016 | Information | V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01,02,03,04,05,06]. The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs. The purpose of V0100A through V0100C is to document the prior assessment that contained those values. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: V

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0100C

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------|------------|------------|-----------|------------|------------------------------|
| Prior assessment reference date | Asmt | | Date | 8 | 1146-1153 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|----------|------------|---|
| YYYYMMDD | | Prior assessment reference date (A2300 value from prior assessment) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3677 | Format | Fatal | <p>Values of Date Items:</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p> |
| -3744 | Consistency | Fatal | If A0310E=[1], then all active items from V0100A through V0100F must equal [^]. |
| -3851 | Consistency | Fatal | <p>Date Item Consistency Rules</p> <p>Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.</p> <p>-----</p> <p>GROUP A RULES (Edit –3851a)</p> <p>Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:</p> <p>A0900 (birthdate) <=</p> <p>A1900 (admission date) <=</p> <p>A1600 (entry date) <=</p> <p>A2300 (assessment reference date) = A2000 (discharge date) <=</p> <p>Z0500B (date RN signed assessment as complete) <=</p> <p>V0200B2 (CAT assessment process signature date) <=</p> <p>V0200C2 (CAT care planning signature date) <=</p> <p>X1100E (correction: attestation date) <=</p> <p>current date</p> <p>-----</p> |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: V

GROUP B (Edit –3851b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)
M0300B3 (date of oldest Stage 2 pressure ulcer)
O0250B (date influenza vaccine received)
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)
O0400B5 <= O0400B6 (occupational therapy start/end)
O0400C5 <= O0400C6 (physical therapy start/end)
V0100C (prior assessment reference date)

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit –3851c1)

If A0310A = [05, 06] and A1700=[1] (admission), then Rule C1 applies:

A1600 (entry date) <=
A2200 (previous ARD for significant correction)<=
A2300 (assessment reference date)

RULE C2: (Edit -3851c2)

If A0310A = [05, 06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=
A2200 (previous ARD for significant correction) <=
A2300 (assessment reference date)

GROUP D (Edit –3851d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)
O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-, ^, -----]), then each of those dates must be greater than or equal to A1600 (entry date).

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: V

Supplemental Information

| Info ID | Type | Text |
|----------------|-------------|--|
| -9015 | Information | Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment. |
| -9016 | Information | V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01,02,03,04,05,06]. The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs. The purpose of V0100A through V0100C is to document the prior assessment that contained those values. |

Version Changes

| Type | ID | Description |
|-------------|-----------|--|
| Format | -3677 | [V2.01.0]-Added mappings to the following items: N0450C, N0450E. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0100D

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| Prior assessment BIMS summary score | Asmt | | Number | 2 | 1154-1155 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------------------|
| 00 | | Minimum value |
| 15 | | Maximum value |
| 99 | | Unable to complete interview |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3744 | Consistency | Fatal | <p>If A0310E=[1], then all active items from V0100A through V0100F must equal [^].</p> |

Supplemental Information

| Info ID | Type | Text |
|---------|-------------|---|
| -9015 | Information | Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: V

-9016 Information V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01,02,03,04,05,06].
The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs.
The purpose of V0100A through V0100C is to document the prior assessment that contained those values.

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3679 | [V2.01.0]-Added mapping to the following item: N0410H. |
| Format | -3680 | [V2.01.0]-Added mapping to the following item: N0410H. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0100E

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Prior asmt PHQ res: total mood severity score | Asmt | | Number | 2 | 1156-1157 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------------------|
| 00 | | Minimum value |
| 27 | | Maximum value |
| 99 | | Unable to complete interview |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3744 | Consistency | Fatal | <p>If A0310E=[1], then all active items from V0100A through V0100F must equal [^].</p> |

Supplemental Information

| Info ID | Type | Text |
|---------|-------------|---|
| -9015 | Information | Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: V

-9016 Information V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01,02,03,04,05,06].
The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs.
The purpose of V0100A through V0100C is to document the prior assessment that contained those values.

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3679 | [V2.01.0]-Added mapping to the following item: N0410H. |
| Format | -3680 | [V2.01.0]-Added mapping to the following item: N0410H. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0100F

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Prior asmt PHQ staff: total mood score | Asmt | | Number | 2 | 1158-1159 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 00 | | Minimum value |
| 30 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3679 | Format | Fatal | Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted. |
| -3680 | Format | Fatal | Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3744 | Consistency | Fatal | If A0310E=[1], then all active items from V0100A through V0100F must equal [^]. |

Supplemental Information

| Info ID | Type | Text |
|---------|-------------|---|
| -9015 | Information | Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: V

-9016 Information V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01,02,03,04,05,06].
The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs.
The purpose of V0100A through V0100C is to document the prior assessment that contained those values.

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3679 | [V2.01.0]-Added mapping to the following item: N0410H. |
| Format | -3680 | [V2.01.0]-Added mapping to the following item: N0410H. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A01A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Delirium: triggered | Asmt | | Checklist | 1 | 1160-1160 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A01B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Delirium: plan | Asmt | | Checklist | 1 | 1161-1161 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A02A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| CAA-Cognitive loss/dementia: triggered | Asmt | | Checklist | 1 | 1162-1162 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A02B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Cognitive loss/dementia: plan | Asmt | | Checklist | 1 | 1163-1163 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A03A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Visual function: triggered | Asmt | | Checklist | 1 | 1164-1164 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A03B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Visual function: plan | Asmt | | Checklist | 1 | 1165-1165 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A04A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Communication: triggered | Asmt | | Checklist | 1 | 1166-1166 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A04B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Communication: plan | Asmt | | Checklist | 1 | 1167-1167 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A05A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| CAA-ADL functional/rehab potential: triggered | Asmt | | Checklist | 1 | 1168-1168 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A05B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| CAA-ADL functional/rehab potential: plan | Asmt | | Checklist | 1 | 1169-1169 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A06A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| CAA-Urinary incont/indwell catheter: triggered | Asmt | | Checklist | 1 | 1170-1170 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A06B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| CAA-Urinary incont/indwell catheter: plan | Asmt | | Checklist | 1 | 1171-1171 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A07A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| CAA-Psychosocial well-being: triggered | Asmt | | Checklist | 1 | 1172-1172 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A07B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Psychosocial well-being: plan | Asmt | | Checklist | 1 | 1173-1173 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A08A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Mood state: triggered | Asmt | | Checklist | 1 | 1174-1174 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A08B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Mood state: plan | Asmt | | Checklist | 1 | 1175-1175 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A09A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Behavioral symptoms: triggered | Asmt | | Checklist | 1 | 1176-1176 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A09B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Behavioral symptoms: plan | Asmt | | Checklist | 1 | 1177-1177 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A10A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Activities: triggered | Asmt | | Checklist | 1 | 1178-1178 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A10B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Activities: plan | Asmt | | Checklist | 1 | 1179-1179 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A11A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Falls: triggered | Asmt | | Checklist | 1 | 1180-1180 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A11B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------|------------|------------|-----------|------------|------------------------------|
| CAA-Falls: plan | Asmt | | Checklist | 1 | 1181-1181 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A12A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Nutritional status: triggered | Asmt | | Checklist | 1 | 1182-1182 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A12B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Nutritional status: plan | Asmt | | Checklist | 1 | 1183-1183 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A13A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Feeding tubes: triggered | Asmt | | Checklist | 1 | 1184-1184 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A13B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Feeding tubes: plan | Asmt | | Checklist | 1 | 1185-1185 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A14A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| CAA-Dehydration/fluid maintenance: triggered | Asmt | | Checklist | 1 | 1186-1186 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A14B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| CAA-Dehydration/fluid maintenance: plan | Asmt | | Checklist | 1 | 1187-1187 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A15A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Dental care: triggered | Asmt | | Checklist | 1 | 1188-1188 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A15B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Dental care: plan | Asmt | | Checklist | 1 | 1189-1189 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A16A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Pressure ulcer: triggered | Asmt | | Checklist | 1 | 1190-1190 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A16B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Pressure ulcer: plan | Asmt | | Checklist | 1 | 1191-1191 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A17A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Psychotropic drug use: triggered | Asmt | | Checklist | 1 | 1192-1192 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A17B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Psychotropic drug use: plan | Asmt | | Checklist | 1 | 1193-1193 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A18A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Physical restraints: triggered | Asmt | | Checklist | 1 | 1194-1194 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A18B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Physical restraints: plan | Asmt | | Checklist | 1 | 1195-1195 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A19A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Pain: triggered | Asmt | | Checklist | 1 | 1196-1196 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A19B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------|------------|------------|-----------|------------|------------------------------|
| CAA-Pain: plan | Asmt | | Checklist | 1 | 1197-1197 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A20A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| CAA-Return to community referral: triggered | Asmt | | Checklist | 1 | 1198-1198 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3752 | Consistency | Fatal | The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate). |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200A20B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| CAA-Return to community referral: plan | Asmt | | Checklist | 1 | 1199-1199 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3676 | [V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200B2

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Assessment process signature date | Asmt | | Date | 8 | 1200-1207 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|----------|------------|--|
| YYYYMMDD | | RN coordinator for RAP assessment process: Date signed |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3677 | Format | Fatal | <p>Values of Date Items:</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p> |
| -3749 | Consistency | Warning | <p>Date Span Requirements</p> <p>The following rules describe allowable spans between pairs of dates. Each rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values). Violation of these rules will result in warnings.</p> <p>a) Z0500B (completion date) - A2300 (assessment reference date) <= 14 days.</p> <p>b) If A0310A is equal to [03,04,05], then V0200B2 (CAA process signature date) - A2300 (assessment reference date) <= 14 days.</p> <p>c) V0200C2 (CAA care plan signature date) - V0200B2 (CAA process signature date) <= 7 days.</p> <p>d) If A0310A is equal to [01], then Z0500B (completion date) - A1600 (entry date) <= 13 days.</p> <p>e) If A0310A is equal to [01], then V0200B2 (CAA process signature date) - A1600 (entry date) <= 13 days.</p> |
| -3851 | Consistency | Fatal | <p>Date Item Consistency Rules</p> <p>Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.</p> <p>-----</p> <p>GROUP A RULES (Edit -3851a)</p> <p>Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:</p> <p>A0900 (birthdate) <=</p> <p>A1900 (admission date) <=</p> <p>A1600 (entry date) <=</p> |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

A2300 (assessment reference date) = A2000 (discharge date) <=
Z0500B (date RN signed assessment as complete) <=
V0200B2 (CAT assessment process signature date) <=
V0200C2 (CAT care planning signature date) <=
X1100E (correction: attestation date) <=
current date

GROUP B (Edit –3851b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)
M0300B3 (date of oldest Stage 2 pressure ulcer)
O0250B (date influenza vaccine received)
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)
O0400B5 <= O0400B6 (occupational therapy start/end)
O0400C5 <= O0400C6 (physical therapy start/end)
V0100C (prior assessment reference date)

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit –3851c1)

If A0310A = [05, 06] and A1700=[1] (admission), then Rule C1 applies:

A1600 (entry date) <=
A2200 (previous ARD for significant correction) <=
A2300 (assessment reference date)

RULE C2: (Edit -3851c2)

If A0310A = [05, 06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=
A2200 (previous ARD for significant correction) <=
A2300 (assessment reference date)

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: V

GROUP D (Edit –3851d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)

O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3677 | [V2.01.0]-Added mappings to the following items: N0450C, N0450E. |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

Item ID: V0200C2

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------------|------------|------------|-----------|------------|------------------------------|
| CAA-Care planning signature date | Asmt | | Date | 8 | 1208-1215 |

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
 State optional: NQ,NP

Item Values

| Value | LOINC Code | Value Text |
|----------|------------|---|
| YYYYMMDD | | Person completing care planning decision: date signed |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3677 | Format | Fatal | <p>Values of Date Items:</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p> |
| -3749 | Consistency | Warning | <p>Date Span Requirements</p> <p>The following rules describe allowable spans between pairs of dates. Each rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values). Violation of these rules will result in warnings.</p> <p>a) Z0500B (completion date) - A2300 (assessment reference date) <= 14 days.</p> <p>b) If A0310A is equal to [03,04,05], then V0200B2 (CAA process signature date) - A2300 (assessment reference date) <= 14 days.</p> <p>c) V0200C2 (CAA care plan signature date) - V0200B2 (CAA process signature date) <= 7 days.</p> <p>d) If A0310A is equal to [01], then Z0500B (completion date) - A1600 (entry date) <= 13 days.</p> <p>e) If A0310A is equal to [01], then V0200B2 (CAA process signature date) - A1600 (entry date) <= 13 days.</p> |
| -3810 | Consistency | Warning | <p>RECORD SUBMISSION TIMING RULES</p> <p>The following rules specify the maximum number of days which should elapse between each date listed and the submission date. There are different rules for new records (where A0050 (formerly X0100)=[1]) and for modifications and inactivations (where A0050 (formerly X0100)=[2,3]).</p> <p>RULES FOR NEW RECORDS (WHERE A0050=[1]):</p> <p>The following rules apply to new records, where A0050=[1].</p> <p>a) If A0310F is equal to [01] (entry record), then submission date - A1600 (entry date) should be less than or equal to 14 days.</p> <p>b) If A0310F is equal to [12] (death in facility record), then submission date - A2000 (discharge date) should be less than or equal to 14 days.</p> |

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

Detailed Data Specifications Report

Section: V

c) If A0310F is equal to [10,11,99] and A0310A is equal to [01,03,04,05] (comprehensive assessment), then submission date - V0200C2 (care plan completion date) should be less than or equal to 14 days.

d) If A0310F is equal to [10,11,99] and A0310A is equal to [02,06,99] (all other types of assessment), then submission date - Z0500B (assessment completion date) should be less than or equal to 14 days.

RULES FOR MODIFICATIONS/INACTIVATIONS (WHERE A0050=[2,3]):

e) If A0050 is equal to [2,3] (modification or inactivation record), then submission date - X1100E (attestation date) should be less than or equal to 14 days.

-3851 Consistency Fatal

Date Item Consistency Rules

Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.

GROUP A RULES (Edit -3851a)

Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:

A0900 (birthdate) <=

A1900 (admission date) <=

A1600 (entry date) <=

A2300 (assessment reference date) = A2000 (discharge date) <=

Z0500B (date RN signed assessment as complete) <=

V0200B2 (CAT assessment process signature date) <=

V0200C2 (CAT care planning signature date) <=

X1100E (correction: attestation date) <=

current date

GROUP B (Edit -3851b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).

2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.

3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.

4. For start/end date pairs shown below, the start date must be less than or equal to the end date.

5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)

M0300B3 (date of oldest Stage 2 pressure ulcer)

O0250B (date influenza vaccine received)

O0400A5 <= O0400A6 (speech-language audiology therapy start/end)

O0400B5 <= O0400B6 (occupational therapy start/end)

O0400C5 <= O0400C6 (physical therapy start/end)

V0100C (prior assessment reference date)

Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT
Detailed Data Specifications Report
Section: V

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit –3851c1)

If A0310A = [05, 06] and A1700=[1] (admission), then Rule C1 applies:

A1600 (entry date) <=

A2200 (previous ARD for significant correction)<=

A2300 (assessment reference date)

RULE C2: (Edit -3851c2)

If A0310A = [05, 06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=

A2200 (previous ARD for significant correction) <=

A2300 (assessment reference date)

GROUP D (Edit –3851d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)

O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -3677 | [V2.01.0]-Added mappings to the following items: N0450C, N0450E. |