

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0300.....	3
Item ID: F0400A.....	4
Item ID: F0400B.....	5
Item ID: F0400C.....	6
Item ID: F0400D .....	7
Item ID: F0400E.....	8
Item ID: F0400F.....	9
Item ID: F0400G .....	10
Item ID: F0400H .....	11
Item ID: F0500A.....	12
Item ID: F0500B.....	13
Item ID: F0500C.....	14
Item ID: F0500D .....	15
Item ID: F0500E.....	16
Item ID: F0500F.....	17
Item ID: F0500G .....	18
Item ID: F0500H .....	19
Item ID: F0600.....	20
Item ID: F0700.....	21
Item ID: F0800A.....	22
Item ID: F0800B.....	23
Item ID: F0800C.....	24
Item ID: F0800D .....	25
Item ID: F0800E.....	26
Item ID: F0800F.....	27
Item ID: F0800G .....	28

**Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT**  
**Detailed Data Specifications Report**  
**Section: F**

Item ID: F0800H .....	29
Item ID: F0800I .....	30
Item ID: F0800J .....	31
Item ID: F0800K .....	32
Item ID: F0800L .....	33
Item ID: F0800M .....	34
Item ID: F0800N .....	35
Item ID: F0800O .....	36
Item ID: F0800P .....	37
Item ID: F0800Q .....	38
Item ID: F0800R .....	39
Item ID: F0800S .....	40
Item ID: F0800T .....	41
Item ID: F0800Z .....	42

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Conduct res interview for daily/activity prefs	Asmt		Code	1	606-606

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		No (resident is rarely/never understood and family/significant other not available)
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3525	Skip pattern	Fatal	a) If B0100=[0], then all active items from E1100 through F0300 must not equal [^]. b) If B0100=[-], then all active items from E1100 through F0300 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0400A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: choose clothes to wear	Asmt		Code	1	607-607

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0400B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: take care of personal belongings	Asmt		Code	1	608-608

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0400C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: choose tub, bath, shower, sponge	Asmt		Code	1	609-609

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0400D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: have snacks between meals	Asmt		Code	1	610-610

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0400E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: choose own bedtime	Asmt		Code	1	611-611

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.



# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0400F

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: discuss care with family/friend	Asmt		Code	1	612-612

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0400G

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: use phone in private	Asmt		Code	1	613-613

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0400H

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: lock things to keep them safe	Asmt		Code	1	614-614

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0500A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: have books, newspaper, mags to read	Asmt		Code	1	615-615

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0500B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: listen to music	Asmt		Code	1	616-616

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0500C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: be around animals/pets	Asmt		Code	1	617-617

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0500D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: keep up with news	Asmt		Code	1	618-618

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0500E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: do things with groups of people	Asmt		Code	1	619-619

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.



# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0500F

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: do favorite activities	Asmt		Code	1	620-620

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0500G

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: go outside when good weather	Asmt		Code	1	621-621

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0500H

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res interview: participate in religious practices	Asmt		Code	1	622-622

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Very important
2		Somewhat important
3		Not very important
4		Not important at all
5		Important, but can't do or no choice
9		No response or non-responsive
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0600

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Primary respondent: daily/activities prefs	Asmt		Code	1	623-623

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
1		Resident
2		Family or significant other (close friend or other representative)
9		Interview could not be completed by resident or family/significant other ("No response" to 3 or more items)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Conduct staff assessment for daily/activity prefs	Asmt		Code	1	624-624

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		No (because Interview for Daily and Activity Preferences (F0400 and F0500) was completed by resident or family/significant other)
1		Yes (because 3 or more items in Interview for Daily and Activity Preferences (F0400 and F0500) were not completed by resident or family/significant other)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3590	Consistency	Fatal	If F0300 is equal to [1], then the following rules apply: a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -]. b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -]. c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].
-3533	Consistency	Fatal	a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: choosing clothes to wear	Asmt		Checklist	1	625-625

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: caring for personal belongings	Asmt		Checklist	1	626-626

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: receiving tub bath	Asmt		Checklist	1	627-627

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.



# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: receiving shower	Asmt		Checklist	1	628-628

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: receiving bed bath	Asmt		Checklist	1	629-629

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800F

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: receiving sponge bath	Asmt		Checklist	1	630-630

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800G

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: snacks between meals	Asmt		Checklist	1	631-631

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800H

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: staying up past 8PM	Asmt		Checklist	1	632-632

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800I

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: discuss care with family/other	Asmt		Checklist	1	633-633

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800J

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: use phone in private	Asmt		Checklist	1	634-634

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800K

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: place to lock personal things	Asmt		Checklist	1	635-635

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.



# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800L

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: reading books, newspapers, mags	Asmt		Checklist	1	636-636

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800M

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: listening to music	Asmt		Checklist	1	637-637

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800N

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: being around animals/pets	Asmt		Checklist	1	638-638

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F08000

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: keeping up with news	Asmt		Checklist	1	639-639

#### Item Subsets

Active:	NC
Inactive:	NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
State optional:	NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800P

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: doing things with groups	Asmt		Checklist	1	640-640

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800Q

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: participate favorite activities	Asmt		Checklist	1	641-641

#### Item Subsets

Active:	NC
Inactive:	NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
State optional:	NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800R

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: spend time away from nursng home	Asmt		Checklist	1	642-642

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800S

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: spend time outdoors	Asmt		Checklist	1	643-643

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.



# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800T

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: participate religious activities	Asmt		Checklist	1	644-644

#### Item Subsets

Active:	NC
Inactive:	NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE
State optional:	NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.

# Data Submission Specifications for the MDS Item Set (V2.01.0)-DRAFT

## Detailed Data Specifications Report

### Section: F

Item ID: F0800Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff assessment: none of above activities	Asmt		Checklist	1	645-645

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3805	Consistency	Fatal	If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3534	Skip pattern	Fatal	a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3504	None of above	Fatal	If F0800A through F0800T and F0800Z are all active, then the following rules apply: a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1]. b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0]. c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.01.0]-Added mappings to the following items: N0450A, N0450B, N0450D, P0200A, P0200B, P0200C, P0200D, P0200E, P0200F.