

# **MINIMUM DATA SET (MDS) - Version 3.0** **RESIDENT ASSESSMENT AND CARE SCREENING** *Swing Bed OMRA-Start of Therapy and Discharge (SSD) Item Set*

Section A		Identification Information
<b>A0100. Facility Provider Numbers</b>		
	<b>A. National Provider Identifier (NPI):</b>  <b>B. CMS Certification Number (CCN):</b>  <b>C. State Provider Number:</b>	
<b>A0200. Type of Provider</b>		
Enter Code <div style="border: 1px solid black; width: 40px; height: 20px; margin-top: 5px;"></div>	<b>Type of provider</b> 1. <b>Nursing home (SNF/NF)</b> 2. <b>Swing Bed</b>	
<b>A0310. Type of Assessment</b>		
Enter Code <div style="border: 1px solid black; width: 40px; height: 20px; margin-top: 5px;"></div>	<b>A. Federal OBRA Reason for Assessment</b> 01. <b>Admission</b> assessment (required by day 14) 02. <b>Quarterly</b> review assessment 03. <b>Annual</b> assessment 04. <b>Significant change in status</b> assessment 05. <b>Significant correction to prior comprehensive</b> assessment 06. <b>Significant correction to prior quarterly</b> assessment 99. <b>Not OBRA required</b> assessment	
Enter Code <div style="border: 1px solid black; width: 40px; height: 20px; margin-top: 5px;"></div>	<b>B. PPS Assessment</b> <b><u>PPS Scheduled Assessments for a Medicare Part A Stay</u></b> 01. <b>5-day</b> scheduled assessment 02. <b>14-day</b> scheduled assessment 03. <b>30-day</b> scheduled assessment 04. <b>60-day</b> scheduled assessment 05. <b>90-day</b> scheduled assessment 06. <b>Readmission/return</b> assessment <b><u>PPS Unscheduled Assessments for a Medicare Part A Stay</u></b> 07. <b>Unscheduled assessment used for PPS</b> (OMRA, significant or clinical change, or significant correction assessment) <b><u>Not PPS Assessment</u></b> 99. <b>Not PPS</b> assessment	
Enter Code <div style="border: 1px solid black; width: 40px; height: 20px; margin-top: 5px;"></div>	<b>C. PPS Other Medicare Required Assessment - OMRA</b> 0. <b>No</b> 1. <b>Start of therapy</b> assessment 2. <b>End of therapy</b> assessment 3. <b>Both Start and End of therapy</b> assessment 4. <b>Change of therapy</b> assessment	
Enter Code <div style="border: 1px solid black; width: 40px; height: 20px; margin-top: 5px;"></div>	<b>D. Is this a Swing Bed clinical change assessment?</b> Complete only if A0200 = 2 0. <b>No</b> 1. <b>Yes</b>	
<b>A0310 continued on next page</b>		

**Section A****Identification Information****A0310. Type of Assessment - Continued**

Enter Code <input type="checkbox"/>	<b>E. Is this assessment the first assessment</b> (OBRA, PPS, or Discharge) <b>since the most recent admission?</b> 0. <b>No</b> 1. <b>Yes</b>
Enter Code <input type="checkbox"/>	<b>F. Entry/discharge reporting</b> 01. <b>Entry</b> record 10. <b>Discharge</b> assessment- <b>return not anticipated</b> 11. <b>Discharge</b> assessment- <b>return anticipated</b> 12. <b>Death in facility</b> record 99. <b>Not entry/discharge</b> record

**A0410. Submission Requirement**

Enter Code <input type="checkbox"/>	1. <b>Neither federal nor state required submission</b> 2. <b>State but not federal required submission</b> (FOR NURSING HOMES ONLY) 3. <b>Federal required submission</b>
--	--

**A0500. Legal Name of Resident**

	<b>A. First name:</b>	<b>B. Middle initial:</b>
	<b>C. Last name:</b>	<b>D. Suffix:</b>

**A0600. Social Security and Medicare Numbers**

	<b>A. Social Security Number:</b> — — — — —
	<b>B. Medicare number</b> (or comparable railroad insurance number):

**A0700. Medicaid Number** - Enter "+" if pending, "N" if not a Medicaid recipient

--	--

**A0800. Gender**

Enter Code <input type="checkbox"/>	1. <b>Male</b> 2. <b>Female</b>
--	------------------------------------

**A0900. Birth Date**

	— — — — — Month Day Year
--	-----------------------------

**A1000. Race/Ethnicity**

↓ Check all that apply	
<input type="checkbox"/>	<b>A. American Indian or Alaska Native</b>
<input type="checkbox"/>	<b>B. Asian</b>
<input type="checkbox"/>	<b>C. Black or African American</b>
<input type="checkbox"/>	<b>D. Hispanic or Latino</b>
<input type="checkbox"/>	<b>E. Native Hawaiian or Other Pacific Islander</b>
<input type="checkbox"/>	<b>F. White</b>

## Section A Identification Information

### A1100. Language

Enter Code

**A. Does the resident need or want an interpreter to communicate with a doctor or health care staff?**

0. **No**  
 1. **Yes** → Specify in A1100B, Preferred language  
 9. **Unable to determine**

**B. Preferred language:**

### A1200. Marital Status

Enter Code

1. **Never married**  
 2. **Married**  
 3. **Widowed**  
 4. **Separated**  
 5. **Divorced**

### A1300. Optional Resident Items

**A. Medical record number:**

**B. Room number:**

**C. Name by which resident prefers to be addressed:**

**D. Lifetime occupation(s)** - put "/" between two occupations:

### A1600. Entry Date (date of this admission/reentry into the facility)

— —  
 Month Day Year

### A1700. Type of Entry

Enter Code

1. **Admission**  
 2. **Reentry**

### A1800. Entered From

Enter Code

01. **Community** (private home/apt., board/care, assisted living, group home)  
 02. **Another nursing home or swing bed**  
 03. **Acute hospital**  
 04. **Psychiatric hospital**  
 05. **Inpatient rehabilitation facility**  
 06. **MR/DD facility**  
 07. **Hospice**  
 99. **Other**

### A2000. Discharge Date

Complete only if A0310F = 10, 11, or 12

— —  
 Month Day Year

## Section A

## Identification Information

### A2100. Discharge Status

Complete only if A0310F = 10, 11, or 12

Enter Code	01. <b>Community</b> (private home/apt., board/care, assisted living, group home) 02. <b>Another nursing home or swing bed</b> 03. <b>Acute hospital</b> 04. <b>Psychiatric hospital</b> 05. <b>Inpatient rehabilitation facility</b> 06. <b>MR/DD facility</b> 07. <b>Hospice</b> 08. <b>Deceased</b> 09. <b>Other</b>
------------	---

### A2300. Assessment Reference Date

	<b>Observation end date:</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div>—</div> <div>—</div> </div> <div style="display: flex; justify-content: space-around; align-items: center;"> <div>Month</div> <div>Day</div> <div>Year</div> </div>
--	---

### A2400. Medicare Stay

Enter Code	<b>A. Has the resident had a Medicare-covered stay since the most recent entry?</b> 0. <b>No</b> → Skip to B0100, Comatose 1. <b>Yes</b> → Continue to A2400B, Start date of most recent Medicare stay  <b>B. Start date of most recent Medicare stay:</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div>—</div> <div>—</div> </div> <div style="display: flex; justify-content: space-around; align-items: center;"> <div>Month</div> <div>Day</div> <div>Year</div> </div> <b>C. End date of most recent Medicare stay</b> - Enter dashes if stay is ongoing:  <div style="display: flex; justify-content: space-around; align-items: center;"> <div>—</div> <div>—</div> </div> <div style="display: flex; justify-content: space-around; align-items: center;"> <div>Month</div> <div>Day</div> <div>Year</div> </div>
------------	---

**Look back period for all items is 7 days unless another time frame is indicated**

## Section B Hearing, Speech, and Vision

### B0100. Comatose

Enter Code	<b>Persistent vegetative state/no discernible consciousness</b>
<input type="checkbox"/>	0. <b>No</b> → Continue to B0200, Hearing
<input type="checkbox"/>	1. <b>Yes</b> → Skip to G0110, Activities of Daily Living (ADL) Assistance

### B0200. Hearing

Enter Code	<b>Ability to hear</b> (with hearing aid or hearing appliances if normally used)
<input type="checkbox"/>	0. <b>Adequate</b> - no difficulty in normal conversation, social interaction, listening to TV
<input type="checkbox"/>	1. <b>Minimal difficulty</b> - difficulty in some environments (e.g., when person speaks softly or setting is noisy)
<input type="checkbox"/>	2. <b>Moderate difficulty</b> - speaker has to increase volume and speak distinctly
<input type="checkbox"/>	3. <b>Highly impaired</b> - absence of useful hearing

### B0300. Hearing Aid

Enter Code	<b>Hearing aid or other hearing appliance used</b> in completing B0200, Hearing
<input type="checkbox"/>	0. <b>No</b>
<input type="checkbox"/>	1. <b>Yes</b>

### B0600. Speech Clarity

Enter Code	<b>Select best description of speech pattern</b>
<input type="checkbox"/>	0. <b>Clear speech</b> - distinct intelligible words
<input type="checkbox"/>	1. <b>Unclear speech</b> - slurred or mumbled words
<input type="checkbox"/>	2. <b>No speech</b> - absence of spoken words

### B0700. Makes Self Understood

Enter Code	<b>Ability to express ideas and wants</b> , consider both verbal and non-verbal expression
<input type="checkbox"/>	0. <b>Understood</b>
<input type="checkbox"/>	1. <b>Usually understood</b> - difficulty communicating some words or finishing thoughts <b>but</b> is able if prompted or given time
<input type="checkbox"/>	2. <b>Sometimes understood</b> - ability is limited to making concrete requests
<input type="checkbox"/>	3. <b>Rarely/never understood</b>

### B0800. Ability To Understand Others

Enter Code	<b>Understanding verbal content, however able</b> (with hearing aid or device if used)
<input type="checkbox"/>	0. <b>Understands</b> - clear comprehension
<input type="checkbox"/>	1. <b>Usually understands</b> - misses some part/intent of message <b>but</b> comprehends most conversation
<input type="checkbox"/>	2. <b>Sometimes understands</b> - responds adequately to simple, direct communication only
<input type="checkbox"/>	3. <b>Rarely/never understands</b>

### B1000. Vision

Enter Code	<b>Ability to see in adequate light</b> (with glasses or other visual appliances)
<input type="checkbox"/>	0. <b>Adequate</b> - sees fine detail, including regular print in newspapers/books
<input type="checkbox"/>	1. <b>Impaired</b> - sees large print, but not regular print in newspapers/books
<input type="checkbox"/>	2. <b>Moderately impaired</b> - limited vision; not able to see newspaper headlines but can identify objects
<input type="checkbox"/>	3. <b>Highly impaired</b> - object identification in question, but eyes appear to follow objects
<input type="checkbox"/>	4. <b>Severely impaired</b> - no vision or sees only light, colors or shapes; eyes do not appear to follow objects

### B1200. Corrective Lenses

Enter Code	<b>Corrective lenses (contacts, glasses, or magnifying glass) used</b> in completing B1000, Vision
<input type="checkbox"/>	0. <b>No</b>
<input type="checkbox"/>	1. <b>Yes</b>

**Section C****Cognitive Patterns****C0100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted?**

Attempt to conduct interview with all residents

Enter Code

0. **No** (resident is rarely/never understood) → Skip to and complete C0700-C1000, Staff Assessment for Mental Status
1. **Yes** → Continue to C0200, Repetition of Three Words

**Brief Interview for Mental Status (BIMS)****C0200. Repetition of Three Words**

Enter Code

Ask resident: *"I am going to say three words for you to remember. Please repeat the words after I have said all three. The words are: **sock, blue, and bed.** Now tell me the three words."*

**Number of words repeated after first attempt**

0. **None**
1. **One**
2. **Two**
3. **Three**

After the resident's first attempt, repeat the words using cues (*"sock, something to wear; blue, a color; bed, a piece of furniture"*). You may repeat the words up to two more times.

**C0300. Temporal Orientation** (orientation to year, month, and day)

Enter Code

Ask resident: *"Please tell me what year it is right now."***A. Able to report correct year**

0. **Missed by > 5 years** or no answer
1. **Missed by 2-5 years**
2. **Missed by 1 year**
3. **Correct**

Enter Code

Ask resident: *"What month are we in right now?"***B. Able to report correct month**

0. **Missed by > 1 month** or no answer
1. **Missed by 6 days to 1 month**
2. **Accurate within 5 days**

Enter Code

Ask resident: *"What day of the week is today?"***C. Able to report correct day of the week**

0. **Incorrect** or no answer
1. **Correct**

**C0400. Recall**

Enter Code

Ask resident: *"Let's go back to an earlier question. What were those three words that I asked you to repeat?"*

If unable to remember a word, give cue (something to wear; a color; a piece of furniture) for that word.

**A. Able to recall "sock"**

0. **No** - could not recall
1. **Yes, after cueing** ("something to wear")
2. **Yes, no cue required**

Enter Code

**B. Able to recall "blue"**

0. **No** - could not recall
1. **Yes, after cueing** ("a color")
2. **Yes, no cue required**

Enter Code

**C. Able to recall "bed"**

0. **No** - could not recall
1. **Yes, after cueing** ("a piece of furniture")
2. **Yes, no cue required**

**C0500. Summary Score**

Enter Score

**Add scores** for questions C0200-C0400 and fill in total score (00-15)**Enter 99 if the resident was unable to complete the interview**

**Section C****Cognitive Patterns****C0600. Should the Staff Assessment for Mental Status (C0700 - C1000) be Conducted?**

Enter Code

0. **No** (resident was able to complete interview) → Skip to C1300, Signs and Symptoms of Delirium1. **Yes** (resident was unable to complete interview) → Continue to C0700, Short-term Memory OK**Staff Assessment for Mental Status**

Do not conduct if Brief Interview for Mental Status (C0200-C0500) was completed

**C0700. Short-term Memory OK**

Enter Code

**Seems or appears to recall after 5 minutes**0. **Memory OK**1. **Memory problem****C0800. Long-term Memory OK**

Enter Code

**Seems or appears to recall long past**0. **Memory OK**1. **Memory problem****C0900. Memory/Recall Ability**↓ **Check all that the resident was normally able to recall**☐**A. Current season**☐**B. Location of own room**☐**C. Staff names and faces**☐**D. That he or she is in a nursing home**☐**Z. None of the above** were recalled**C1000. Cognitive Skills for Daily Decision Making**

Enter Code

**Made decisions regarding tasks of daily life**0. **Independent** - decisions consistent/reasonable1. **Modified independence** - some difficulty in new situations only2. **Moderately impaired** - decisions poor; cues/supervision required3. **Severely impaired** - never/rarely made decisions**Delirium****C1300. Signs and Symptoms of Delirium (from CAM©)**Code **after completing** Brief Interview for Mental Status or Staff Assessment, and reviewing medical record

<b>Coding:</b> 0. <b>Behavior not present</b> 1. <b>Behavior continuously present, does not fluctuate</b> 2. <b>Behavior present, fluctuates</b> (comes and goes, changes in severity)	↓ <b>Enter Codes in Boxes</b>	
	<input type="text"/>	<b>A. Inattention</b> - Did the resident have difficulty focusing attention (easily distracted, out of touch or difficulty following what was said)?
	<input type="text"/>	<b>B. Disorganized thinking</b> - Was the resident's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?
	<input type="text"/>	<b>C. Altered level of consciousness</b> - Did the resident have altered level of consciousness (e.g., <b>vigilant</b> - startled easily to any sound or touch; <b>lethargic</b> - repeatedly dozed off when being asked questions, but responded to voice or touch; <b>stuporous</b> - very difficult to arouse and keep aroused for the interview; <b>comatose</b> - could not be aroused)?
	<input type="text"/>	<b>D. Psychomotor retardation</b> - Did the resident have an unusually decreased level of activity such as sluggishness, staring into space, staying in one position, moving very slowly?

**C1600. Acute Onset Mental Status Change**

Enter Code

**Is there evidence of an acute change in mental status** from the resident's baseline?0. **No**1. **Yes**

**Section D****Mood****D0100. Should Resident Mood Interview be Conducted?** - Attempt to conduct interview with all residents

Enter Code

0. **No** (resident is rarely/never understood) → Skip to and complete D0500-D0600, Staff Assessment of Resident Mood (PHQ-9-OV)
1. **Yes** → Continue to D0200, Resident Mood Interview (PHQ-9©)

**D0200. Resident Mood Interview (PHQ-9©)****Say to resident: "Over the last 2 weeks, have you been bothered by any of the following problems?"**

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: "About **how often** have you been bothered by this?"

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

**1. Symptom Presence**

0. **No** (enter 0 in column 2)
1. **Yes** (enter 0-3 in column 2)
9. **No response** (leave column 2 blank)

**2. Symptom Frequency**

0. **Never or 1 day**
1. **2-6 days** (several days)
2. **7-11 days** (half or more of the days)
3. **12-14 days** (nearly every day)

**1.  
Symptom  
Presence****2.  
Symptom  
Frequency**

↓ Enter Scores in Boxes ↓

**A. Little interest or pleasure in doing things****B. Feeling down, depressed, or hopeless****C. Trouble falling or staying asleep, or sleeping too much****D. Feeling tired or having little energy****E. Poor appetite or overeating****F. Feeling bad about yourself - or that you are a failure or have let yourself or your family down****G. Trouble concentrating on things, such as reading the newspaper or watching television****H. Moving or speaking so slowly that other people could have noticed. Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual****I. Thoughts that you would be better off dead, or of hurting yourself in some way****D0300. Total Severity Score**

Enter Score

**Add scores for all frequency responses in Column 2, Symptom Frequency.** Total score must be between 00 and 27.

Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more items).

**D0350. Safety Notification** - Complete only if D0200I1 = 1 indicating possibility of resident self harm

Enter Code

**Was responsible staff or provider informed that there is a potential for resident self harm?**

0. **No**
1. **Yes**





**Section D****Mood****D0500. Staff Assessment of Resident Mood (PHQ-9-OV\*)**

Do not conduct if Resident Mood Interview (D0200-D0300) was completed

**Over the last 2 weeks, did the resident have any of the following problems or behaviors?**

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

Then move to column 2, Symptom Frequency, and indicate symptom frequency.

**1. Symptom Presence**

0. **No** (enter 0 in column 2)  
 1. **Yes** (enter 0-3 in column 2)

**2. Symptom Frequency**

0. **Never or 1 day**  
 1. **2-6 days** (several days)  
 2. **7-11 days** (half or more of the days)  
 3. **12-14 days** (nearly every day)

**1.  
Symptom  
Presence****2.  
Symptom  
Frequency**

↓ Enter Scores in Boxes ↓

**A. Little interest or pleasure in doing things****B. Feeling or appearing down, depressed, or hopeless****C. Trouble falling or staying asleep, or sleeping too much****D. Feeling tired or having little energy****E. Poor appetite or overeating****F. Indicating that s/he feels bad about self, is a failure, or has let self or family down****G. Trouble concentrating on things, such as reading the newspaper or watching television****H. Moving or speaking so slowly that other people have noticed. Or the opposite - being so fidgety or restless that s/he has been moving around a lot more than usual****I. States that life isn't worth living, wishes for death, or attempts to harm self****J. Being short-tempered, easily annoyed****D0600. Total Severity Score**

Enter Score

Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 30.

**D0650. Safety Notification** - Complete only if D0500I1 = 1 indicating possibility of resident self harm

Enter Code

**Was responsible staff or provider informed that there is a potential for resident self harm?**

0. **No**  
 1. **Yes**

**Section E****Behavior****E0100. Psychosis**

↓ Check all that apply

- ☐ **A. Hallucinations** (perceptual experiences in the absence of real external sensory stimuli)  
☐ **B. Delusions** (misconceptions or beliefs that are firmly held, contrary to reality)  
☐ **Z. None of the above**

**Section G****Functional Status****G0110. Activities of Daily Living (ADL) Assistance**

Refer to the ADL flow chart in the RAI manual to facilitate accurate coding

**Instructions for Rule of 3**

- When an activity occurs three times at any one given level, code that level.
- When an activity occurs three times at multiple levels, code the most dependent, exceptions are total dependence (4), activity must require full assist every time, and activity did not occur (8), activity must not have occurred at all. Example, three times extensive assistance (3) and three times limited assistance (2), code extensive assistance (3).
- When an activity occurs at various levels, but not three times at any given level, apply the following:
  - When there is a combination of full staff performance, and extensive assistance, code extensive assistance.
  - When there is a combination of full staff performance, weight bearing assistance and/or non-weight bearing assistance code limited assistance (2).

**If none of the above are met, code supervision.****1. ADL Self-Performance**Code for **resident's performance** over all shifts - not including setup. If the ADL activity occurred 3 or more times at various levels of assistance, code the most dependent - except for total dependence, which requires full staff performance every time**Coding:****Activity Occurred 3 or More Times**

0. **Independent** - no help or staff oversight at any time
1. **Supervision** - oversight, encouragement or cueing
2. **Limited assistance** - resident highly involved in activity; staff provide guided maneuvering of limbs or other non-weight-bearing assistance
3. **Extensive assistance** - resident involved in activity, staff provide weight-bearing support
4. **Total dependence** - full staff performance every time during entire 7-day period

**Activity Occurred 2 or Fewer Times**

7. **Activity occurred only once or twice** - activity did occur but only once or twice
8. **Activity did not occur** - activity (or any part of the ADL) was not performed by resident or staff at all over the entire 7-day period

**2. ADL Support Provided**Code for **most support provided** over all shifts; code regardless of resident's self-performance classification**Coding:**

0. **No** setup or physical help from staff
1. **Setup** help only
2. **One** person physical assist
3. **Two+** persons physical assist
8. ADL activity itself **did not occur** during entire period

	<b>1. Self-Performance</b>	<b>2. Support</b>
	<b>↓ Enter Codes in Boxes ↓</b>	
<b>A. Bed mobility</b> - how resident moves to and from lying position, turns side to side, and positions body while in bed or alternate sleep furniture	<input type="text"/>	<input type="text"/>
<b>B. Transfer</b> - how resident moves between surfaces including to or from: bed, chair, wheelchair, standing position ( <b>excludes</b> to/from bath/toilet)	<input type="text"/>	<input type="text"/>
<b>C. Walk in room</b> - how resident walks between locations in his/her room	<input type="text"/>	<input type="text"/>
<b>D. Walk in corridor</b> - how resident walks in corridor on unit	<input type="text"/>	<input type="text"/>
<b>E. Locomotion on unit</b> - how resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair	<input type="text"/>	<input type="text"/>
<b>F. Locomotion off unit</b> - how resident moves to and returns from off-unit locations (e.g., areas set aside for dining, activities or treatments). <b>If facility has only one floor</b> , how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair	<input type="text"/>	<input type="text"/>
<b>G. Dressing</b> - how resident puts on, fastens and takes off all items of clothing, including donning/removing a prosthesis or TED hose. Dressing includes putting on and changing pajamas and housedresses	<input type="text"/>	<input type="text"/>
<b>H. Eating</b> - how resident eats and drinks, regardless of skill. Do not include eating/drinking during medication pass. Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition, IV fluids administered for nutrition or hydration)	<input type="text"/>	<input type="text"/>
<b>I. Toilet use</b> - how resident uses the toilet room, commode, bedpan, or urinal; transfers on/off toilet; cleanses self after elimination; changes pad; manages ostomy or catheter; and adjusts clothes. Do not include emptying of bedpan, urinal, bedside commode, catheter bag or ostomy bag	<input type="text"/>	<input type="text"/>
<b>J. Personal hygiene</b> - how resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face and hands ( <b>excludes</b> baths and showers)	<input type="text"/>	<input type="text"/>

## Section G

## Functional Status

### G0120. Bathing

How resident takes full-body bath/shower, sponge bath, and transfers in/out of tub/shower (**excludes** washing of back and hair). Code for **most dependent** in self-performance and support

Enter Code <input type="text"/>	<b>A. Self-performance</b> 0. <b>Independent</b> - no help provided 1. <b>Supervision</b> - oversight help only 2. <b>Physical help limited to transfer only</b> 3. <b>Physical help in part of bathing activity</b> 4. <b>Total dependence</b> 8. <b>Activity itself did not occur</b> during the entire period
Enter Code <input type="text"/>	<b>B. Support provided</b> (Bathing support codes are as defined in item <b>G0110 column 2, ADL Support Provided</b> , above)

### G0300. Balance During Transitions and Walking

After observing the resident, **code the following walking and transition items for most dependent**

<b>Coding:</b> 0. <b>Steady at all times</b> 1. <b>Not steady, but <u>able</u> to stabilize without human assistance</b> 2. <b>Not steady, <u>only able</u> to stabilize with human assistance</b> 8. <b>Activity did not occur</b>	↓ Enter Codes in Boxes	
	<input type="text"/>	<b>A. Moving from seated to standing position</b>
	<input type="text"/>	<b>B. Walking</b> (with assistive device if used)
	<input type="text"/>	<b>C. Turning around</b> and facing the opposite direction while walking
	<input type="text"/>	<b>D. Moving on and off toilet</b>
	<input type="text"/>	<b>E. Surface-to-surface transfer</b> (transfer between bed and chair or wheelchair)

### G0400. Functional Limitation in Range of Motion

**Code for limitation** that interfered with daily functions or placed resident at risk of injury

<b>Coding:</b> 0. <b>No impairment</b> 1. <b>Impairment on one side</b> 2. <b>Impairment on both sides</b>	↓ Enter Codes in Boxes	
	<input type="text"/>	<b>A. Upper extremity</b> (shoulder, elbow, wrist, hand)
	<input type="text"/>	<b>B. Lower extremity</b> (hip, knee, ankle, foot)
	<input type="text"/>	

### G0600. Mobility Devices

↓ Check all that were normally used

<input type="checkbox"/>	<b>A. Cane/crutch</b>
<input type="checkbox"/>	<b>B. Walker</b>
<input type="checkbox"/>	<b>C. Wheelchair</b> (manual or electric)
<input type="checkbox"/>	<b>D. Limb prosthesis</b>
<input type="checkbox"/>	<b>Z. None of the above</b> were used

## Section H

## Bladder and Bowel

### H0100. Appliances

↓ Check all that apply

- |                          |  |
|--------------------------|--|
| <input type="checkbox"/> | <b>A. Indwelling catheter</b> (including suprapubic catheter and nephrostomy tube) |
| <input type="checkbox"/> | <b>B. External catheter</b>  |
| <input type="checkbox"/> | <b>C. Ostomy</b> (including urostomy, ileostomy, and colostomy)                    |
| <input type="checkbox"/> | <b>D. Intermittent catheterization</b>   |
| <input type="checkbox"/> | <b>Z. None of the above</b>  |

### H0200. Urinary Toileting Program

- |                                    |   |
|------------------------------------|---|
| Enter Code<br><input type="text"/> | <b>C. Current toileting program or trial</b> - Is a toileting program (e.g., scheduled toileting, prompted voiding, or bladder training) currently being used to manage the resident's urinary continence?<br>0. <b>No</b><br>1. <b>Yes</b> |
|------------------------------------|---|

### H0300. Urinary Continence

- |                                    |  |
|------------------------------------|--|
| Enter Code<br><input type="text"/> | <b>Urinary continence</b> - Select the one category that best describes the resident<br>0. <b>Always continent</b><br>1. <b>Occasionally incontinent</b> (less than 7 episodes of incontinence)<br>2. <b>Frequently incontinent</b> (7 or more episodes of urinary incontinence, but at least one episode of continent voiding)<br>3. <b>Always incontinent</b> (no episodes of continent voiding)<br>9. <b>Not rated</b> , resident had a catheter (indwelling, condom), urinary ostomy, or no urine output for the entire 7 days |
|------------------------------------|--|

### H0400. Bowel Continence

- |                                    |  |
|------------------------------------|--|
| Enter Code<br><input type="text"/> | <b>Bowel continence</b> - Select the one category that best describes the resident<br>0. <b>Always continent</b><br>1. <b>Occasionally incontinent</b> (one episode of bowel incontinence)<br>2. <b>Frequently incontinent</b> (2 or more episodes of bowel incontinence, but at least one continent bowel movement)<br>3. <b>Always incontinent</b> (no episodes of continent bowel movements)<br>9. <b>Not rated</b> , resident had an ostomy or did not have a bowel movement for the entire 7 days |
|------------------------------------|--|

### H0500. Bowel Toileting Program

- |                                    |  |
|------------------------------------|--|
| Enter Code<br><input type="text"/> | <b>Is a toileting program currently being used to manage the resident's bowel continence?</b><br>0. <b>No</b><br>1. <b>Yes</b> |
|------------------------------------|--|

**Section I****Active Diagnoses****Active Diagnoses in the last 7 days - Check all that apply**

Diagnoses listed in parentheses are provided as examples and should not be considered as all-inclusive lists

<b>Heart/Circulation</b>	
<input type="checkbox"/>	<b>I0200. Anemia</b> (e.g., aplastic, iron deficiency, pernicious, and sickle cell)
<input type="checkbox"/>	<b>I0600. Heart Failure</b> (e.g., congestive heart failure (CHF) and pulmonary edema)
<input type="checkbox"/>	<b>I0700. Hypertension</b>
<input type="checkbox"/>	<b>I0800. Orthostatic Hypotension</b>
<b>Genitourinary</b>	
<input type="checkbox"/>	<b>I1550. Neurogenic Bladder</b>
<input type="checkbox"/>	<b>I1650. Obstructive Uropathy</b>
<b>Infections</b>	
<input type="checkbox"/>	<b>I1700. Multidrug-Resistant Organism (MDRO)</b>
<input type="checkbox"/>	<b>I2000. Pneumonia</b>
<input type="checkbox"/>	<b>I2100. Septicemia</b>
<input type="checkbox"/>	<b>I2200. Tuberculosis</b>
<input type="checkbox"/>	<b>I2300. Urinary Tract Infection (UTI) (LAST 30 DAYS)</b>
<input type="checkbox"/>	<b>I2500. Wound Infection</b> (other than foot)
<b>Metabolic</b>	
<input type="checkbox"/>	<b>I2900. Diabetes Mellitus (DM)</b> (e.g., diabetic retinopathy, nephropathy, and neuropathy)
<input type="checkbox"/>	<b>I3100. Hyponatremia</b>
<input type="checkbox"/>	<b>I3200. Hyperkalemia</b>
<input type="checkbox"/>	<b>I3300. Hyperlipidemia</b> (e.g., hypercholesterolemia)
<b>Musculoskeletal</b>	
<input type="checkbox"/>	<b>I3900. Hip Fracture</b> - any hip fracture that has a relationship to current status, treatments, monitoring (e.g., sub-capital fractures, and fractures of the trochanter and femoral neck)
<input type="checkbox"/>	<b>I4000. Other Fracture</b>
<b>Neurological</b>	
<input type="checkbox"/>	<b>I4500. Cerebrovascular Accident (CVA), Transient Ischemic Attack (TIA), or Stroke</b>
<input type="checkbox"/>	<b>I4800. Dementia</b> (e.g. Non-Alzheimer's dementia such as vascular or multi-infarct dementia; mixed dementia; frontotemporal dementia such as Pick's disease; and dementia related to stroke, Parkinson's or Creutzfeldt-Jakob diseases)
<input type="checkbox"/>	<b>I4900. Hemiplegia or Hemiparesis</b>
<input type="checkbox"/>	<b>I5000. Paraplegia</b>
<input type="checkbox"/>	<b>I5100. Quadriplegia</b>
<input type="checkbox"/>	<b>I5200. Multiple Sclerosis (MS)</b>
<input type="checkbox"/>	<b>I5250. Huntington's Disease</b>
<input type="checkbox"/>	<b>I5300. Parkinson's Disease</b>
<input type="checkbox"/>	<b>I5400. Seizure Disorder or Epilepsy</b>
<input type="checkbox"/>	<b>I5500. Traumatic Brain Injury (TBI)</b>
<b>Nutritional</b>	
<input type="checkbox"/>	<b>I5600. Malnutrition</b> (protein or calorie) or at risk for malnutrition
<b>Psychiatric/Mood Disorder</b>	
<input type="checkbox"/>	<b>I5700. Anxiety Disorder</b>
<input type="checkbox"/>	<b>I5800. Depression</b> (other than bipolar)
<input type="checkbox"/>	<b>I5900. Manic Depression</b> (bipolar disease)
<input type="checkbox"/>	<b>I5950. Psychotic Disorder</b> (other than schizophrenia)
<input type="checkbox"/>	<b>I6000. Schizophrenia</b> (e.g., schizoaffective and schizophreniform disorders)
<b>Pulmonary</b>	
<input type="checkbox"/>	<b>I6200. Asthma, Chronic Obstructive Pulmonary Disease (COPD), or Chronic Lung Disease</b> (e.g., chronic bronchitis and restrictive lung diseases such as asbestosis)
<input type="checkbox"/>	<b>I6300. Respiratory Failure</b>

Section I

Active Diagnoses

Active Diagnoses in the last 7 days - Check all that apply

Diagnoses listed in parentheses are provided as examples and should not be considered as all-inclusive lists

	Other
<input type="checkbox"/>	<b>I8000. Additional active diagnoses</b> Enter diagnosis on line and ICD code in boxes. Include the decimal for the code in the appropriate box. <div> <div>A.</div> <div>B.</div> <div>C.</div> <div>D.</div> <div>E.</div> <div>F.</div> <div>G.</div> <div>H.</div> <div>I.</div> <div>J.</div> </div>

**Section J****Health Conditions****J0100. Pain Management** - Complete for all residents, regardless of current pain levelAt any time in the last **5** days, has the resident:

Enter Code <input type="text"/>	<b>A. Been on a scheduled pain medication regimen?</b> 0. <b>No</b> 1. <b>Yes</b>
Enter Code <input type="text"/>	<b>B. Received PRN pain medications?</b> 0. <b>No</b> 1. <b>Yes</b>
Enter Code <input type="text"/>	<b>C. Received non-medication intervention for pain?</b> 0. <b>No</b> 1. <b>Yes</b>

**J0200. Should Pain Assessment Interview be Conducted?**

Attempt to conduct interview with all residents. If resident is comatose, skip to J1100, Shortness of Breath (dyspnea)

Enter Code <input type="text"/>	0. <b>No</b> (resident is rarely/never understood) → Skip to and complete J0800, Indicators of Pain or Possible Pain 1. <b>Yes</b> → Continue to J0300, Pain Presence
------------------------------------	--

**Pain Assessment Interview****J0300. Pain Presence**

Enter Code <input type="text"/>	Ask resident: " <b>Have you had pain or hurting at any time in the last 5 days?</b> " 0. <b>No</b> → Skip to J1100, Shortness of Breath 1. <b>Yes</b> → Continue to J0400, Pain Frequency 9. <b>Unable to answer</b> → Skip to J0800, Indicators of Pain or Possible Pain
------------------------------------	--

**J0400. Pain Frequency**

Enter Code <input type="text"/>	Ask resident: " <b>How much of the time have you experienced pain or hurting over the last 5 days?</b> " 1. <b>Almost constantly</b> 2. <b>Frequently</b> 3. <b>Occasionally</b> 4. <b>Rarely</b> 9. <b>Unable to answer</b>
------------------------------------	---

**J0500. Pain Effect on Function**

Enter Code <input type="text"/>	<b>A.</b> Ask resident: " <b>Over the past 5 days, has pain made it hard for you to sleep at night?</b> " 0. <b>No</b> 1. <b>Yes</b> 9. <b>Unable to answer</b>
Enter Code <input type="text"/>	<b>B.</b> Ask resident: " <b>Over the past 5 days, have you limited your day-to-day activities because of pain?</b> " 0. <b>No</b> 1. <b>Yes</b> 9. <b>Unable to answer</b>

**J0600. Pain Intensity** - Administer **ONLY ONE** of the following pain intensity questions (A or B)

Enter Rating <input type="text"/>	<b>A. Numeric Rating Scale (00-10)</b> Ask resident: " <b>Please rate your worst pain over the last 5 days on a zero to ten scale, with zero being no pain and ten as the worst pain you can imagine.</b> " (Show resident 00 -10 pain scale) <b>Enter two-digit response. Enter 99 if unable to answer.</b>
Enter Code <input type="text"/>	<b>B. Verbal Descriptor Scale</b> Ask resident: " <b>Please rate the intensity of your worst pain over the last 5 days.</b> " (Show resident verbal scale) 1. <b>Mild</b> 2. <b>Moderate</b> 3. <b>Severe</b> 4. <b>Very severe, horrible</b> 9. <b>Unable to answer</b>



**Section J****Health Conditions****J0700. Should the Staff Assessment for Pain be Conducted?**

Enter Code

0. **No** (J0400 = 1 thru 4) → Skip to J1100, Shortness of Breath (dyspnea)  
 1. **Yes** (J0400 = 9) → Continue to J0800, Indicators of Pain or Possible Pain

**Staff Assessment for Pain****J0800. Indicators of Pain or Possible Pain** in the last 5 days

↓ Check all that apply

- ☐ **A. Non-verbal sounds** (e.g., crying, whining, gasping, moaning, or groaning)  
☐ **B. Vocal complaints of pain** (e.g., that hurts, ouch, stop)  
☐ **C. Facial expressions** (e.g., grimaces, wincing, wrinkled forehead, furrowed brow, clenched teeth or jaw)  
☐ **D. Protective body movements or postures** (e.g., bracing, guarding, rubbing or massaging a body part/area, clutching or holding a body part during movement)  
☐ **Z. None of these signs observed or documented** → If checked, skip to J1100, Shortness of Breath (dyspnea)

**J0850. Frequency of Indicator of Pain or Possible Pain** in the last 5 days

Enter Code

Frequency with which resident complains or shows evidence of pain or possible pain

1. **Indicators of pain** or possible pain observed **1 to 2 days**  
 2. **Indicators of pain** or possible pain observed **3 to 4 days**  
 3. **Indicators of pain** or possible pain observed **daily**

**Other Health Conditions****J1100. Shortness of Breath (dyspnea)**

↓ Check all that apply

- ☐ **A. Shortness of breath** or trouble breathing **with exertion** (e.g., walking, bathing, transferring)  
☐ **B. Shortness of breath** or trouble breathing **when sitting at rest**  
☐ **C. Shortness of breath** or trouble breathing **when lying flat**  
☐ **Z. None of the above**

**J1400. Prognosis**

Enter Code

Does the resident have a condition or chronic disease that may result in a **life expectancy of less than 6 months?** (Requires physician documentation)

0. **No**  
 1. **Yes**

**J1550. Problem Conditions**

↓ Check all that apply

- ☐ **A. Fever**  
☐ **B. Vomiting**  
☐ **C. Dehydrated**



## Section J Health Conditions

### J1700. Fall History on Admission

Complete only if A0310A = 01 or A0310E = 1

Enter Code <input type="text"/>	<b>A.</b> Did the resident have a fall any time in the <b>last month</b> prior to admission? 0. <b>No</b> 1. <b>Yes</b> 9. <b>Unable to determine</b>
Enter Code <input type="text"/>	<b>B.</b> Did the resident have a fall any time in the <b>last 2-6 months</b> prior to admission? 0. <b>No</b> 1. <b>Yes</b> 9. <b>Unable to determine</b>
Enter Code <input type="text"/>	<b>C.</b> Did the resident have any <b>fracture related to a fall in the 6 months</b> prior to admission? 0. <b>No</b> 1. <b>Yes</b> 9. <b>Unable to determine</b>

### J1800. Any Falls Since Admission or Prior Assessment (OBRA, PPS, or Discharge), whichever is more recent

Enter Code <input type="text"/>	Has the resident <b>had any falls since admission or the prior assessment</b> (OBRA, PPS, or Discharge), whichever is more recent? 0. <b>No</b> → Skip to K0200, Height and Weight 1. <b>Yes</b> → Continue to J1900, Number of Falls Since Admission or Prior Assessment (OBRA, PPS, or Discharge)
------------------------------------	---

### J1900. Number of Falls Since Admission or Prior Assessment (OBRA, PPS, or Discharge), whichever is more recent

<b>Coding:</b> 0. <b>None</b> 1. <b>One</b> 2. <b>Two or more</b>	↓ Enter Codes in Boxes	
	<input type="text"/>	<b>A. No injury</b> - no evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the resident; no change in the resident's behavior is noted after the fall
	<input type="text"/>	<b>B. Injury (except major)</b> - skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the resident to complain of pain
	<input type="text"/>	<b>C. Major injury</b> - bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma

## Section K Swallowing/Nutritional Status

### K0200. Height and Weight - While measuring, if the number is X.1 - X.4 round down; X.5 or greater round up

inches <input type="text"/>	<b>A. Height</b> (in inches). Record most recent height measure since admission
pounds <input type="text"/>	<b>B. Weight</b> (in pounds). Base weight on most recent measure in last 30 days; measure weight consistently, according to standard facility practice (e.g., in a.m. after voiding, before meal, with shoes off, etc.)

### K0300. Weight Loss

Enter Code <input type="text"/>	<b>Loss of 5% or more in the last month or loss of 10% or more in last 6 months</b> 0. <b>No</b> or unknown 1. <b>Yes, on</b> physician-prescribed weight-loss regimen 2. <b>Yes, not on</b> physician-prescribed weight-loss regimen
------------------------------------	--

### K0500. Nutritional Approaches

↓ Check all that apply	
<input type="checkbox"/>	<b>A. Parenteral/IV feeding</b>
<input type="checkbox"/>	<b>B. Feeding tube</b> - nasogastric or abdominal (PEG)
<input type="checkbox"/>	<b>C. Mechanically altered diet</b> - require change in texture of food or liquids (e.g., pureed food, thickened liquids)
<input type="checkbox"/>	<b>D. Therapeutic diet</b> (e.g., low salt, diabetic, low cholesterol)
<input type="checkbox"/>	<b>Z. None of the above</b>

**Section M****Skin Conditions****Report based on highest stage of existing ulcer(s) at its worst; do not "reverse" stage****M0100. Determination of Pressure Ulcer Risk**

↓ Check all that apply

- ☐ **A. Resident has a stage 1 or greater, a scar over bony prominence, or a non-removable dressing/device**
- ☐ **B. Formal assessment instrument/tool** (e.g., Braden, Norton, or other)
- ☐ **C. Clinical assessment**
- ☐ **Z. None of the above**

**M0150. Risk of Pressure Ulcers**

Enter Code  **Is this resident at risk of developing pressure ulcers?**  
 0. **No**  
 1. **Yes**

**M0210. Unhealed Pressure Ulcer(s)**

Enter Code  **Does this resident have one or more unhealed pressure ulcer(s) at Stage 1 or higher?**  
 0. **No** → Skip to M0900, Healed Pressure Ulcers  
 1. **Yes** → Continue to M0300, Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage

**M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage**

Enter Number <input type="text"/>	<b>A. Number of Stage 1 pressure ulcers</b> <b>Stage 1:</b> Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues
Enter Number <input type="text"/>	<b>B. Stage 2:</b> Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister
Enter Number <input type="text"/>	<b>1. Number of Stage 2 pressure ulcers</b> - If 0 → Skip to M0300C, Stage 3  <b>2. Number of these Stage 2 pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission  <b>3. Date of oldest Stage 2 pressure ulcer</b> - Enter dashes if date is unknown:  <div style="display: flex; justify-content: space-around; width: 100%;"> <span>—</span> <span>—</span> <span>—</span> </div> <div style="display: flex; justify-content: space-around; width: 100%;"> <span>Month</span> <span>Day</span> <span>Year</span> </div>
Enter Number <input type="text"/>	<b>C. Stage 3:</b> Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling
Enter Number <input type="text"/>	<b>1. Number of Stage 3 pressure ulcers</b> - If 0 → Skip to M0300D, Stage 4  <b>2. Number of these Stage 3 pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission
Enter Number <input type="text"/>	<b>D. Stage 4:</b> Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling
Enter Number <input type="text"/>	<b>1. Number of Stage 4 pressure ulcers</b> - If 0 → Skip to M0300E, Unstageable: Non-removable dressing  <b>2. Number of these Stage 4 pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission

**M0300 continued on next page**

**Section M****Skin Conditions****M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage - Continued**

Enter Number <input type="text"/>	<b>E. Unstageable - Non-removable dressing:</b> Known but not stageable due to non-removable dressing/device
Enter Number <input type="text"/>	<b>1. Number of unstageable pressure ulcers due to non-removable dressing/device</b> - If 0 → Skip to M0300F, Unstageable: Slough and/or eschar  <b>2. Number of these unstageable pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission
Enter Number <input type="text"/>	<b>F. Unstageable - Slough and/or eschar:</b> Known but not stageable due to coverage of wound bed by slough and/or eschar
Enter Number <input type="text"/>	<b>1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar</b> - If 0 → Skip to M0300G, Unstageable: Deep tissue  <b>2. Number of these unstageable pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission
Enter Number <input type="text"/>	<b>G. Unstageable - Deep tissue:</b> Suspected deep tissue injury in evolution
Enter Number <input type="text"/>	<b>1. Number of unstageable pressure ulcers with suspected deep tissue injury in evolution</b> - If 0 → Skip to M0610, Dimension of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar  <b>2. Number of these unstageable pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission

**M0610. Dimensions of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar**

Complete only if M0300C1, M0300D1 or M0300F1 is greater than 0

If the resident has one or more unhealed (non-epithelialized) Stage 3 or 4 pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure ulcer with the largest surface area (length x width) and record in centimeters:

<input type="text"/> . <input type="text"/> cm	<b>A. Pressure ulcer length:</b> Longest length from head to toe
<input type="text"/> . <input type="text"/> cm	<b>B. Pressure ulcer width:</b> Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length
<input type="text"/> . <input type="text"/> cm	<b>C. Pressure ulcer depth:</b> Depth of the same pressure ulcer from the visible surface to the deepest area (if depth is unknown, enter a dash in each box)

**M0700. Most Severe Tissue Type for Any Pressure Ulcer**

Enter Code <input type="text"/>	Select the best description of the most severe type of tissue present in any pressure ulcer bed <b>1. Epithelial tissue</b> - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin <b>2. Granulation tissue</b> - pink or red tissue with shiny, moist, granular appearance <b>3. Slough</b> - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous <b>4. Necrotic tissue (Eschar)</b> - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin
------------------------------------	---

**M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA, PPS, or Discharge)**

Complete only if A0310E = 0

Indicate the number of current pressure ulcers that were **not present or were at a lesser stage** on prior assessment (OBRA, PPS, or Discharge). If no current pressure ulcer at a given stage, enter 0

Enter Number <input type="text"/>	<b>A. Stage 2</b>
Enter Number <input type="text"/>	<b>B. Stage 3</b>
Enter Number <input type="text"/>	<b>C. Stage 4</b>

## Section M Skin Conditions

### M0900. Healed Pressure Ulcers

Complete only if A0310E = 0

Enter Code <input type="text"/>	<b>A. Were pressure ulcers present on the prior assessment (OBRA, PPS, or Discharge)?</b> 0. <b>No</b> → Skip to M1030, Number of Venous and Arterial Ulcers 1. <b>Yes</b> → Continue to M0900B, Stage 2
Enter Number <input type="text"/>	Indicate the number of pressure ulcers that were noted on the prior assessment (OBRA, PPS, or Discharge) that have completely closed (resurfaced with epithelium). If no healed pressure ulcer at a given stage since the prior assessment (OBRA, PPS, or Discharge), enter 0
Enter Number <input type="text"/>	<b>B. Stage 2</b>
Enter Number <input type="text"/>	<b>C. Stage 3</b>
Enter Number <input type="text"/>	<b>D. Stage 4</b>

### M1030. Number of Venous and Arterial Ulcers

Enter Number <input type="text"/>	Enter the total number of venous and arterial ulcers present
--------------------------------------	--

### M1040. Other Ulcers, Wounds and Skin Problems

↓ Check all that apply	
<input type="checkbox"/>	<b>Foot Problems</b>
<input type="checkbox"/>	<b>A. Infection of the foot</b> (e.g., cellulitis, purulent drainage)
<input type="checkbox"/>	<b>B. Diabetic foot ulcer(s)</b>
<input type="checkbox"/>	<b>C. Other open lesion(s) on the foot</b>
<b>Other Problems</b>	
<input type="checkbox"/>	<b>D. Open lesion(s) other than ulcers, rashes, cuts</b> (e.g., cancer lesion)
<input type="checkbox"/>	<b>E. Surgical wound(s)</b>
<input type="checkbox"/>	<b>F. Burn(s)</b> (second or third degree)
<b>None of the Above</b>	
<input type="checkbox"/>	<b>Z. None of the above</b> were present

### M1200. Skin and Ulcer Treatments

↓ Check all that apply	
<input type="checkbox"/>	<b>A. Pressure reducing device for chair</b>
<input type="checkbox"/>	<b>B. Pressure reducing device for bed</b>
<input type="checkbox"/>	<b>C. Turning/repositioning program</b>
<input type="checkbox"/>	<b>D. Nutrition or hydration intervention</b> to manage skin problems
<input type="checkbox"/>	<b>E. Ulcer care</b>
<input type="checkbox"/>	<b>F. Surgical wound care</b>
<input type="checkbox"/>	<b>G. Application of nonsurgical dressings</b> (with or without topical medications) other than to feet
<input type="checkbox"/>	<b>H. Applications of ointments/medications</b> other than to feet
<input type="checkbox"/>	<b>I. Application of dressings to feet</b> (with or without topical medications)
<input type="checkbox"/>	<b>Z. None of the above</b> were provided

## Section N Medications

### N0400. Medications Received

↓ Check all medications the resident received at any time during the last 7 days or since admission/reentry if less than 7 days

- ☐ A. Antipsychotic
- ☐ B. Antianxiety
- ☐ C. Antidepressant
- ☐ D. Hypnotic

## Section O Special Treatments, Procedures, and Programs

### O0100. Special Treatments, Procedures, and Programs

Check all of the following treatments, procedures, and programs that were performed during the last 14 days

1. While NOT a Resident Performed <b>while NOT a resident</b> of this facility and within the <b>last 14 days</b> . Only check column 1 if resident entered (admission or reentry) IN THE LAST 14 DAYS. If resident last entered 14 or more days ago, leave column 1 blank	1. While NOT a Resident	2. While a Resident
2. While a Resident Performed <b>while a resident</b> of this facility and within the <b>last 14 days</b>	↓ Check all that apply ↓	
<b>Respiratory Treatments</b>		
E. Tracheostomy care		<input type="checkbox"/>
F. Ventilator or respirator		<input type="checkbox"/>
<b>Other</b>		
K. Hospice care		<input type="checkbox"/>
M. Isolation or quarantine for active infectious disease (does not include standard body/fluid precautions)		<input type="checkbox"/>

### O0250. Influenza Vaccine - Refer to current version of RAI manual for current flu season and reporting period

Enter Code <input type="checkbox"/>	<b>A. Did the resident receive the Influenza vaccine in this facility</b> for this year's Influenza season? 0. <b>No</b> → Skip to O0250C, If Influenza vaccine not received, state reason 1. <b>Yes</b> → Continue to O0250B, Date vaccine received
	<b>B. Date vaccine received</b> → Complete date and skip to O0300A, Is the resident's Pneumococcal vaccination up to date?  _____ Month          Day          Year
Enter Code <input type="checkbox"/>	<b>C. If Influenza vaccine not received, state reason:</b> 1. <b>Resident not in facility</b> during this year's flu season 2. <b>Received outside of this facility</b> 3. <b>Not eligible</b> - medical contraindication 4. <b>Offered and declined</b> 5. <b>Not offered</b> 6. <b>Inability to obtain vaccine</b> due to a declared shortage 9. <b>None of the above</b>

### O0300. Pneumococcal Vaccine

Enter Code <input type="checkbox"/>	<b>A. Is the resident's Pneumococcal vaccination up to date?</b> 0. <b>No</b> → Continue to O0300B, If Pneumococcal vaccine not received, state reason 1. <b>Yes</b> → Skip to O0400, Therapies
Enter Code <input type="checkbox"/>	<b>B. If Pneumococcal vaccine not received, state reason:</b> 1. <b>Not eligible</b> - medical contraindication 2. <b>Offered and declined</b> 3. <b>Not offered</b>

**Section O****Special Treatments, Procedures, and Programs****00400. Therapies**

Enter Number of Minutes <input type="text"/> Enter Number of Minutes <input type="text"/> Enter Number of Minutes <input type="text"/> Enter Number of Days <input type="text"/>	<b>A. Speech-Language Pathology and Audiology Services</b> <ol style="list-style-type: none"> <li><b>Individual minutes</b> - record the total number of minutes this therapy was administered to the resident <b>individually</b> in the last 7 days</li> <li><b>Concurrent minutes</b> - record the total number of minutes this therapy was administered to the resident <b>concurrently with one other resident</b> in the last 7 days</li> <li><b>Group minutes</b> - record the total number of minutes this therapy was administered to the resident as <b>part of a group of residents</b> in the last 7 days</li> </ol> <p><b>If the sum of individual, concurrent, and group minutes is zero, → skip to O0400A5, Therapy start date</b></p> <ol style="list-style-type: none"> <li><b>Days</b> - record the <b>number of days</b> this therapy was administered for <b>at least 15 minutes</b> a day in the last 7 days</li> <li><b>Therapy start date</b> - record the date the most recent therapy regimen (since the most recent entry) started  <div style="display: flex; justify-content: space-around; width: 100%;"> <span>—      —</span> </div> <div style="display: flex; justify-content: space-around; width: 100%;"> <span>Month      Day      Year</span> </div> </li> <li><b>Therapy end date</b> - record the date the most recent therapy regimen (since the most recent entry) ended - enter dashes if therapy is ongoing  <div style="display: flex; justify-content: space-around; width: 100%;"> <span>—      —</span> </div> <div style="display: flex; justify-content: space-around; width: 100%;"> <span>Month      Day      Year</span> </div> </li> </ol>
Enter Number of Minutes <input type="text"/> Enter Number of Minutes <input type="text"/> Enter Number of Minutes <input type="text"/> Enter Number of Days <input type="text"/>	<b>B. Occupational Therapy</b> <ol style="list-style-type: none"> <li><b>Individual minutes</b> - record the total number of minutes this therapy was administered to the resident <b>individually</b> in the last 7 days</li> <li><b>Concurrent minutes</b> - record the total number of minutes this therapy was administered to the resident <b>concurrently with one other resident</b> in the last 7 days</li> <li><b>Group minutes</b> - record the total number of minutes this therapy was administered to the resident as <b>part of a group of residents</b> in the last 7 days</li> </ol> <p><b>If the sum of individual, concurrent, and group minutes is zero, → skip to O0400B5, Therapy start date</b></p> <ol style="list-style-type: none"> <li><b>Days</b> - record the <b>number of days</b> this therapy was administered for <b>at least 15 minutes</b> a day in the last 7 days</li> <li><b>Therapy start date</b> - record the date the most recent therapy regimen (since the most recent entry) started  <div style="display: flex; justify-content: space-around; width: 100%;"> <span>—      —</span> </div> <div style="display: flex; justify-content: space-around; width: 100%;"> <span>Month      Day      Year</span> </div> </li> <li><b>Therapy end date</b> - record the date the most recent therapy regimen (since the most recent entry) ended - enter dashes if therapy is ongoing  <div style="display: flex; justify-content: space-around; width: 100%;"> <span>—      —</span> </div> <div style="display: flex; justify-content: space-around; width: 100%;"> <span>Month      Day      Year</span> </div> </li> </ol>
Enter Number of Minutes <input type="text"/> Enter Number of Minutes <input type="text"/> Enter Number of Minutes <input type="text"/> Enter Number of Days <input type="text"/>	<b>C. Physical Therapy</b> <ol style="list-style-type: none"> <li><b>Individual minutes</b> - record the total number of minutes this therapy was administered to the resident <b>individually</b> in the last 7 days</li> <li><b>Concurrent minutes</b> - record the total number of minutes this therapy was administered to the resident <b>concurrently with one other resident</b> in the last 7 days</li> <li><b>Group minutes</b> - record the total number of minutes this therapy was administered to the resident as <b>part of a group of residents</b> in the last 7 days</li> </ol> <p><b>If the sum of individual, concurrent, and group minutes is zero, → skip to O0400C5, Therapy start date</b></p> <ol style="list-style-type: none"> <li><b>Days</b> - record the <b>number of days</b> this therapy was administered for <b>at least 15 minutes</b> a day in the last 7 days</li> <li><b>Therapy start date</b> - record the date the most recent therapy regimen (since the most recent entry) started  <div style="display: flex; justify-content: space-around; width: 100%;"> <span>—      —</span> </div> <div style="display: flex; justify-content: space-around; width: 100%;"> <span>Month      Day      Year</span> </div> </li> <li><b>Therapy end date</b> - record the date the most recent therapy regimen (since the most recent entry) ended - enter dashes if therapy is ongoing  <div style="display: flex; justify-content: space-around; width: 100%;"> <span>—      —</span> </div> <div style="display: flex; justify-content: space-around; width: 100%;"> <span>Month      Day      Year</span> </div> </li> </ol>

**Section O****Special Treatments, Procedures, and Programs****O0450. Resumption of Therapy** - Complete only if A0310C = 2 or 3 and A0310F = 99

Enter Code <input type="text"/>	<b>A. Has a previous rehabilitation therapy regimen (speech, occupational, and/or physical therapy) ended, as reported on this End of Therapy OMRA, and has this regimen now resumed at exactly the same level for each discipline?</b>
	0. <b>No</b> → Skip to O0500, Restorative Nursing Programs
	1. <b>Yes</b>
	<b>B. Date on which therapy regimen resumed:</b>
	<div> <div>—</div> <div>—</div> </div> <div> Month      Day      Year </div>

**O0500. Restorative Nursing Programs**

Record the **number of days** each of the following restorative programs was performed (for at least 15 minutes a day) in the last 7 calendar days (enter 0 if none or less than 15 minutes daily)

Number of Days	Technique
<input type="text"/>	<b>A. Range of motion (passive)</b>
<input type="text"/>	<b>B. Range of motion (active)</b>
<input type="text"/>	<b>C. Splint or brace assistance</b>
<b>Number of Days</b>	<b>Training and Skill Practice In:</b>
<input type="text"/>	<b>D. Bed mobility</b>
<input type="text"/>	<b>E. Transfer</b>
<input type="text"/>	<b>F. Walking</b>
<input type="text"/>	<b>G. Dressing and/or grooming</b>
<input type="text"/>	<b>H. Eating and/or swallowing</b>
<input type="text"/>	<b>I. Amputation/prostheses care</b>
<input type="text"/>	<b>J. Communication</b>

**O0600. Physician Examinations**

Enter Days <input type="text"/>	Over the last 14 days, <b>on how many days did the physician (or authorized assistant or practitioner) examine the resident?</b>
------------------------------------	--

**O0700. Physician Orders**

Enter Days <input type="text"/>	Over the last 14 days, <b>on how many days did the physician (or authorized assistant or practitioner) change the resident's orders?</b>
------------------------------------	--

<b>Section P</b>	<b>Restraints</b>
------------------	-------------------

**P0100. Physical Restraints**

Physical restraints are any manual method or physical or mechanical device, material or equipment attached or adjacent to the resident's body that the individual cannot remove easily which restricts freedom of movement or normal access to one's body

<b>Coding:</b> 0. <b>Not used</b> 1. <b>Used less than daily</b> 2. <b>Used daily</b>	↓	<b>Enter Codes in Boxes</b>
		<b>Used in Bed</b>
	<input type="checkbox"/>	<b>A. Bed rail</b>
	<input type="checkbox"/>	<b>B. Trunk restraint</b>
	<input type="checkbox"/>	<b>C. Limb restraint</b>
	<input type="checkbox"/>	<b>D. Other</b>
		<b>Used in Chair or Out of Bed</b>
	<input type="checkbox"/>	<b>E. Trunk restraint</b>
	<input type="checkbox"/>	<b>F. Limb restraint</b>
	<input type="checkbox"/>	<b>G. Chair prevents rising</b>
<input type="checkbox"/>	<b>H. Other</b>	

<b>Section Q</b>	<b>Participation in Assessment and Goal Setting</b>
------------------	---

**Q0100. Participation in Assessment**

Enter Code <input type="checkbox"/>	<b>A. Resident participated in assessment</b> 0. <b>No</b> 1. <b>Yes</b>
Enter Code <input type="checkbox"/>	<b>B. Family or significant other participated in assessment</b> 0. <b>No</b> 1. <b>Yes</b> 9. <b>No family or significant other</b>
Enter Code <input type="checkbox"/>	<b>C. Guardian or legally authorized representative participated in assessment</b> 0. <b>No</b> 1. <b>Yes</b> 9. <b>No guardian or legally authorized representative</b>

**Q0300. Resident's Overall Expectation**

Complete only if A0310E = 1

Enter Code <input type="checkbox"/>	<b>A. Resident's overall goal established during assessment process</b> 1. Expects to be <b>discharged to the community</b> 2. Expects to <b>remain in this facility</b> 3. Expects to be <b>discharged to another facility/institution</b> 9. <b>Unknown or uncertain</b>
Enter Code <input type="checkbox"/>	<b>B. Indicate information source for Q0300A</b> 1. <b>Resident</b> 2. If not resident, then <b>family or significant other</b> 3. If not resident, family, or significant other, then <b>guardian or legally authorized representative</b> 9. <b>None of the above</b>



**Section X****Correction Request****X0100. Type of Record**

Enter Code <input type="text"/>	<ol style="list-style-type: none"> <li><b>Add new record</b> → Skip to Z0100, Medicare Part A Billing</li> <li><b>Modify existing record</b> → Continue to X0150, Type of Provider</li> <li><b>Inactivate existing record</b> → Continue to X0150, Type of Provider</li> </ol>
------------------------------------	--

**Identification of Record to be Modified/Inactivated** - The following items identify the existing assessment record that is in error. In this section, reproduce the information EXACTLY as it appeared on the existing erroneous record, even if the information is incorrect. This information is necessary to locate the existing record in the National MDS Database.

**X0150. Type of Provider**

Enter Code <input type="text"/>	<b>Type of provider</b> <ol style="list-style-type: none"> <li><b>Nursing home (SNF/NF)</b></li> <li><b>Swing Bed</b></li> </ol>
------------------------------------	--

**X0200. Name of Resident** on existing record to be modified/inactivated

<input type="text"/>	<b>A. First name:</b>  <b>C. Last name:</b>
----------------------	---

**X0300. Gender** on existing record to be modified/inactivated

Enter Code <input type="text"/>	<ol style="list-style-type: none"> <li><b>Male</b></li> <li><b>Female</b></li> </ol>
------------------------------------	--

**X0400. Birth Date** on existing record to be modified/inactivated

<input type="text"/>	<div> <div>—</div> <div>—</div> </div> <div> <div>Month</div> <div>Day</div> <div>Year</div> </div>
----------------------	---

**X0500. Social Security Number** on existing record to be modified/inactivated

<input type="text"/>	<div>—</div> <div>—</div>
----------------------	---------------------------

**X0600. Type of Assessment** on existing record to be modified/inactivated

Enter Code <input type="text"/>	<b>A. Federal OBRA Reason for Assessment</b> <ol style="list-style-type: none"> <li><b>Admission</b> assessment (required by day 14)</li> <li><b>Quarterly</b> review assessment</li> <li><b>Annual</b> assessment</li> <li><b>Significant change in status</b> assessment</li> <li><b>Significant correction to prior comprehensive</b> assessment</li> <li><b>Significant correction to prior quarterly</b> assessment</li> <li><b>Not OBRA required</b> assessment</li> </ol>
Enter Code <input type="text"/>	<b>B. PPS Assessment</b> <p><b><u>PPS Scheduled Assessments for a Medicare Part A Stay</u></b></p> <ol style="list-style-type: none"> <li><b>5-day</b> scheduled assessment</li> <li><b>14-day</b> scheduled assessment</li> <li><b>30-day</b> scheduled assessment</li> <li><b>60-day</b> scheduled assessment</li> <li><b>90-day</b> scheduled assessment</li> <li><b>Readmission/return</b> assessment</li> </ol> <p><b><u>PPS Unscheduled Assessments for a Medicare Part A Stay</u></b></p> <ol style="list-style-type: none"> <li><b>Unscheduled assessment used for PPS</b> (OMRA, significant or clinical change, or significant correction assessment)</li> </ol> <p><b><u>Not PPS Assessment</u></b></p> <ol style="list-style-type: none"> <li><b>Not PPS</b> assessment</li> </ol>

**X0600 continued on next page**

**Section X****Correction Request****X0600. Type of Assessment - Continued**

Enter Code

**C. PPS Other Medicare Required Assessment - OMRA**

0. **No**  
 1. **Start of therapy** assessment  
 2. **End of therapy** assessment  
 3. **Both Start and End of therapy** assessment  
 4. **Change of therapy** assessment

Enter Code

**D. Is this a Swing Bed clinical change assessment?** Complete only if X0150 = 2

0. **No**  
 1. **Yes**

Enter Code

**F. Entry/discharge reporting**

01. **Entry** record  
 10. **Discharge** assessment-**return not anticipated**  
 11. **Discharge** assessment-**return anticipated**  
 12. **Death in facility** record  
 99. **Not entry/discharge** record

**X0700. Date** on existing record to be modified/inactivated - **Complete one only****A. Assessment Reference Date** - Complete only if X0600F = 99

— — —  
 Month Day Year

**B. Discharge Date** - Complete only if X0600F = 10, 11, or 12

— — —  
 Month Day Year

**C. Entry Date** - Complete only if X0600F = 01

— — —  
 Month Day Year

**Correction Attestation Section** - Complete this section to explain and attest to the modification/inactivation request**X0800. Correction Number**

Enter Number

**Enter the number of correction requests to modify/inactivate the existing record, including the present one****X0900. Reasons for Modification** - Complete only if Type of Record is to modify a record in error (X0100 = 2)

↓ Check all that apply

- ☐ **A. Transcription error**  
☐ **B. Data entry error**  
☐ **C. Software product error**  
☐ **D. Item coding error**  
☐ **E. End of Therapy - Resumption (EOT-R) date**  
☐ **Z. Other error requiring modification**  
 If "Other" checked, please specify: \_\_\_\_\_

**X1050. Reasons for Inactivation** - Complete only if Type of Record is to inactivate a record in error (X0100 = 3)

↓ Check all that apply

- ☐ **A. Event did not occur**  
☐ **Z. Other error requiring inactivation**  
 If "Other" checked, please specify: \_\_\_\_\_

Section X

Correction Request

X1100. RN Assessment Coordinator Attestation of Completion

	A. Attesting individual's first name:
	B. Attesting individual's last name:
	C. Attesting individual's title:
	D. Signature
	E. Attestation date

Month

Day

Year

Section Z

Assessment Administration

Z0100. Medicare Part A Billing

Enter Code <div></div>	A. Medicare Part A HIPPS code (RUG group followed by assessment type indicator):
	B. RUG version code:
	C. Is this a Medicare Short Stay assessment? 0. No 1. Yes

Z0150. Medicare Part A Non-Therapy Billing

	A. Medicare Part A non-therapy HIPPS code (RUG group followed by assessment type indicator):
	B. RUG version code:

Z0300. Insurance Billing

	A. RUG Case Mix group:
	B. RUG version code:

## Section Z Assessment Administration

### Z0400. Signature of Persons Completing the Assessment or Entry/Death Reporting

I certify that the accompanying information accurately reflects resident assessment information for this resident and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that residents receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information. I also certify that I am authorized to submit this information by this facility on its behalf.

Signature	Title	Sections	Date Section Completed
A.			
B.			
C.			
D.			
E.			
F.			
G.			
H.			
I.			
J.			
K.			
L.			

### Z0500. Signature of RN Assessment Coordinator Verifying Assessment Completion

**A. Signature:**

**B. Date RN Assessment Coordinator signed assessment as complete:**

— —  
Month Day Year

**Legal Notice Regarding MDS 3.0** - Copyright 2011 United States of America and InterRAI. This work may be freely used and distributed solely within the United States. Portions of the MDS 3.0 are under separate copyright protections; Pfizer Inc. holds the copyright for the PHQ-9 and the Annals of Internal Medicine holds the copyright for the CAM. Both Pfizer Inc. and the Annals of Internal Medicine have granted permission to freely use these instruments in association with the MDS 3.0.