

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Item ID: GG0100A.....	5
Item ID: GG0100B.....	8
Item ID: GG0100C.....	11
Item ID: GG0100D	14
Item ID: GG0110A.....	17
Item ID: GG0110B.....	21
Item ID: GG0110C.....	25
Item ID: GG0110D	29
Item ID: GG0110E	33
Item ID: GG0110Z	37
Item ID: GG0130A1.....	41
Item ID: GG0130A2.....	45
Item ID: GG0130A3.....	49
Item ID: GG0130A4.....	53
Item ID: GG0130B1.....	57
Item ID: GG0130B2.....	61
Item ID: GG0130B3.....	65
Item ID: GG0130B4.....	69
Item ID: GG0130C1.....	73
Item ID: GG0130C2.....	77
Item ID: GG0130C3.....	81
Item ID: GG0130C4.....	85
Item ID: GG0130E1.....	89
Item ID: GG0130E2.....	93
Item ID: GG0130E3.....	97
Item ID: GG0130F1	101

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Item ID: GG0130F2	105
Item ID: GG0130F3	109
Item ID: GG0130G1	113
Item ID: GG0130G2	117
Item ID: GG0130G3	121
Item ID: GG0130H1	125
Item ID: GG0130H2	129
Item ID: GG0130H3	133
Item ID: GG0170A1.....	137
Item ID: GG0170A2.....	141
Item ID: GG0170A3.....	145
Item ID: GG0170A4.....	149
Item ID: GG0170B1.....	153
Item ID: GG0170B2.....	157
Item ID: GG0170B3.....	161
Item ID: GG0170B4.....	165
Item ID: GG0170C_MOBILITY_SOCROC_PERF	169
Item ID: GG0170C_MOBILITY_DSCHG_GOAL	173
Item ID: GG0170C3.....	177
Item ID: GG0170C4.....	181
Item ID: GG0170D1	185
Item ID: GG0170D2	189
Item ID: GG0170D3	193
Item ID: GG0170D4	197
Item ID: GG0170E1.....	201
Item ID: GG0170E2.....	205

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Item ID: GG0170E3.....	209
Item ID: GG0170E4.....	213
Item ID: GG0170F1.....	217
Item ID: GG0170F2.....	221
Item ID: GG0170F3.....	225
Item ID: GG0170F4.....	229
Item ID: GG0170G1.....	233
Item ID: GG0170G2.....	237
Item ID: GG0170G3.....	241
Item ID: GG0170I1.....	245
Item ID: GG0170I2.....	249
Item ID: GG0170I3.....	253
Item ID: GG0170I4.....	257
Item ID: GG0170J1.....	261
Item ID: GG0170J2.....	265
Item ID: GG0170J3.....	269
Item ID: GG0170J4.....	273
Item ID: GG0170K1.....	277
Item ID: GG0170K2.....	281
Item ID: GG0170K3.....	285
Item ID: GG0170L1.....	289
Item ID: GG0170L2.....	293
Item ID: GG0170L3.....	297
Item ID: GG0170L4.....	301
Item ID: GG0170M1.....	305
Item ID: GG0170M2.....	309

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Item ID: GG0170M3	313
Item ID: GG0170M4	317
Item ID: GG0170N1	321
Item ID: GG0170N2	325
Item ID: GG0170N3	329
Item ID: GG0170N4	333
Item ID: GG0170O1	337
Item ID: GG0170O2	341
Item ID: GG0170O3	345
Item ID: GG0170P1.....	349
Item ID: GG0170P2.....	353
Item ID: GG0170P3.....	357
Item ID: GG0170Q1	361
Item ID: GG0170Q3	365
Item ID: GG0170Q4	369
Item ID: GG0170R1.....	373
Item ID: GG0170R2.....	377
Item ID: GG0170R3.....	381
Item ID: GG0170R4.....	385
Item ID: GG0170RR1	389
Item ID: GG0170RR3	393
Item ID: GG0170S1	397
Item ID: GG0170S2	401
Item ID: GG0170S3	405
Item ID: GG0170SS1	409
Item ID: GG0170SS3	413

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0100A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior Function - Self Care	Asmt		Code	1	1628-1628

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
3		Independent
2		Needed Some Help
1		Dependent
8		Unknown
9		Not Applicable
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0100A	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0100B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior Function - Indoor Mobility (Ambulation)	Asmt		Code	1	1629-1629

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
3		Independent
2		Needed Some Help
1		Dependent
8		Unknown
9		Not Applicable
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0100B	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0100C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior Function - Stairs	Asmt		Code	1	1630-1630

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
3		Independent
2		Needed Some Help
1		Dependent
8		Unknown
9		Not Applicable
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0100C	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0100D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior Function - Functional Cognition	Asmt		Code	1	1631-1631

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
3		Independent
2		Needed Some Help
1		Dependent
8		Unknown
9		Not Applicable
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0100D	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0110A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior Device - Manual wheelchair	Asmt		Code	1	1632-1632

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5500	Consistency	Fatal	GG0110 Consistency: a) If GG0110Z=[1], then all items from GG0110A through GG0110E must be equal to [0]. b) If GG0110Z=[0], then at least one of the items GG0110A through GG0110E must be equal to [1]. c) If GG0110Z=[-], then at least one item from GG0110A through GG0110E must equal [-], and all remaining items must equal [0,-].

Changes for Version

Type	ID	Description
Item	GG0110A	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Consistency	-5500	M2430_HOSP_UR_TRACT M2430_HOSP_WND_INFCTN [V2.30.0]-New edit
-------------	-------	--

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0110B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior Device - Motorized wheelchair and/or scooter	Asmt		Code	1	1633-1633

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5500	Consistency	Fatal	GG0110 Consistency: a) If GG0110Z=[1], then all items from GG0110A through GG0110E must be equal to [0]. b) If GG0110Z=[0], then at least one of the items GG0110A through GG0110E must be equal to [1]. c) If GG0110Z=[-], then at least one item from GG0110A through GG0110E must equal [-], and all remaining items must equal [0,-].

Changes for Version

Type	ID	Description
Item	GG0110B	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Consistency	-5500	M2430_HOSP_UR_TRACT M2430_HOSP_WND_INFCTN [V2.30.0]-New edit
-------------	-------	--

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0110C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior Device - Mechanical lift	Asmt		Code	1	1634-1634

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5500	Consistency	Fatal	GG0110 Consistency: a) If GG0110Z=[1], then all items from GG0110A through GG0110E must be equal to [0]. b) If GG0110Z=[0], then at least one of the items GG0110A through GG0110E must be equal to [1]. c) If GG0110Z=[-], then at least one item from GG0110A through GG0110E must equal [-], and all remaining items must equal [0,-].

Changes for Version

Type	ID	Description
Item	GG0110C	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Consistency	-5500	M2430_HOSP_UR_TRACT M2430_HOSP_WND_INFCTN [V2.30.0]-New edit
-------------	-------	--

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0110D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior Device - Walker	Asmt		Code	1	1635-1635

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5500	Consistency	Fatal	GG0110 Consistency: a) If GG0110Z=[1], then all items from GG0110A through GG0110E must be equal to [0]. b) If GG0110Z=[0], then at least one of the items GG0110A through GG0110E must be equal to [1]. c) If GG0110Z=[-], then at least one item from GG0110A through GG0110E must equal [-], and all remaining items must equal [0,-].

Changes for Version

Type	ID	Description
Item	GG0110D	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Consistency	-5500	M2430_HOSP_UR_TRACT M2430_HOSP_WND_INFCTN [V2.30.0]-New edit
-------------	-------	--

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0110E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior Device - Orthotics/Prosthetics	Asmt		Code	1	1636-1636

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5500	Consistency	Fatal	GG0110 Consistency: a) If GG0110Z=[1], then all items from GG0110A through GG0110E must be equal to [0]. b) If GG0110Z=[0], then at least one of the items GG0110A through GG0110E must be equal to [1]. c) If GG0110Z=[-], then at least one item from GG0110A through GG0110E must equal [-], and all remaining items must equal [0,-].

Changes for Version

Type	ID	Description
Item	GG0110E	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Consistency	-5500	M2430_HOSP_UR_TRACT M2430_HOSP_WND_INFCTN [V2.30.0]-New edit
-------------	-------	--

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0110Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior Device - None of the above	Asmt		Code	1	1637-1637

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5500	Consistency	Fatal	GG0110 Consistency: a) If GG0110Z=[1], then all items from GG0110A through GG0110E must be equal to [0]. b) If GG0110Z=[0], then at least one of the items GG0110A through GG0110E must be equal to [1]. c) If GG0110Z=[-], then at least one item from GG0110A through GG0110E must equal [-], and all remaining items must equal [0,-].

Changes for Version

Type	ID	Description
Item	GG0110Z	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Consistency	-5500	M2430_HOSP_UR_TRACT M2430_HOSP_WND_INFCTN [V2.30.0]-New edit
-------------	-------	--

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130A1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Eating (SOC/ROC Perf)	Asmt		Code	2	1638-1639

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130A1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130A2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Eating (Dschg Goal)	Asmt		Code	2	1640-1641

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0130A2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130A3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Eating (Dischg Perf)	Asmt		Code	2	1642-1643

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130A3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130A4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Eating (Follow-Up Perf)	Asmt		Code	2	1644-1645

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130A4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130B1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Oral Hygiene (SOC/ROC Perf)	Asmt		Code	2	1646-1647

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130B1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Oral Hygiene (Dschrg Goal)	Asmt		Code	2	1648-1649

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0130B2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130B3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Oral Hygiene (Dschrg Perf)	Asmt		Code	2	1650-1651

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130B3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130B4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Oral Hygiene (Follow-Up Perf)	Asmt		Code	2	1652-1653

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130B4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130C1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Toileting hygiene (SOC/ROC Perf)	Asmt		Code	2	1654-1655

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130C1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130C2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Toileting hygiene (Dschrg Goal)	Asmt		Code	2	1656-1657

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0130C2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130C3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Toileting hygiene (Dschrg Perf)	Asmt		Code	2	1658-1659

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130C3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130C4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Toileting hygiene (Follow-Up Perf)	Asmt		Code	2	1660-1661

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130C4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130E1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Shower/bathe self (SOC/ROC Perf)	Asmt		Code	2	1662-1663

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130E1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130E2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Shower/bathe self (Dschrg Goal)	Asmt		Code	2	1664-1665

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0130E2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA,

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130E3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Shower/bathe self (Dschrg Perf)	Asmt		Code	2	1666-1667

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130E3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130F1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Upper body dressing (SOC/ROC Perf)	Asmt		Code	2	1668-1669

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130F1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130F2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Upper body dressing (Dschrng Goal)	Asmt		Code	2	1670-1671

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0130F2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130F3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Upper body dressing (Dschrng Perf)	Asmt		Code	2	1672-1673

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130F3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130G1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Lower body dressing (SOC/ROC Perf)	Asmt		Code	2	1674-1675

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130G1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130G2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Lower body dressing (DschrG Goal)	Asmt		Code	2	1676-1677

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0130G2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130G3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Lower body dressing (Dschrng Perf)	Asmt		Code	2	1678-1679

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130G3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130H1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Put on/take off footwear (SOC/ROC Perf)	Asmt		Code	2	1680-1681

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130H1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130H2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Put on/take off footwear (Dschrg Goal)	Asmt		Code	2	1682-1683

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0130H2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0130H3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Put on/take off footwear (Dschrg Perf)	Asmt		Code	2	1684-1685

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0130H3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170A1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Roll left and right (SOC/ROC Perf)	Asmt		Code	2	1686-1687

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170A1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170A2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Roll left and right (DschrG Goal)	Asmt		Code	2	1688-1689

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0170A2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170A3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Roll left and right (Dschrng Perf)	Asmt		Code	2	1690-1691

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170A3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170A4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Roll left and right (Follow-Up Perf)	Asmt		Code	2	1692-1693

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170A4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170B1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Sit to lying (SOC/ROC Perf)	Asmt		Code	2	1694-1695

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170B1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Sit to lying (Dschrg Goal)	Asmt		Code	2	1696-1697

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0170B2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170B3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Sit to lying (Dschrng Perf)	Asmt		Code	2	1698-1699

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170B3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170B4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Sit to lying (Follow-Up Perf)	Asmt		Code	2	1700-1701

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170B4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170C_MOBILITY_SOCROC_PERF

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Lying to sitting on bed side (SOC/ROC Perf)	Asmt		Code	2	1604-1605

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170C_MOBILITY_SOCROC_PERF	[V2.30.0]-Moved item to new Section GG. Added [10] as an allowed value
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

M2102_CARE_TYPE_SRC_ADV CY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report

Section: GG

M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170C_MOBILITY_DSCHG_GOAL

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Lying to sitting on bed side (Dschrg Goal)	Asmt		Code	2	1606-1607

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0170C_MOBILITY_DSCHG_GOAL	[V2.30.0]-Moved item to new Section GG. Added [07,09,10,88] as allowed values.
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

M1017_CHGREG_ICD_NA
M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report

Section: GG

M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN
[V2.30.0]-New edit

Consistency -5510

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170C3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Lying to sitting on bed side (Dschrq Perf)	Asmt		Code	2	1702-1703

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170C3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170C4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Lying to sitting on bed side (Follow-Up Perf)	Asmt		Code	2	1704-1705

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170C4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170D1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Sit to stand (SOC/ROC Perf)	Asmt		Code	2	1706-1707

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170D1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170D2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Sit to stand (Dschrg Goal)	Asmt		Code	2	1708-1709

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0170D2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170D3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Sit to stand (Dschrg Perf)	Asmt		Code	2	1710-1711

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170D3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170D4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Sit to stand (Follow-Up Perf)	Asmt		Code	2	1712-1713

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170D4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170E1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Chair/bed-to-chair transfer (SOC/ROC Perf)	Asmt		Code	2	1714-1715

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170E1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170E2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Chair/bed-to-chair transfer (DschrG Goal)	Asmt		Code	2	1716-1717

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0170E2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170E3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Chair/bed-to-chair transfer (Dschrng Perf)	Asmt		Code	2	1718-1719

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170E3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170E4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Chair/bed-to-chair transfer (Follow-Up Perf)	Asmt		Code	2	1720-1721

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170E4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170F1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Toilet transfer (SOC/ROC Perf)	Asmt		Code	2	1722-1723

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170F1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170F2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Toilet transfer (Dschrg Goal)	Asmt		Code	2	1724-1725

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0170F2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170F3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Toilet transfer (Dschrng Perf)	Asmt		Code	2	1726-1727

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170F3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170F4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Toilet transfer (Follow-Up Perf)	Asmt		Code	2	1728-1729

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170F4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170G1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Car transfer (SOC/ROC Perf)	Asmt		Code	2	1730-1731

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS

Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170G1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170G2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Car transfer (Dschrng Goal)	Asmt		Code	2	1732-1733

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0170G2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170G3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Car transfer (Dschrng Perf)	Asmt		Code	2	1734-1735

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170G3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY0
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170I1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walk 10 feet (SOC/ROC Perf)	Asmt		Code	2	1736-1737

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5520	Skip pattern	Fatal	(a) If GG0170I1=[07,09,10,88,^], then GG0170J1, GG0170K1, and GG0170L1 must equal [^]. (b) If GG0170I1=[06,05,04,03,02,01], then GG0170J1, GG0170K1, and GG0170L1 must not equal [^]. (c) If GG0170I1=[-], then GG0170J1, GG0170K1, and GG0170L1 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170I1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5520	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170I2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walk 10 feet (Dschrg Goal)	Asmt		Code	2	1738-1739

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0170I2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170I3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walk 10 feet (Dschrng Perf)	Asmt		Code	2	1740-1741

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5530	Skip pattern	Fatal	(a) If GG0170I3=[07,09,10,88,^], then GG0170J3, GG0170K3, and GG0170L3 must equal [^]. (b) If GG0170I3=[06,05,04,03,02,01], then GG0170J3, GG0170K3, and GG0170L3 must not equal [^]. (c) If GG0170I3=[-], then GG0170J3, GG0170K3, and GG0170L3 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170I3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5530	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170I4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walk 10 feet (Follow-Up Perf)	Asmt		Code	2	1742-1743

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5540	Skip pattern	Fatal	(a) If GG0170I4=[07,09,10,88,^], then GG0170J4 and GG0170L4 must equal [^]. (b) If GG0170I4=[06,05,04,03,02,01], then GG0170J4 and GG0170L4 must not equal [^]. (c) If GG0170I4=[-], then GG0170J4 and GG0170L4 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170I4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5540	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170J1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walk 50 feet with two turns (SOC/ROC Perf)	Asmt		Code	2	1744-1745

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5520	Skip pattern	Fatal	(a) If GG0170I1=[07,09,10,88,^], then GG0170J1, GG0170K1, and GG0170L1 must equal [^]. (b) If GG0170I1=[06,05,04,03,02,01], then GG0170J1, GG0170K1, and GG0170L1 must not equal [^]. (c) If GG0170I1=[-], then GG0170J1, GG0170K1, and GG0170L1 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170J1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5520	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170J2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walk 50 feet with two turns (Dschrg Goal)	Asmt		Code	2	1746-1747

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0170J2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170J3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walk 50 feet with two turns (Dschrg Perf)	Asmt		Code	2	1748-1749

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5530	Skip pattern	Fatal	(a) If GG0170I3=[07,09,10,88,^], then GG0170J3, GG0170K3, and GG0170L3 must equal [^]. (b) If GG0170I3=[06,05,04,03,02,01], then GG0170J3, GG0170K3, and GG0170L3 must not equal [^]. (c) If GG0170I3=[-], then GG0170J3, GG0170K3, and GG0170L3 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170J3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5530	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170J4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walk 50 feet with two turns (Follow-Up Perf)	Asmt		Code	2	1750-1751

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5540	Skip pattern	Fatal	(a) If GG0170I4=[07,09,10,88,^], then GG0170J4 and GG0170L4 must equal [^]. (b) If GG0170I4=[06,05,04,03,02,01], then GG0170J4 and GG0170L4 must not equal [^]. (c) If GG0170I4=[-], then GG0170J4 and GG0170L4 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170J4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5540	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170K1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walk 150 feet (SOC/ROC Perf)	Asmt		Code	2	1752-1753

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5520	Skip pattern	Fatal	(a) If GG0170I1=[07,09,10,88,^], then GG0170J1, GG0170K1, and GG0170L1 must equal [^]. (b) If GG0170I1=[06,05,04,03,02,01], then GG0170J1, GG0170K1, and GG0170L1 must not equal [^]. (c) If GG0170I1=[-], then GG0170J1, GG0170K1, and GG0170L1 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170K1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5520	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170K2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walk 150 feet (Dschrng Goal)	Asmt		Code	2	1754-1755

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0170K2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170K3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walk 150 feet (Dschrng Perf)	Asmt		Code	2	1756-1757

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5530	Skip pattern	Fatal	(a) If GG0170I3=[07,09,10,88,^], then GG0170J3, GG0170K3, and GG0170L3 must equal [^]. (b) If GG0170I3=[06,05,04,03,02,01], then GG0170J3, GG0170K3, and GG0170L3 must not equal [^]. (c) If GG0170I3=[-], then GG0170J3, GG0170K3, and GG0170L3 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170K3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5530	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170L1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walking 10 feet uneven surf (SOC/ROC Perf)	Asmt		Code	2	1758-1759

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5520	Skip pattern	Fatal	(a) If GG0170I1=[07,09,10,88,^], then GG0170J1, GG0170K1, and GG0170L1 must equal [^]. (b) If GG0170I1=[06,05,04,03,02,01], then GG0170J1, GG0170K1, and GG0170L1 must not equal [^]. (c) If GG0170I1=[-], then GG0170J1, GG0170K1, and GG0170L1 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170L1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5520	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170L2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walking 10 feet uneven surf (DschrG Goal)	Asmt		Code	2	1760-1761

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0170L2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170L3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walking 10 feet uneven surf (Dschrng Perf)	Asmt		Code	2	1762-1763

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5530	Skip pattern	Fatal	(a) If GG0170I3=[07,09,10,88,^], then GG0170J3, GG0170K3, and GG0170L3 must equal [^]. (b) If GG0170I3=[06,05,04,03,02,01], then GG0170J3, GG0170K3, and GG0170L3 must not equal [^]. (c) If GG0170I3=[-], then GG0170J3, GG0170K3, and GG0170L3 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170L3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5530	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170L4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walking 10 feet uneven surf (Follow-Up Perf)	Asmt		Code	2	1764-1765

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5540	Skip pattern	Fatal	(a) If GG0170I4=[07,09,10,88,^], then GG0170J4 and GG0170L4 must equal [^]. (b) If GG0170I4=[06,05,04,03,02,01], then GG0170J4 and GG0170L4 must not equal [^]. (c) If GG0170I4=[-], then GG0170J4 and GG0170L4 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170L4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5540	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170M1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
1 step (curb) (SOC/ROC Perf)	Asmt		Code	2	1766-1767

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5550	Skip pattern	Fatal	(a) If GG0170M1=[07,09,10,88,^], then GG0170N1 must equal [^]. (b) If GG0170M1=[06,05,04,03,02,01], then GG0170N1 must not equal [^]. (c) If GG0170M1=[-], then GG0170N1 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170M1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5550	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170M2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
1 step (curb) (Dschrg Goal)	Asmt		Code	2	1768-1769

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0170M2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170M3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
1 step (curb) (Dschrg Perf)	Asmt		Code	2	1770-1771

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5560	Skip pattern	Fatal	(a) If GG0170M3=[07,09,10,88,^], then GG0170N3 must equal [^]. (b) If GG0170M3=[06,05,04,03,02,01], then GG0170N3 must not equal [^]. (c) If GG0170M3=[-], then GG0170N3 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170M3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5560	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170M4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
1 step (curb) (Follow-Up Perf)	Asmt		Code	2	1772-1773

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5570	Skip pattern	Fatal	(a) If GG0170M4=[07,09,10,88,^], then GG0170N4 must equal [^]. (b) If GG0170M4=[06,05,04,03,02,01], then GG0170N4 must not equal [^]. (c) If GG0170M4=[-], then GG0170N4 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170M4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5570	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170N1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
4 steps (SOC/ROC Perf)	Asmt		Code	2	1774-1775

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5550	Skip pattern	Fatal	(a) If GG0170M1=[07,09,10,88,^], then GG0170N1 must equal [^]. (b) If GG0170M1=[06,05,04,03,02,01], then GG0170N1 must not equal [^]. (c) If GG0170M1=[-], then GG0170N1 must equal [-].
-5580	Skip pattern	Fatal	(a) If GG0170N1=[07,09,10,88,^], then GG0170O1 must equal [^]. (b) If GG0170N1=[06,05,04,03,02,01], then GG0170O1 must not equal [^]. (c) If GG0170N1=[-], then GG0170O1 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170N1	[V2.30.0]-New item

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM M1036_RSK_DRUGS 1036_RSK_NONE M1036_RSK_OBESITY M1036_RSK_SMOKING M1036_RSK_UNKNOWN M1210_HEARG_ABLTY M1220_UNDRSTG_VERBAL_CNTNT M1230_SPEECH M1240_FRML_PAIN_ASMT M1300_PRSR_ULCR_RISK_ASMT M1302_RISK_OF_PRSR_ULCR M1320_STUS_PRBLM_PRSR_ULCR M1350_LESION_OPEN_WND M1410_RESPTX_OXYGEN M1410_RESPTX_AIRPRESS M1410_RESPTX_NONE M1410_RESPTX_VENTILATOR M1501_SYMTM_HRT_FAILR_PTNTS M1511_HRT_FAILR_CARE_PLAN_CHG M1511_HRT_FAILR_CLNCL_INTRVTN M1511_HRT_FAILR_ER_TRTMT M1511_HRT_FAILR_NO_ACTN M1511_HRT_FAILR_PHYSN_CNTCT M1511_HRT_FAILR_PHYSN_TRTMT M1615_INCNTNT_TIMING M1750_REC_PSYCH_NURS M1880_CRNT_PREP_LT_MEALS
--------	-------	--

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_MED
		M2430_HOSP_MENTL_BHVRL_PRBLM
		M2430_HOSP_MI_CHST_PAIN
		M2430_HOSP_OTHER
		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5550	[V2.30.0]-New edit
Skip pattern	-5580	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170N2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
4 steps (Dschrg Goal)	Asmt		Code	2	1776-1777

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0170N2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170N3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
4 steps (Dschrg Perf)	Asmt		Code	2	1778-1779

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5560	Skip pattern	Fatal	(a) If GG0170M3=[07,09,10,88,^], then GG0170N3 must equal [^]. (b) If GG0170M3=[06,05,04,03,02,01], then GG0170N3 must not equal [^]. (c) If GG0170M3=[-], then GG0170N3 must equal [-].
-5590	Skip pattern	Fatal	(a) If GG0170N3=[07,09,10,88,^], then GG0170O3 must equal [^]. (b) If GG0170N3=[06,05,04,03,02,01], then GG0170O3 must not equal [^]. (c) If GG0170N3=[-], then GG0170O3 must equal [-].

Changes for Version

Type	ID	Description
Item	GG0170N3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA.

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Removed mappings to the following deleted items:

M1011_14_DAY_INP_NA
M1017_CHGREG_ICD_NA
M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_MENTL_BHVRL_PRBLM
		M2430_HOSP_MI_CHST_PAIN
		M2430_HOSP_OTHER
		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5560	[V2.30.0]-New edit
Skip pattern	-5590	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170N4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
4 steps (Follow-Up Perf)	Asmt		Code	2	1780-1781

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5570	Skip pattern	Fatal	(a) If GG0170M4=[07,09,10,88,^] then GG0170N4 must equal [^] (b) If GG0170M4=[06,05,04,03,02,01] then GG0170N4 must not equal [^] (c) If GG0170M4=[-] then GG0170N4 must equal [-]

Changes for Version

Type	ID	Description
Item	GG0170N4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5570	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG017001

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
12 steps (SOC/ROC Perf)	Asmt		Code	2	1782-1783

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5580	Skip pattern	Fatal	(a) If GG0170N1=[07,09,10,88,^], then GG017001 must equal [^]. (b) If GG0170N1=[06,05,04,03,02,01], then GG017001 must not equal [^]. (c) If GG0170N1=[-], then GG017001 must equal [-].

Changes for Version

Type	ID	Description
Item	GG017001	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5580	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG017002

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
12 steps (Dschrg Goal)	Asmt		Code	2	1784-1785

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG017002	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG017003

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
12 steps (Dschrg Perf)	Asmt		Code	2	1786-1787

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5590	Skip pattern	Fatal	(a) If GG0170N3=[07,09,10,88,^], then GG017003 must equal [^]. (b) If GG0170N3=[06,05,04,03,02,01], then GG017003 must not equal [^]. (c) If GG0170N3=[-], then GG017003 must equal [-].

Changes for Version

Type	ID	Description
Item	GG017003	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5590	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170P1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Picking up object (SOC/ROC Perf)	Asmt		Code	2	1788-1789

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170P1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170P2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Picking up object (Dschrng Goal)	Asmt		Code	2	1790-1791

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].

Changes for Version

Type	ID	Description
Item	GG0170P2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-5510	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170P3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Picking up object (Dschrng Perf)	Asmt		Code	2	1792-1793

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	GG0170P3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170Q1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Use wheelchair and/or scooter (SOC/ROC Perf)	Asmt		Code	1	1794-1794

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5600	Skip pattern	Fatal	(a) If GG0170Q1=[0,^], then the following items must be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. (b) If GG0170Q1=[1], then the following items must not be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. (c) If GG0170Q1=[-], then the following items must be equal to [-]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.

Changes for Version

Type	ID	Description
Item	GG0170Q1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Skip pattern	-5600	M2430_HOSP_UK M2430_HOSP_UR_TRACT M2430_HOSP_WND_INFCTN [V2.30.0]-New edit
--------------	-------	---

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170Q3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Use wheelchair and/or scooter (Dschrg Perf)	Asmt		Code	1	1795-1795

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5610	Skip pattern	Fatal	(a) If GG0170Q3=[0,^], then the following items must be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3. (b) If GG0170Q3=[1], then the following items must not be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3. (c) If GG0170Q3=[-], then the following items must be equal to [-]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.

Changes for Version

Type	ID	Description
Item	GG0170Q3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Skip pattern	-5610	[V2.30.0]-New edit
--------------	-------	--------------------

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170Q4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Use wheelchair and/or scooter (Follow-Up Perf)	Asmt		Code	1	1796-1796

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5620	Skip pattern	Fatal	(a) If GG0170Q4=[0,^], then GG0170R4 must be equal to [^]. (b) If GG0170Q4=[1], then GG0170R4 must not be equal to [^]. (c) If GG0170Q4=[-], then GG0170R4 must be equal to [-].

Changes for Version

Type	ID	Description
Item	GG0170Q4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Skip pattern -5620 [V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170R1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Wheel 50 feet with two turns (SOC/ROC Perf)	Asmt		Code	2	1797-1798

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5600	Skip pattern	Fatal	(a) If GG0170Q1=[0,^], then the following items must be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. (b) If GG0170Q1=[1], then the following items must not be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. (c) If GG0170Q1=[-], then the following items must be equal to [-]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.

Changes for Version

Type	ID	Description
Item	GG0170R1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA.

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Removed mappings to the following deleted items:

M1011_14_DAY_INP_NA
M1017_CHGREG_ICD_NA
M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN
[V2.30.0]-New edit

Skip pattern -5600

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170R2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Wheel 50 feet with two turns (Dschrg Goal)	Asmt		Code	2	1799-1800

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].
-5600	Skip pattern	Fatal	(a) If GG0170Q1=[0,^], then the following items must be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. (b) If GG0170Q1=[1], then the following items must not be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. (c) If GG0170Q1=[-], then the following items must be equal to [-]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Changes for Version

Type	ID	Description
Item	GG0170R2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM M1036_RSK_DRUGS M1036_RSK_NONE M1036_RSK_OBESITY M1036_RSK_SMOKING M1036_RSK_UNKNOWN M1210_HEARG_ABLTY M1220_UNDRSTG_VERBAL_CNTNT M1230_SPEECH M1240_FRML_PAIN_ASMT M1300_PRSR_ULCR_RISK_ASMT M1302_RISK_OF_PRSR_ULCR M1320_STUS_PRBLM_PRSR_ULCR M1350_LESION_OPEN_WND M1410_RESPTX_OXYGEN M1410_RESPTX_AIRPRESS M1410_RESPTX_NONE M1410_RESPTX_VENTILATOR M1501_SYMTM_HRT_FAILR_PTNTS M1511_HRT_FAILR_CARE_PLAN_CHG M1511_HRT_FAILR_CLNCL_INTRVTN M1511_HRT_FAILR_ER_TRTMT M1511_HRT_FAILR_NO_ACTN M1511_HRT_FAILR_PHYSN_CNTCT

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Consistency -5510
Skip pattern -5600

[V2.30.0]-New edit
[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170R3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Wheel 50 feet with two turns (Dschrg Perf)	Asmt		Code	2	1801-1802

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5610	Skip pattern	Fatal	(a) If GG0170Q3=[0,^], then the following items must be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3. (b) If GG0170Q3=[1], then the following items must not be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3. (c) If GG0170Q3=[-], then the following items must be equal to [-]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.

Changes for Version

Type	ID	Description
Item	GG0170R3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5610	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170R4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Wheel 50 feet with two turns (Follow-Up Perf)	Asmt		Code	2	1803-1804

Item Subsets

Active:	04,05
Inactive:	01,03,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5620	Skip pattern	Fatal	(a) If GG0170Q4=[0,^], then GG0170R4 must be equal to [^]. (b) If GG0170Q4=[1], then GG0170R4 must not be equal to [^]. (c) If GG0170Q4=[-], then GG0170R4 must be equal to [-].

Changes for Version

Type	ID	Description
Item	GG0170R4	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_OTHR_HRT_DEASE
		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5620	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170RR1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Type of wheelchair or scooter (SOC/ROC Perf)	Asmt		Code	1	1805-1805

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
1		Manual
2		Motorized
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5600	Skip pattern	Fatal	(a) If GG0170Q1=[0,^], then the following items must be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. (b) If GG0170Q1=[1], then the following items must not be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. (c) If GG0170Q1=[-], then the following items must be equal to [-]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.

Changes for Version

Type	ID	Description
Item	GG0170RR1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5600	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170RR3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Type of wheelchair or scooter (Dschg Perf)	Asmt		Code	1	1806-1806

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
1		Manual
2		Motorized
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5610	Skip pattern	Fatal	(a) If GG0170Q3=[0,^], then the following items must be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3. (b) If GG0170Q3=[1], then the following items must not be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3. (c) If GG0170Q3=[-], then the following items must be equal to [-]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.

Changes for Version

Type	ID	Description
Item	GG0170RR3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Skip pattern	-5610	M2430_HOSP_WND_INFCTN [V2.30.0]-New edit
--------------	-------	---

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170S1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Wheel 150 feet (SOC/ROC Perf)	Asmt		Code	2	1807-1808

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5600	Skip pattern	Fatal	(a) If GG0170Q1=[0,^], then the following items must be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. (b) If GG0170Q1=[1], then the following items must not be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. (c) If GG0170Q1=[-], then the following items must be equal to [-]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.

Changes for Version

Type	ID	Description
Item	GG0170S1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA.

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Removed mappings to the following deleted items:

M1011_14_DAY_INP_NA
M1017_CHGREG_ICD_NA
M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN
[V2.30.0]-New edit

Skip pattern -5600

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170S2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Wheel 150 feet (Dschrg Goal)	Asmt		Code	2	1809-1810

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5510	Consistency	Fatal	Self-Care and Mobility Discharge Goals: At least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].
-5600	Skip pattern	Fatal	(a) If GG0170Q1=[0,^], then the following items must be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. (b) If GG0170Q1=[1], then the following items must not be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. (c) If GG0170Q1=[-], then the following items must be equal to [-]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Changes for Version

Type	ID	Description
Item	GG0170S2	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM M1036_RSK_DRUGS M1036_RSK_NONE M1036_RSK_OBESITY M1036_RSK_SMOKING M1036_RSK_UNKNOWN M1210_HEARG_ABLTY M1220_UNDRSTG_VERBAL_CNTNT M1230_SPEECH M1240_FRML_PAIN_ASMT M1300_PRSR_ULCR_RISK_ASMT M1302_RISK_OF_PRSR_ULCR M1320_STUS_PRBLM_PRSR_ULCR M1350_LESION_OPEN_WND M1410_RESPTX_OXYGEN M1410_RESPTX_AIRPRESS M1410_RESPTX_NONE M1410_RESPTX_VENTILATOR M1501_SYMTM_HRT_FAILR_PTNTS M1511_HRT_FAILR_CARE_PLAN_CHG M1511_HRT_FAILR_CLNCL_INTRVTN M1511_HRT_FAILR_ER_TRTMT M1511_HRT_FAILR_NO_ACTN M1511_HRT_FAILR_PHYSN_CNTCT

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Consistency -5510
Skip pattern -5600

[V2.30.0]-New edit
[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170S3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Wheel 150 feet (Dschrng Perf)	Asmt		Code	2	1811-1812

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
06		Independent
05		Setup or clean-up assistance
04		Supervision or touching assistance
03		Partial/moderate assistance
02		Substantial/maximal assistance
01		Dependent
07		Patient refused
09		Not applicable
10		Not attempted due to environmental limitations
88		Not attempted due to medical conditions or safety concerns
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5610	Skip pattern	Fatal	(a) If GG0170Q3=[0,^], then the following items must be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3. (b) If GG0170Q3=[1], then the following items must not be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3. (c) If GG0170Q3=[-], then the following items must be equal to [-]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.

Changes for Version

Type	ID	Description
Item	GG0170S3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_PAIN
		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5610	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170SS1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Type of wheelchair or scooter (SOC/ROC Perf)	Asmt		Code	1	1813-1813

Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
1		Manual
2		Motorized
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5600	Skip pattern	Fatal	(a) If GG0170Q1=[0,^], then the following items must be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. (b) If GG0170Q1=[1], then the following items must not be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. (c) If GG0170Q1=[-], then the following items must be equal to [-]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.

Changes for Version

Type	ID	Description
Item	GG0170SS1	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Skip pattern	-5600	[V2.30.0]-New edit

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: GG

Item ID: GG0170SS3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Type of wheelchair or scooter (Dschrq Perf)	Asmt		Code	1	1814-1814

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
1		Manual
2		Motorized
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5610	Skip pattern	Fatal	(a) If GG0170Q3=[0,^], then the following items must be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3. (b) If GG0170Q3=[1], then the following items must not be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3. (c) If GG0170Q3=[-], then the following items must be equal to [-]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.

Changes for Version

Type	ID	Description
Item	GG0170SS3	[V2.30.0]-New item
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADV CY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: GG

Skip pattern	-5610	M2430_HOSP_WND_INFCTN [V2.30.0]-New edit
--------------	-------	---