4-5 April 2007 Snowstorm

Summary

Although this snowstorm didn't occur on a holiday like the past two events (Valentine's and St. Patrick's Day), it was still close enough to Easter to think about Easter egg rolls, rather than rolling snowballs to make snowmen. However, despite the rather substantial snowfall totals across the region, it was not that unusual for "Spring Snow" in Vermont. In Burlington, a typical April averages 5 inches of snow, with the greatest storm total snowfall for April occurring on April 15-16, 1983 with 15.6 inches.

This storm was a complex, three faceted event that was dominated by a strong northern jet stream system, which provided the energy, instability, and eventually a secondary coastal low which delivered the moisture in the form of wet snow.


On the night of the 3rd into the early morning hours of the 4th, a disturbance ahead of the main northern stream system, located across the Great Lakes, moved across northern New York and Vermont. A combination of light rain, freezing rain and sleet fell across northern New York and western Vermont, including a few rumbles of thunder. In central and eastern Vermont, snow and sleet fell with localized snow accumulations up to 2 inches.

During the afternoon of the 4th, an associated occluded surface front from the northern stream storm, moved into western New York with temperatures primarily in the mid 30s to around 40 degrees (above freezing). Initially, precipitation was light and fell as rain showers, but as the intensity increased, it cooled the column of air, and precipitation fell as sleet and snow through a process commonly referred to as "dynamic cooling".

During the late afternoon and evening of the 4th, a secondary area low pressure developed off the New Jersey coast. At this time, the main precipitation shield was located primarily across central and eastern New England. However, during the evening and night of the 4th, the strong negative-tilt (southeast to northwest) upper low across the eastern Great Lakes and Ontario promoted strong upward vertical motion, which captured the moisture associated with the developing coastal low, that was moving northeast toward Cape Cod, and transported it back across Vermont and eastern New York in the form of heavy wet snow, which continued into the early morning of the 5th.

On the morning of the 5th, the coastal low was located just east of Cape Cod and moving into the Gulf of Maine with the primary closed upper low across the eastern Great Lakes. The steady snowfall was exiting northern Vermont with improving conditions across southern Vermont and New York. Meanwhile. wraparound deep moisture and favorable upslope flow across the higher elevations of northern Vermont and the western slopes of the Green mountains, resulted in several inches of additional snowfall on the 5th.

Snowfall Map to 4-5 April 2007



Storm Total Snowfall from the pre-Easter snowstorm (Click image to enlarge)

Snowfall Totals (= 3 April 2007 (text)

PUBLIC INFORMATION STATEMENT SPOTTER REPORTS NATIONAL WEATHER SERVICE BURLINGTON VT 1030 AM EDT FRI APR 6 2007


THE FOLLOWING ARE UNOFFICIAL OBSERVATIONS TAKEN DURING THE APRIL 4TH AND 5TH SNOW STORM THAT AFFECTED OUR REGION. APPRECIATION IS EXTENDED TO HIGHWAY DEPARTMENTS...COOPERATIVE OBSERVERS...SKYWARN SPOTTERS AND MEDIA FOR THESE REPORTS. THIS SUMMARY IS ALSO AVAILABLE ON OUR HOME PAGE AT WEATHER.GOV/BURLINGTON.

LOCATION	SNOWFALL	TIME/DATE OF MEASUREMENT		COMMENTS
NEW YORK				
CLINTON COUNTY DANNEMORA ELLENBURG DEPO PLATTSBURGH	6.0 T 2.0	958 <i>P</i>	AM 4/5 AM 4/5 AM 4/5	
ESSEX COUNTY NEWCOMB		958 <i>P</i>	AM 4/5	COOP
FRANKLIN COUNT TUPPER LAKE MALONE	2.5	700 <i>P</i> 959 <i>P</i>	AM 4/6 AM 4/5	COOP COOP
VERMONT				
ADDISON COUNTY SOUTH LINCOLN NEW HAVEN GRANVILLE BRIDPORT	11.4 10.0 7.0 3.0	700 F 700 F 1042 F 1004 F	AM 4/6 AM 4/6 AM 4/5 AM 4/5	COOP COOP SPOTTER SPOTTER
CALEDONIA COUN SUTTON WHEELOCK LYNDONVILLE STANNARD WALDEN SAINT JOHNSBUR EAST HARDWICK	14.0 13.0 12.0 12.0 12.0 10.4	1008 A 1042 A 1007 A	AM 4/5 AM 4/5 AM 4/5 AM 4/6	SPOTTER SPOTTER SPOTTER SPOTTER COOP
NORTH UNDERHIL WESTFORD JERICHO CENTER SOUTH BURLINGT HANKSVILLE	L 8.6 5.0 3.6 ON 3.2 2.4	700 A 700 A 800 A	AM 4/6 AM 4/6 AM 4/6	NWS EMPLOYEE NWS EMPLOYEE NWS EMPLOYEE NWS OFFICE COOP
ESSEX COUNTY ISLAND POND EAST HAVEN	12.0 9.0	1045 <i>P</i>		COOP COOP

...FRANKLIN COUNTY...


MONTGOMERY	7.0	428	РМ	4/5	
ENOSBURG FALLS					COOP
SAINT ALBANS					
HIGHGATE CENTER					
					SPOTTER
LAMOILLE COUNTY					
EDEN	11.3	700	AM	4/6	COOP
JEFFERSONVILLE	6.0	947	AM	4/5	COOP
MORRISVILLE				4/5	
ORANGE COUNTY					
BROOKFIELD	12.0	700	AM	4/6	COOP
STRAFFORD					SPOTTER
UNION VILLAGE DAM	9.0	700	AM	4/6	COOP
CHELSEA	9.0 7.5	700	AM	4/6	COOP
ORLEANS COUNTY					
GREENSBORO BEND	10.0	1001	AM	4/5	SPOTTER
NEWPORT	9.0	700	AM	4/6	COOP
JAY	8.0	951	AM	4/5	COOP
RUTLAND COUNTY					
MOUNT HOLLY	8.0	1044	AM	4/5	SPOTTER
DANBY FOUR CORNERS	7.0	700	AM	4/6	COOP
RUTLAND	7.0 5.8	700	AM	4/6	COOP
WASHINGTON COUNTY					
NORTH CALAIS	14.0	1205	PM	4/5	SPOTTER
WAITSFIELD	11.0	700	AM	4/6	COOP
WORCESTER	9.0	700	AM	4/6	COOP
NORTHFIELD					NWS EMPLOYEE
PLAINFIELD	7.7	700	MΑ	4/6	COOP
MARSHFIELD	7.5	1225	PM	4/5	SPOTTER
MONTPELIER	6.0	700	AM	4/6	COOP
WINDSOR COUNTY					
BETHEL	11.0	700	AM	4/6	COOP
HARTLAND	9.0	1207	PM	4/5	VT HIGHWAY
NORTH SPRINGFIELD	8.0	1044	AM	4/5	SPOTTER
SOUTH WOODSTOCK	8.0	1205		4/5	VT HIGHWAY
WOODSTOCK	8.0	957	AM	4/5	COOP
TAFTSVILLE	7.5	1041		4/5	SPOTTER
ROCHESTER	7.0	957		4/5	COOP
CAVENDISH	6.5	1041		4/5	SPOTTER
NORTH HARTLAND	6.5			4/6	COOP

Surface Weather Map at 7:00 A.M. E.S.T.
Surface Chart, Wednesday Morning (4/4/2007), 1200UTC (8am EDT) (Click image to enlarge)




US Upper Air Chart (500HPa), Wednesday Morning (4/4/2007), 1200UTC (8am EDT) (Click image to enlarge)


Radar. Satellite and Surface Charts for the Afternoon of the 4th




Composite Radar at 2 pm EDT Wednesday afternoon (4/4/2007) - Snow, sleet and rain showers across Vermont and northern New York with Heavy precipitation across southern New England and Long Island. (Click image to enlarge)




Infra-red Satellite at 2 pm EDT Wednesday afternoon (4/4/2007) - Heaviest precipitation ahead of occluded front from Vermont/New York border east. Meanwhile, the occluded front is located from eastern Lake Ontario south across east-central Pennsylvania to northern Virginia. (Click image to enlarge)




US Surface Chart, Wednesday afternoon (4/4/2007), 2100UTC (5pm EDT) (Click image to enlarge)




Water Vapor Satellite Picture on Wednesday afternoon (4/4/2007) showing the strong upper level cut-off low across the northern Great Lakes, as well as the negative tilted orientation of the trough from the Appalachians back to the closed low over the Great Lakes.




US Upper Air Chart (500HPa), Wednesday Evening 0000UTC (4/5/2007), 8pm EDT-4/4/2007 (Click image to enlarge)




Surface Chart and Radar composite - Wednesday Evening, 0300UTC 4/5/2007 (11pm EDT 4/5/2007) Surface low moving northeast, south of New England, while precipitation has redeveloped and moved back toward Vermont and northeast New York. (Click image to enlarge)




Surface Chart - Thursday Morning (4/5/2007), 0600UTC (2am EDT) (Click image to enlarge)



Surface Chart - Thursday Morning (4/5/2007), 1200UTC (8am EDT) (Click image to enlarge)



Surface and Radar composite - Thursday Morning, 1200UTC 4/5/2007 (8am EDT) (Click image to enlarge)



US Upper Air Chart (500HPa), Thursday Morning (4/5/2007), 1200UTC (8am EDT) (Click image to enlarge)