

Station: ST LANDRY PARISH AIRPORT AHART FIELD, LA US WBAN: 72046800466
(KOPL)

Generated on 03/05/2022

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather			Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH					
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Direction = Degrees							
																			Peak Speed	Peak Dir	Sust. Speed	Sust. Dir				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23				
01										0602	1753	BR														
08										0607	1744	RA DZ														
09										0607	1743	RA DZ BR														
10										0608	1742	RA DZ BR														
11										0609	1741	FG BR														
15										0611	1736	FG BR														
16										0612	1735	RA DZ														
18										0613	1733	DZ														
19										0614	1732	FG BR														
20										0615	1731	FG BR														
21										0615	1730	BR														
22										0616	1729	FG BR RA DZ														
23										0617	1728	TS BR														
24										0618	1727	DZ BR														
25										0618	1726	BR														
27										0620	1724	RA DZ BR														
28										0621	1723	RA BR														
31										0623	1721	BR														
										Monthly Averages Totals																
								Departure from Normal (1981-2010)																		
Degree Days										Number of days with...																
	Monthly				Season-to-date			Temperature				Precipitation				Snow		Weather								
	Total		Departure		Total		Departure		Max		Min															
Heating									>=90°		<=32°		<=32°		<=0°		>=0.01"		>=0.1"		>=1"		T-Storms		Heavy Fog	
Cooling																										
Date of 5-sec to 3-sec wind equipment change								Sea Level Pressure						Greatest...												
N/A												Date		Time		24-Hr...				Snow Depth						
								Maximum								Precip		Snowfall								
								Minimum																		
Station Augmentation														Date												
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																										

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Current Location: Elev: 76 ft. Lat: 30.5584° N Lon: -92.0994° W

Station: ST LANDRY PARISH AIRPORT AHART FIELD, LA US WBAN: 72046800466 (KOPL)

Local Climatological Data
Hourly Observations
October 2020

Generated on 03/05/2022

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
10	0015	7		7.00		69	20.6	66	18.9	65	18.3	88	25	270	34	29.31				FM-15		29.39
10	0035	7		5.00	BR:1	69	20.6	66	18.9	65	18.3	88	25	260	39	29.35				FM-15		29.43
10	0055	7		3.00	DZ:01 DZ DZ	69	20.6	67	19.4	66	18.9	92	26	270	44	29.40				FM-15	0.01	29.48
10	0115	7		4.00	DZ:01 DZ DZ	69	20.6	67	19.4	66	18.9	92	25	270	40	29.44				FM-15	0.01	29.52
10	0135	7		4.00	DZ:01 DZ DZ	69	20.6	67	19.4	66	18.9	91	23	270	41	29.48				FM-15	0.02	29.56
10	0155	7		10.00		69	20.6	67	19.4	66	18.9	89	18	270	32	29.50				FM-15	0.02	29.58
10	0215	7		10.00		69	20.6	67	19.4	66	18.9	89	21	260	31	29.52				FM-15		29.60
10	0235	7		10.00		69	20.6	66	18.9	65	18.3	87	17	260		29.55				FM-15		29.63
10	0255	7		10.00	-DZ:01 DZ DZ	69	20.6	66	18.9	65	18.3	89				29.56				FM-15		29.64
10	0315	7		10.00	-DZ:01 DZ DZ	69	20.6	66	18.9	65	18.3	89	16	260	24	29.58				FM-15		29.66
10	0335	7		10.00	-RA:02 RA RA	68	20.0	66	18.9	65	18.3	91	14	250		29.59				FM-15		29.67
10	0355	7		10.00		69	20.6	66	18.9	65	18.3	89	11	240		29.60				FM-15		29.68
10	0415	7		10.00		69	20.6	66	18.9	65	18.3	87	13	260	24	29.62				FM-15		29.70
10	0435	7		10.00		69	20.6	66	18.9	65	18.3	87	14	260	25	29.63				FM-15		29.71
10	0455	7		10.00		69	20.6	66	18.9	65	18.3	87	9	260	23	29.64				FM-15		29.72
10	0515	7		10.00		69	20.6	66	18.9	65	18.3	87	13	260	16	29.65				FM-15		29.73
10	0535	7		10.00		69	20.6	66	18.9	65	18.3	87	10	250	16	29.66				FM-15		29.74
10	0555	7		10.00		68	20.0	66	18.9	65	18.3	88	11	260	17	29.67				FM-15		29.75
10	0615	7		10.00		68	20.0	66	18.9	65	18.3	88	13	260	21	29.68				FM-15		29.76
10	0635	7		10.00		68	20.0	66	18.9	65	18.3	88	9	260	18	29.69				FM-15		29.77
10	0655	7		10.00		68	20.0	66	18.9	65	18.3	88	9	260	17	29.68				FM-15		29.76
10	0715	7		10.00		68	20.0	66	18.9	65	18.3	88	8	250	17	29.69				FM-15		29.77
10	0735	7		10.00		69	20.6	66	18.9	65	18.3	87	8	260		29.70				FM-15		29.78
10	0755	7		10.00		70	21.1	67	19.4	65	18.3	84	9	260		29.71				FM-15		29.79
10	0815	7		10.00		71	21.7	67	19.4	65	18.3	83	10	VRB	22	29.72				FM-15		29.80
10	0835	7		10.00		72	22.2	68	20.0	65	18.3	79	14	260	21	29.72				FM-15		29.80
10	0855	7		10.00		73	22.8	68	20.0	65	18.3	78	8	260	21	29.72				FM-15		29.80
10	0915	7		10.00		74	23.3	68	20.0	65	18.3	75	13	270	16	29.72				FM-15		29.80
10	0935	7		10.00		75	23.9	69	20.6	66	18.9	72	7	280		29.73				FM-15		29.81
10	0955	7		10.00		76	24.4	70	21.1	66	18.9	71	13	280	22	29.73				FM-15		29.81
10	1015	7		10.00		77	25.0	70	21.1	66	18.9	69	9	VRB		29.73				FM-15		29.81
10	1035	7		10.00		78	25.6	70	21.1	66	18.9	68	13	260	16	29.73				FM-15		29.81
10	1055	7		10.00		79	26.1	70	21.1	66	18.9	66	11	250	18	29.72				FM-15		29.80
10	1115	7		10.00		79	26.1	70	21.1	66	18.9	65	14	260	22	29.72				FM-15		29.80
10	1135	7		10.00		80	26.7	71	21.7	66	18.9	64	13	270	20	29.71				FM-15		29.79
10	1155	7		10.00		80	26.7	71	21.7	66	18.9	62	16	280	22	29.70				FM-15		29.78
10	1215	7		10.00		81	27.2	71	21.7	66	18.9	61	15	270	20	29.70				FM-15		29.78
10	1235	7		10.00		81	27.2	72	22.2	67	19.4	61	10	270	18	29.70				FM-15		29.78
10	1255	7	CLR:00	10.00		82	27.8	72	22.2	67	19.4	61	13	280	20	29.69				FM-15		29.77
10	1315	7	CLR:00	10.00		83	28.3	72	22.2	67	19.4	59	7	280	17	29.69				FM-15		29.77
10	1335	7	SCT:04 41	10.00		84	28.9	73	22.8	67	19.4	57	14	290	17	29.68				FM-15		29.76
10	1355	7	SCT:04 43	10.00		84	28.9	73	22.8	67	19.4	57	13	300	21	29.68				FM-15		29.76
10	1415	7	SCT:04 45	10.00		84	28.9	72	22.2	66	18.9	56	13	300	20	29.67				FM-15		29.75
10	1435	7	SCT:04 45	10.00		84	28.9	72	22.2	66	18.9	55	11	270	17	29.67				FM-15		29.75
10	1455	7	SCT:04 45	10.00		84	28.9	71	21.7	65	18.3	53	9	300	22	29.67				FM-15		29.75
10	1515	7	CLR:00	10.00		84	28.9	72	22.2	66	18.9	55	9	290	20	29.67				FM-15		29.75

10	1535	7	SCT:04 55	10.00		83	28.3	71	21.7	65	18.3	53	10	280	17	29.68				FM-15		29.76
10	1555	7	SCT:04 50	10.00		83	28.3	71	21.7	65	18.3	55	13	290	17	29.68				FM-15		29.76
10	1615	7	SCT:04 50	10.00		83	28.3	72	22.2	66	18.9	56	9	300		29.68				FM-15		29.76
10	1635	7	SCT:04 50	10.00		82	27.8	71	21.7	66	18.9	58	8	290		29.69				FM-15		29.77
10	1655	7	CLR:00	10.00		81	27.2	71	21.7	66	18.9	61	5	300		29.69				FM-15		29.77
10	1715	7	CLR:00	10.00		79	26.1	70	21.1	66	18.9	64	5	290		29.70				FM-15		29.78
10	1735	7	CLR:00	10.00		78	25.6	70	21.1	66	18.9	68	5	320		29.70				FM-15		29.78
10	1755	7	CLR:00	10.00		76	24.4	70	21.1	66	18.9	72	5	340		29.70				FM-15		29.78
10	1815	7	CLR:00	10.00		75	23.9	69	20.6	66	18.9	73	5	310		29.71				FM-15		29.79
10	1830	7	CLR:00	10.00		75	23.9	69	20.6	66	18.9	74	3	300		29.71				FM-15		29.79
10	1855	7	CLR:00	10.00		73	22.8	69	20.6	66	18.9	79	0	000		29.72				FM-15		29.80
10	1915	7	CLR:00	10.00		72	22.2	68	20.0	66	18.9	81	0	000		29.73				FM-15		29.81
10	1935	7	CLR:00	10.00		73	22.8	69	20.6	67	19.4	81	0	000		29.73				FM-15		29.81
10	1955	7	CLR:00	10.00		72	22.2	69	20.6	67	19.4	84	0	000		29.74				FM-15		29.82
10	2015	7	CLR:00	10.00		71	21.7	68	20.0	66	18.9	86	0	000		29.74				FM-15		29.82
10	2035	7	CLR:00	10.00		70	21.1	67	19.4	66	18.9	87	0	000		29.75				FM-15		29.83
10	2055	7	CLR:00	10.00		70	21.1	67	19.4	66	18.9	89	0	000		29.75				FM-15		29.83
10	2115	7	CLR:00	10.00		69	20.6	67	19.4	66	18.9	91	0	000		29.75				FM-15		29.83
10	2135	7	CLR:00	10.00		69	20.6	67	19.4	66	18.9	91	0	000		29.75				FM-15		29.83
10	2155	7	CLR:00	10.00		69	20.6	67	19.4	66	18.9	91	0	000		29.76				FM-15		29.84
10	2215	7	CLR:00	10.00		69	20.6	67	19.4	66	18.9	91	3	230		29.76				FM-15		29.84
10	2235	7	CLR:00	10.00		71	21.7	68	20.0	66	18.9	86	0	000		29.76				FM-15		29.84
10	2255	7	CLR:00	10.00		70	21.1	67	19.4	66	18.9	86	0	000		29.76				FM-15		29.84
10	2315	7	CLR:00	10.00		69	20.6	67	19.4	66	18.9	90	0	000		29.76				FM-15		29.84
10	2335	7	CLR:00	10.00		69	20.6	67	19.4	66	18.9	92	0	000		29.76				FM-15		29.84
10	2355	7	CLR:00	10.00		68	20.0	67	19.4	66	18.9	93	0	000		29.75				FM-15		29.83

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Current Location: Elev: 76 ft. Lat: 30.5584° N Lon: -92.0994° W

Station: **ST LANDRY PARISH AIRPORT AHART FIELD, LA US WBAN: 72046800466**
(KOPL)

Local Climatological Data
Hourly Remarks
October 2020
Generated on 03/05/2022

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Date	Time (LST)	Remarks
10	0015	MET08110/10/20 00:15:02 METAR KOPL 100615Z 27022G30KT 7SM 21/19 A2939 RMK AO2 T02070186
10	0035	MET08410/10/20 00:35:02 METAR KOPL 100635Z 26022G34KT 5SM BR 21/19 A2943 RMK AO2 T02050185
10	0055	MET09010/10/20 00:55:02 METAR KOPL 100655Z 27023G38KT 3SM DZ 20/19 A2948 RMK AO2 P0001 T02030190
10	0115	MET09010/10/20 01:15:02 METAR KOPL 100715Z 27022G35KT 4SM DZ 20/19 A2952 RMK AO2 P0001 T02030190
10	0135	MET09010/10/20 01:35:02 METAR KOPL 100735Z 27020G36KT 4SM DZ 20/19 A2956 RMK AO2 P0002 T02040189
10	0155	MET08810/10/20 01:55:02 METAR KOPL 100755Z 27016G28KT 10SM 21/19 A2958 RMK AO2 P0002 T02050187
10	0215	MET08210/10/20 02:15:02 METAR KOPL 100815Z 26018G27KT 10SM 21/19 A2960 RMK AO2 T02060187
10	0235	MET07910/10/20 02:35:02 METAR KOPL 100835Z 26015KT 10SM 21/19 A2963 RMK AO2 T02080185
10	0255	MET08910/10/20 02:55:02 METAR KOPL 100855Z KT 10SM -DZ 21/19 A2964 RMK AO2 60003 T02050186
10	0315	MET08610/10/20 03:15:02 METAR KOPL 100915Z 26014G21KT 10SM -DZ 21/19 A2966 RMK AO2 T02050186
10	0335	MET08310/10/20 03:35:02 METAR KOPL 100935Z 25012KT 10SM -RA 20/19 A2967 RMK AO2 T02020186
10	0355	MET07910/10/20 03:55:02 METAR KOPL 100955Z 24010KT 10SM 20/19 A2968 RMK AO2 T02040185
10	0415	MET08210/10/20 04:15:02 METAR KOPL 101015Z 26011G21KT 10SM 21/18 A2970 RMK AO2 T02050183
10	0435	MET08210/10/20 04:35:02 METAR KOPL 101035Z 26012G22KT 10SM 21/18 A2971 RMK AO2 T02060183
10	0455	MET08210/10/20 04:55:02 METAR KOPL 101055Z 26008G20KT 10SM 21/18 A2972 RMK AO2 T02050182
10	0515	MET08210/10/20 05:15:02 METAR KOPL 101115Z 26011G14KT 10SM 21/18 A2973 RMK AO2 T02050183
10	0535	MET08210/10/20 05:35:02 METAR KOPL 101135Z 25009G14KT 10SM 20/18 A2974 RMK AO2 T02040182
10	0555	MET10610/10/20 05:55:02 METAR KOPL 101155Z 26010G15KT 10SM 20/18 A2975 RMK AO2 60003 70458 T02020182 10210 20202
10	0615	MET08210/10/20 06:15:02 METAR KOPL 101215Z 26011G18KT 10SM 20/18 A2976 RMK AO2 T02020181
10	0635	MET08210/10/20 06:35:02 METAR KOPL 101235Z 26008G16KT 10SM 20/18 A2977 RMK AO2 T02020181
10	0655	MET08210/10/20 06:55:02 METAR KOPL 101255Z 26008G15KT 10SM 20/18 A2976 RMK AO2 T02020181
10	0715	MET08210/10/20 07:15:02 METAR KOPL 101315Z 25007G15KT 10SM 20/18 A2977 RMK AO2 T02020181
10	0735	MET07910/10/20 07:35:02 METAR KOPL 101335Z 26007KT 10SM 21/18 A2978 RMK AO2 T02050183
10	0755	MET07910/10/20 07:55:02 METAR KOPL 101355Z 26008KT 10SM 21/18 A2979 RMK AO2 T02110183
10	0815	MET08210/10/20 08:15:02 METAR KOPL 101415Z 27009G19KT 10SM 22/18 A2980 RMK AO2 T02150184
10	0835	MET08210/10/20 08:35:02 METAR KOPL 101435Z 26012G18KT 10SM 22/18 A2980 RMK AO2 T02210183
10	0855	MET08210/10/20 08:55:02 METAR KOPL 101455Z 26007G18KT 10SM 23/19 A2980 RMK AO2 T02260185
10	0915	MET08210/10/20 09:15:02 METAR KOPL 101515Z 27011G14KT 10SM 23/19 A2980 RMK AO2 T02320186
10	0935	MET07910/10/20 09:35:02 METAR KOPL 101535Z 28006KT 10SM 24/19 A2981 RMK AO2 T02400187
10	0955	MET08210/10/20 09:55:02 METAR KOPL 101555Z 28011G19KT 10SM 24/19 A2981 RMK AO2 T02440187
10	1015	MET07910/10/20 10:15:02 METAR KOPL 101615Z 27008KT 10SM 25/19 A2981 RMK AO2 T02520190
10	1035	MET08210/10/20 10:35:02 METAR KOPL 101635Z 26011G14KT 10SM 25/19 A2981 RMK AO2 T02540190
10	1055	MET08210/10/20 10:55:02 METAR KOPL 101655Z 25010G16KT 10SM 26/19 A2980 RMK AO2 T02590190
10	1115	MET08210/10/20 11:15:02 METAR KOPL 101715Z 26012G19KT 10SM 26/19 A2980 RMK AO2 T02610190
10	1135	MET08210/10/20 11:35:02 METAR KOPL 101735Z 27011G17KT 10SM 26/19 A2979 RMK AO2 T02640190
10	1155	MET09410/10/20 11:55:02 METAR KOPL 101755Z 28014G19KT 10SM 27/19 A2978 RMK AO2 T02680189 10270 20202
10	1215	MET08210/10/20 12:15:02 METAR KOPL 101815Z 27013G17KT 10SM 27/19 A2978 RMK AO2 T02720191
10	1235	MET08210/10/20 12:35:02 METAR KOPL 101835Z 27009G16KT 10SM 28/19 A2978 RMK AO2 T02750194
10	1255	MET08610/10/20 12:55:02 METAR KOPL 101855Z 28011G17KT 10SM CLR 28/20 A2977 RMK AO2 T02790197
10	1315	MET08610/10/20 13:15:02 METAR KOPL 101915Z 28006G15KT 10SM CLR 28/20 A2977 RMK AO2 T02840196
10	1335	MET08910/10/20 13:35:02 METAR KOPL 101935Z 29012G15KT 10SM SCT041 29/19 A2976 RMK AO2 T02880194
10	1355	MET08910/10/20 13:55:02 METAR KOPL 101955Z 30011G18KT 10SM SCT043 29/20 A2976 RMK AO2 T02890195
10	1415	MET08910/10/20 14:15:02 METAR KOPL 102015Z 30011G17KT 10SM SCT045 29/19 A2975 RMK AO2 T02870191
10	1435	MET08910/10/20 14:35:02 METAR KOPL 102035Z 27010G15KT 10SM SCT045 29/19 A2975 RMK AO2 T02890191
10	1455	MET08910/10/20 14:55:02 METAR KOPL 102055Z 30008G19KT 10SM SCT045 29/19 A2975 RMK AO2 T02890185
10	1515	MET08610/10/20 15:15:02 METAR KOPL 102115Z 29008G17KT 10SM CLR 29/19 A2975 RMK AO2 T02870187
10	1535	MET08910/10/20 15:35:02 METAR KOPL 102135Z 28009G15KT 10SM SCT055 29/18 A2976 RMK AO2 T02850181
10	1555	MET08910/10/20 15:55:02 METAR KOPL 102155Z 29011G15KT 10SM SCT050 29/19 A2976 RMK AO2 T02850185
10	1615	MET08610/10/20 16:15:02 METAR KOPL 102215Z 30008KT 10SM SCT050 29/19 A2976 RMK AO2 T02850190

10	1635	MET08610/10/20 16:35:02 METAR KOPL 102235Z 29007KT 10SM SCT050 28/19 A2977 RMK AO2 T02770188
10	1655	MET08310/10/20 16:55:02 METAR KOPL 102255Z 30004KT 10SM CLR 27/19 A2977 RMK AO2 T02700189
10	1715	MET08310/10/20 17:15:02 METAR KOPL 102315Z 29004KT 10SM CLR 26/19 A2978 RMK AO2 T02630189
10	1735	MET08310/10/20 17:35:02 METAR KOPL 102335Z 32004KT 10SM CLR 25/19 A2978 RMK AO2 T02540191
10	1755	MET09510/10/20 17:55:02 METAR KOPL 102355Z 34004KT 10SM CLR 25/19 A2978 RMK AO2 T02450190 10294 20245
10	1815	MET08310/10/20 18:15:01 METAR KOPL 110015Z 31004KT 10SM CLR 24/19 A2979 RMK AO2 T02410190
10	1830	MET08310/10/20 18:30:01 METAR KOPL 110030Z 30003KT 10SM CLR 24/19 A2979 RMK AO2 T02390189
10	1855	MET08310/10/20 18:55:01 METAR KOPL 110055Z 00000KT 10SM CLR 23/19 A2980 RMK AO2 T02290190
10	1915	MET08310/10/20 19:15:01 METAR KOPL 110115Z 00000KT 10SM CLR 23/19 A2981 RMK AO2 T02250190
10	1935	MET08310/10/20 19:35:01 METAR KOPL 110135Z 00000KT 10SM CLR 23/19 A2981 RMK AO2 T02260192
10	1955	MET08310/10/20 19:55:01 METAR KOPL 110155Z 00000KT 10SM CLR 22/20 A2982 RMK AO2 T02230195
10	2015	MET08310/10/20 20:15:01 METAR KOPL 110215Z 00000KT 10SM CLR 22/19 A2982 RMK AO2 T02150191
10	2035	MET08310/10/20 20:35:01 METAR KOPL 110235Z 00000KT 10SM CLR 21/19 A2983 RMK AO2 T02110189
10	2055	MET08310/10/20 20:55:01 METAR KOPL 110255Z 00000KT 10SM CLR 21/19 A2983 RMK AO2 T02100191
10	2115	MET08310/10/20 21:15:01 METAR KOPL 110315Z 00000KT 10SM CLR 20/19 A2983 RMK AO2 T02040188
10	2135	MET08310/10/20 21:35:01 METAR KOPL 110335Z 00000KT 10SM CLR 21/19 A2983 RMK AO2 T02050190
10	2155	MET08310/10/20 21:55:01 METAR KOPL 110355Z 00000KT 10SM CLR 21/19 A2984 RMK AO2 T02050190
10	2215	MET08310/10/20 22:15:01 METAR KOPL 110415Z 23003KT 10SM CLR 20/19 A2984 RMK AO2 T02030187
10	2235	MET08310/10/20 22:35:01 METAR KOPL 110435Z 00000KT 10SM CLR 22/19 A2984 RMK AO2 T02160191
10	2255	MET08310/10/20 22:55:01 METAR KOPL 110455Z 00000KT 10SM CLR 21/19 A2984 RMK AO2 T02120187
10	2315	MET08310/10/20 23:15:01 METAR KOPL 110515Z 00000KT 10SM CLR 21/19 A2984 RMK AO2 T02050188
10	2335	MET08310/10/20 23:35:01 METAR KOPL 110535Z 00000KT 10SM CLR 21/19 A2984 RMK AO2 T02050191
10	2355	MET10510/10/20 23:55:01 METAR KOPL 110555Z 00000KT 10SM CLR 20/19 A2983 RMK AO2 T02020190 10245 20202 402940202

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service
Current Location: Elev: 76 ft. Lat: 30.5584° N Lon: -92.0994° W
Station: **ST LANDRY PARISH AIRPORT AHART FIELD, LA US WBAN: 72046800466**
(KOPL)

Local Climatological Data
Hourly Precipitation
October 2020

Generated on 03/05/2022

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Date	For Hour (LST) Ending at																								Date	
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID		
01	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	01	
02	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	02	
03	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	03	
04	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	04	
05	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	05	
06	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	06	
07	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	07	
08	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0.02	M	0.01	M	M	M	0.01	0.19	0.11	M	08	
09	M	M	M	M	M	M	M	M	M	0.01	0.09	0.24	0.24	0.47	0.42	0.87	0.50	0.37	1.21	0.01	0.04	M	M	M	09	
10	0.01	0.02	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	10	
11	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	11	
12	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	12	
13	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	13	
14	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	14	
15	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	15	
16	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	16	
17	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	17	
18	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	18	
19	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	19	
20	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	20	
21	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	21	
22	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	22	
23	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0.75	0.15	M	M	M	M	M	M	23	
24	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	24	
25	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	25	
26	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	26	
27	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0.01	0.01	27	
28	M	M	M	M	M	M	M	M	M	M	0.01	0.02	0.02	M	M	M	M	M	0.18	M	M	M	M	M	28	
29	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	29	
30	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	30	
31	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	31	
Maximum Short Duration Precipitation																										
Time Period (Minutes)				5		10		15		20		30		45		60		80		100		120		150		180
Precipitation (inches)																										
Ending Date Time (yyyy-mm-dd hh:mi)																										

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing